

To navigate within this document, right click on this page, select “Show Navigation Pane Buttons,” and select the bookmark icon on the left-hand side or scroll down to Table of Contents to select.

Zoning Ordinance



April 22, 2024

[page intentionally blank]

History of Text Amendments within the Zoning Ordinance

Ordinance	Zoning Case	Summary of Amendment	Adoption
2015-5-2	2015-006	Adopted the entirety of the Comprehensive Zoning Ordinance, rescinding Ordinance 2006-4-24.	05.11.2015
2015-5-3	2015-015	Amendment pertaining to public notice requirements for zoning petitions.	05.11.2015
2016-5-4	2016-001	Amendment pertaining to landscape regulations.	05.09.2015
2016-5-14	2016-010	Amendment pertaining to official submittal dates.	05.23.2016
2016-6-14	2016-013	Amendment pertaining to exterior wall construction standards.	06.13.2016
2016-6-31	2016-015	Amendment pertaining to service yards in public parks and fencing of outdoor recreation facilities.	06.28.2016
2016-8-6	2016-025	Amendment pertaining to sign regulations.	08.08.2016
2017-6-5	2017-009	Amendment pertaining to building setback and other standards for Patio Homes.	06.12.2017
2017-7-9	2017-014	Amendment pertaining to open storage and outside display.	07.24.2017
2017-8-9	2017-016	Amendment pertaining to standards for communication antennas and equipment.	08.28.2017
2017-10-10	2017-021	Amendment pertaining to canopy and awning signs.	10.23.2017
2017-11-3	2017-026	Amendment pertaining to stormwater regulations.	11.13.2017
2017-12-3	2017-010	Amendment pertaining to noise regulations.	12.11.2017
2018-3-13	2017-039	Amendment pertaining to Certificates of Occupancy and Land Occupancy Permits.	03.26.2018
2018-6-11	2018-008	Amendment in order to modify standards and procedures for consistency with the proposed amendments to the Heritage Preservation Ordinance.	06.25.2018
2018-11-7	2018-018	Amendment to consider various modifications and updates.	11.12.2018
2019-1-8	2018-032	Amendment pertaining to various modifications to standards for communications antennas and equipment.	01.14.2019
2019-1-10	2018-027	Amendment pertaining to requirements for refuse and recycling containers and compactors.	01.28.2019
2019-2-10	2018-033	Amendment pertaining to Backyard Cottages.	02.25.2019
2019-5-7	2019-001	Amendment pertaining to Farmers Markets.	05.13.2019
2019-5-8	2019-003	Amendment pertaining to the Urban Mixed-Use (UMU) zoning district and Commercial Antennas.	05.13.2019

History of Text Amendments within the Zoning Ordinance (Cont'd)

Ordinance	Zoning Case	Summary of Amendment	Adoption
2019-8-8	2019-011	Amendment due to recent state legislative actions and to ensure compliance with state law.	08.26.2019
2019-10-9	2019-009	Amendment to standards pertaining to the Expressway Corridor Environmental Health Policy.	10.14.2019
2020-6-5	2020-007	Amendment to repeal the provisions regarding the reasonable accommodation process of the Board of Adjustment.	06.08.2020
2020-8-9	2020-003	Amendment to create the Neighborhood Conservation (NCD) overlay district.	08.24.2020
2021-1-12	2020-013	Amendment to create the Residential Community Design (RCD) zoning district.	01.25.2021
2021-1-13	2020-012	Amendment to create the Neighborhood Business Design (NBD) zoning district.	01.25.2021
2021-7-6	2021-011	Amendment pertaining to Community Center, Public Building, Library, and related uses.	07.26.2021
2021-8-5	2021-013	Amendment pertaining to recent state legislative actions and to ensure compliance with state law.	08.09.2021
2021-9-25	2021-020	Amendment pertaining to backyard chickens.	09.27.2021
2022-1-6	2021-026	Amendment pertaining to Special Vehicle Parking.	01.10.2022
2022-5-11	2022-004	Amendment pertaining to Tattooing and Permanent Cosmetics and related uses in the Downtown Business/Government (BG) zoning district.	05.23.2022
2022-6-15	2022-005	Amendment pertaining to noticing requirements for city-initiated zoning cases on private property.	06.27.2022
2022-6-16	2022-006	Amendment pertaining to Arcade regulations.	06.27.2022
2022-8-3	2022-010	Amendment pertaining to noticing requirements for Zoning Ordinance text amendments.	08.08.2022
2023-2-5	2022-016	Amendment to align with specific land use policies in the Comprehensive Plan 2021.	02.27.2023
2023-2-6	2022-017	Amendment to improve alignment of the Residential Community Design (RCD) and Neighborhood Business Design (NBD) districts with the comprehensive plan.	02.27.2023
2023-5-1	2023-004	Amendment related to an interim ban on short-term rentals.	05.08.2023
2023-8-5	2023-010	Amendment to adopt a broadly applicable process for making determinations of status as a nonconforming use or structure and for appealing those determinations.	08.14.2023
2023-8-15	2023-011	Amendment pertaining to backyard cottage regulations.	08.28.2023

History of Text Amendments within the Zoning Ordinance (Cont'd)

Ordinance	Zoning Case	Summary of Amendment	Adoption
2023-8-16	2023-012	Amendment pertaining to recent state legislative actions and to ensure compliance with state law.	08.28.2023
2023-9-13	2023-002	Amendment to incorporate and align with the Street Design Standards.	09.11.2023
2023-10-11	2023-022	Amendment to allow pet funeral homes and to add a land use classification and associated restrictions for crematories.	10.23.2023
2023-10-12	2023-023	Amendment to allow temporary emergency shelters during life-threatening weather events.	10.23.2023
2024-1-6	2023-027	Amendment authorizing modified off-street parking requirements for changes of use and for infill, redevelopment, and building expansion projects.	01.08.2024
2024-2-6	2023-014	Amendment to allow commercial drone delivery hubs, establish regulations for such uses, and add provisions for advanced air mobility aircraft.	02.26.2024
2024-2-7	2023-019	Amendment pertaining to recent state legislative actions and to ensure compliance with state law.	02.26.2024
2024-4-13	2024-008	Amendment to repeal the interim ban of new short-term rentals and to permanently regulate short-term rentals (STRs) and related land uses, including associated development regulations.	04.22.2024

[Remainder of page intentionally blank]

[This page intentionally blank]

Contents

DIVISION 1 | ADMINISTRATIVE & PROCEDURAL PROVISIONS i

Article 1 Legal Framework..... 1-1

 1.100 Official Name (Title) 1-1

 1.200 Authority 1-1

 1.300 Applicability..... 1-2

 1.400 Effective Date 1-2

 1.500 Purposes..... 1-2

 1.600 Compliance..... 1-2

 1.700 Violations and Penalties 1-3

 1.800 Transitional Provisions 1-3

 1.900 Design Standards and Specifications..... 1-3

 1.1000 Zoning upon Annexation 1-4

 1.1100 Interpretations 1-4

 1.1200 Severability..... 1-5

Article 2 Zoning Map..... 2-1

 2.100 Establishment..... 2-1

 2.200 Maintenance and Updates..... 2-1

 2.300 District Boundaries..... 2-1

Article 3 Site Plan Review..... 3-1

 3.100 General..... 3-1

 3.200 Concept Plan 3-3

 3.300 Preliminary Site Plan 3-5

 3.400 Site Plan..... 3-8

 3.500 Adopted Development Plan 3-12

 3.600 Amendments..... 3-14

 3.700 Extension and Reinstatement Procedure 3-15

 3.800 Revocation of Approval 3-15

 3.900 Appeals..... 3-15

 3.1000 Additional Development and Redevelopment..... 3-16

Article 4 Amendments 4-1

 4.100 Procedural Steps of Zoning Petitions and Amendments 4-1

 4.200 Zoning Petition Details 4-1

 4.300 Planning & Zoning Commission Public Hearing 4-2

 4.400 Planning & Zoning Commission Action 4-3

 4.500 City Council Public Hearing 4-4

 4.600 City Council Action 4-5

 4.700 Supermajority Vote Requirements and Protest Petitions..... 4-5

 4.800 Successive Applications..... 4-6

Article 5	Variances and Appeals of Administrative Decisions	5-1
5.100	Board of Adjustment	5-1
5.200	Jurisdiction	5-1
5.300	Appeals of Order, Requirement, Decision, or Determination related to the Zoning Ordinance	5-3
5.400	Action of the Board of Adjustment	5-4
Article 6	Specific Use Permits and Certificates of Occupancy	6-1
6.100	Specific Use Permits	6-1
6.200	Certificates of Occupancy	6-1
Article 7	Nonconformities	7-1
7.100	Nonconforming Status	7-1
7.200	Continuance	7-1
7.300	Change of Use	7-1
7.400	Residential Uses in Nonresidential Zoning Districts.....	7-1
7.500	Loss of Nonconforming Status	7-2
7.600	Stopping Nonconforming Use Status	7-2
7.700	Process Following City Council Order to Stop a Nonconforming Use.....	7-2
7.800	Other methods of Terminating a Nonconforming Use or Removal or Relocation of Structures due to Nonconformity	7-3
7.900	Determination of Nonconforming Status and Administrative Official Decision	7-3
Article 8	Definitions	8-1
8.100	Interpretation of Language	8-1
8.200	Terms Defined	8-1

DIVISION 2 | ZONING DISTRICT REGULATIONS..... i

Article 9	Residential Districts.....	9-1
9.100	The Districts.....	9-1
9.200	A, Agricultural District	9-2
9.300	ED, Estate Development District	9-3
9.400	SF-20, Single-Family Residence-20 District	9-6
9.500	SF-9, Single-Family Residence-9 District	9-7
9.600	SF-7, Single-Family Residence-7 District	9-10
9.700	SF-6, Single-Family Residence-6 District	9-13
9.800	UR, Urban Residential District.....	9-15
9.900	PH, Patio Home District.....	9-16
9.1000	SF-A, Single-Family Residence Attached District.....	9-19
9.1100	2F, Two-Family Residence (Duplex) District.....	9-22
9.1200	GR, General Residential District	9-25
9.1300	MF-1, Multifamily Residence-1 District.....	9-27
9.1400	MF-2, Multifamily Residence-2 District.....	9-29
9.1500	MF-3, Multifamily Residence-3 District.....	9-31

9.1600	MH, Mobile Home District	9-33
9.1700	RCD, Residential Community Design District	9-35
Article 10	Nonresidential Districts	10-1
10.100	The Districts.....	10-1
10.200	O-1, Neighborhood Office District	10-2
10.300	O-2, General Office District	10-3
10.400	R, Retail District.....	10-4
10.500	LC, Light Commercial District	10-7
10.600	CC, Corridor Commercial District	10-9
10.700	UMU, Urban Mixed-Use District	10-11
10.800	BG, Downtown Business/Government District.....	10-19
10.900	CB-1, Central Business-1 District	10-34
10.1000	CE, Commercial Employment District	10-37
10.1100	RC, Regional Commercial District.....	10-40
10.1200	RE, Regional Employment District.....	10-43
10.1300	RT, Research/Technology Center District	10-47
10.1400	LI-1, Light Industrial-1 District.....	10-51
10.1500	LI-2, Light Industrial-2 District.....	10-52
10.1600	NBD, Neighborhood Business Design District	10-53
Article 11	Overlay Districts.....	11-1
11.100	General.....	11-1
11.200	Preston Road Overlay District	11-2
11.300	Dallas North Tollway Overlay District	11-3
11.400	190 Tollway/Plano Parkway Overlay District	11-4
11.500	State Highway 121 Overlay District.....	11-5
11.600	Parkway Overlay District	11-6
11.700	Heritage Resource Overlay Districts.....	11-7
11.800	Redevelopment District	11-9
11.900	Planned Residential Development (PRD)	11-10
11.1000	Neighborhood Conservation Overlay Districts.....	11-11
Article 12	Planned Development District	12-1
12.100	Purpose	12-1
12.200	Establishment.....	12-1
12.300	Standard of Approval	12-2
12.400	Minimum District Size	12-2
12.500	PD District Types	12-2
12.600	Permitted Areas of Regulation.....	12-2
12.700	Prohibited Areas of Regulation	12-3
12.800	Regulations Affected	12-3
12.900	Site Plan and Plat Required	12-3
12.1000	Initial Plan Review	12-3

12.1100	Plan Approval	12-4
12.1200	Amendment of Administratively Approved Plans.....	12-4
12.1300	Expiration of Administratively Approved Plans	12-4
12.1400	Minor Amendments for Plan Adopted by Ordinance	12-4
12.1500	Administration.....	12-5
12.1600	Partial Rezoning.....	12-5
12.1700	Review of Zoning.....	12-5
Article 13	Lot and Building Standards	13-1
13.100	Number of Buildings per Lot	13-1
13.200	Street Frontage and Access.....	13-1
13.300	Lot Area and Dimensions	13-2
13.400	Floor Area Ratio	13-2
13.500	Yard Regulations	13-2
13.600	Height Regulations	13-10
13.700	Lot Coverage	13-11
13.800	Usable Open Space.....	13-11
13.900	Accessory Building Regulations.....	13-13
13.1000	Mid-Rise Residential Development.....	13-14
DIVISION 3 USES.....		i
Article 14	Allowed Uses and Use Classifications.....	14-1
14.100	Residential Districts Use Table	14-1
14.200	Nonresidential Districts Use Table	14-9
14.300	Use Table Notes	14-17
14.400	Classification of New and Unlisted Uses	14-18
14.500	Prohibited Uses	14-19
14.600	Government Facilities	14-19
14.700	Agricultural Operations	14-19
Article 15	Use-specific Regulations	15-1
15.100	Commercial Drone Delivery Hubs	15-1
15.200	Communications Antennas, Amateur and Commercial.....	15-3
15.300	Construction Yards, Field Offices, Model Homes, and Other Temporary Buildings	15-14
15.400	Day Care Centers, Day Care (In-home) and Day Care Centers (Accessory)	15-15
15.500	Farmers Market.....	15-15
15.600	Heliports, Helistops, and Airports	15-15
15.700	Home Occupations.....	15-17
15.800	Multifamily Residence.....	15-17
15.900	Outdoor Recreation Facilities.....	15-18
15.1000	Private Clubs.....	15-18
15.1100	Regional Shopping Malls	15-19
15.1200	Residence Hotels.....	15-19

15.1300 Retirement and Supportive Housing.....	15-19
15.1400 Superstores	15-21
15.1500 Tattooing, Permanent Cosmetics, and Body Piercing	15-22
15.1600 Veterinary Clinics, Kennels (Indoor Pens)/Commercial Pet Sitting, and Kennels (Outdoor Pens).....	15-23
15.1700 Mid-Rise Residential.....	15-23
15.1800 Backyard Cottages.....	15-24
15.1900 Sensitive Land Uses in Expressway Corridor Environmental Health Areas.....	15-25
15.2000 Live-Work (Business Loft).....	15-26
15.2100 Temporary Accessory Housing Shelter	15-26
15.2200 Crematory	15-27
15.2300 Short-term Rentals.....	15-27

DIVISION 4 | DEVELOPMENT STANDARDS..... i

Article 16 Parking and Loading	16-1
16.100 General.....	16-1
16.200 Offsite Parking.....	16-2
16.300 Size of Space.....	16-2
16.400 Access.....	16-3
16.500 Vehicle Parking and Storage Area Standards	16-4
16.600 Off-Street Parking Incidental to Main Use	16-7
16.700 Off-Street Parking Schedule	16-8
16.800 Special Off-Street Parking Regulations	16-14
16.900 Joint Parking Facilities	16-15
16.1000 Stacking Requirements for Drive-Through Facilities.....	16-16
16.1100 Parking Reduction for Stormwater Conservation	16-16
16.1200 Parking Reduction Program	16-16
16.1300 Parking Deferment Program	16-19
16.1400 Off-Street Loading.....	16-22
Article 17 Landscaping and Tree Preservation.....	17-1
17.100 Nonresidential Landscaping Requirements	17-1
17.200 Residential Landscaping Requirements	17-6
17.300 Overlay District Landscaping Requirements	17-7
17.400 Landscape Compliance.....	17-12
17.500 Landscape Design Requirements	17-12
17.600 Alternative Landscape Design	17-13
17.700 Landscape Plan Approval	17-13
17.800 Tree Preservation and Protection	17-14
Article 18 [Reserved]	18-1
Article 19 Open Storage and Merchandise Display.....	19-1
19.100 General Requirements for Open Storage.....	19-1

19.200	Screening Requirements for Open Storage	19-2
19.300	General Requirements for Merchandise Display	19-2
Article 20	Screening, Fence and Wall Regulations	20-1
20.100	Screening Walls or Visual Barriers.....	20-1
20.200	General Fence and Wall Regulations	20-2
20.300	Mechanical Screening Requirements.....	20-3
20.400	Requirements for Solid Waste Collection	20-3
Article 21	Residential Adjacency Standards	21-1
21.100	Introduction	21-1
21.200	Purpose and Intent.....	21-1
21.300	Definitions	21-1
21.400	Review Process.....	21-2
21.500	Standards	21-3
Article 22	Signs	22-1
22.100	Administration.....	22-1
22.200	Definitions	22-7
22.300	Design and Construction Specifications	22-13
22.400	General.....	22-22
22.500	Downtown Sign District.....	22-27
22.600	Requirements for Freestanding Signs Located within an Overlay District.....	22-27
22.700	Requirements for Freestanding Signs Located within Research/Technology Center	22-30
Article 23	[Reserved]	23-1
Article 24	Performance Standards	24-1
24.100	General	24-1
24.200	Noise.....	24-1
24.300	Smoke and Particulate Matter	24-1
24.400	Odorous Matter	24-2
24.500	Fire or Explosive Hazard Material	24-2
24.600	Toxic and Noxious Matter	24-2
24.700	Vibration.....	24-2
Article 25	Traffic Studies	25-1
25.100	Introduction	25-1
25.200	Traffic Studies at Time of Zoning.....	25-1
25.300	Traffic Studies at Time of Site Plan Review	25-2
Index	Index-1

DIVISION 1 | ADMINISTRATIVE & PROCEDURAL PROVISIONS

Article 1 Legal Framework 1-1

Article 2 Zoning Map 2-1

Article 3 Site Plan Review 3-1

Article 4 Amendments 4-1

Article 5 Variances and Appeals of Administrative Decisions 5-1

Article 6 Specific Use Permits and Certificates of Occupancy 6-1

Article 7 Nonconformities..... 7-1

Article 8 Definitions..... 8-1

[page intentionally blank]

Article 1 Legal Framework

1.100 Official Name (Title) 1-1

1.200 Authority 1-1

1.300 Applicability..... 1-2

1.400 Effective Date 1-2

1.500 Purposes..... 1-2

1.600 Compliance..... 1-2

1.700 Violations and Penalties 1-3

1.800 Transitional Provisions 1-3

1.900 Design Standards and Specifications 1-3

1.1000 Zoning upon Annexation 1-4

1.1100 Interpretations..... 1-4

1.1200 Severability..... 1-5

1.100 Official Name (Title)

- .1 An ordinance to limit and restrict to specified districts or zones and to regulate therein, buildings and structures according to their construction and the nature and extent of their use, and the nature and extent of the uses of the land in the City of Plano, Collin and Denton counties, Texas, including the right to regulate and restrict the height, number of stories, sizes of buildings and other structures, the percentage of lot that may be occupied, the size of yards, courtyards, and other open spaces, the density of population and the location and use of buildings and structures and land for trade, industry, residence, or other purposes; and in the case of designated places and areas of historic and cultural importance, to regulate and restrict the construction, alteration, reconstruction, or razing of buildings and other structures.
- .2 The Zoning Ordinance of the City of Plano, Texas is codified as Chapter 23 of the Plano Code of Ordinances. The short title by which Chapter 23 is referred to shall be the "zoning ordinance."

1.200 Authority

- .1 The City Council of the City of Plano hereby adopts, and may from time to time amend, this zoning ordinance. The ordinance and any ordinance amendment or revision shall be made in accordance with a Comprehensive Plan, and to lessen congestion in the streets, secure safety from fire, panic, and other dangers, to provide adequate light and air, to prevent the overcrowding of land, to avoid undue concentration of population, to facilitate the adequate provision of transportation, water, sewerage, schools, parks, and other public requirements, or to promote the health and the general welfare. The City Council may adopt an interim zoning ordinance.
- .2 The zoning ordinance shall be drawn with reasonable consideration to the character of each district and its peculiar suitability for particular uses and to encourage the most appropriate use of land. The regulations in the zoning ordinance shall be uniform throughout each district for each class or kind of buildings or structures or uses of land, but the regulations in one district may differ from those in other districts.

- .3 No zoning ordinance and no amendment or revision to any zoning ordinance shall be submitted to or adopted by initiative or referendum.

1.300 Applicability

The regulations of this ordinance apply to all buildings, structures, land and uses within the corporate limits of the city of Plano.

1.400 Effective Date

This ordinance shall become effective immediately upon its passage and publication as required by law. Passed and approved this the 11th day of May, 2015.

1.500 Purposes

This ordinance as herein established has been made in accordance with a Comprehensive Plan for the purpose of promoting and protecting the public health, safety, morals, and general welfare of the community, and in furtherance of the following related and more specified objectives:

- .1 Guide and regulate the appropriate use or development of all lands, in a manner which will promote the public health, safety, morals, and general welfare.
- .2 Secure safety from fire, flood, panic, and other natural and human-initiated disasters.
- .3 Provide adequate light, air, and open space.
- .4 Promote the establishment of appropriate population densities and concentrations that will contribute to the well-being of persons and neighborhoods.
- .5 Encourage the appropriate and efficient expenditure of public funds by the coordination of public development with land use policies.
- .6 Provide sufficient space in appropriate locations for a variety of residential, recreational, commercial, and industrial uses and open space, both public and private; according to their respective environmental requirements in order to meet the needs of all citizens.
- .7 Encourage the location and design of transportation routes, which will promote the free flow of traffic while discouraging location of such facilities and routes, which result in congestion or blight.
- .8 Promote a desirable visual environment through creative development techniques and good civic design and arrangement.
- .9 Promote the conservation of open space and valuable natural resources and prevent urban sprawl and degradation of the environment through improper use of land.
- .10 Encourage coordination of the various public and private procedures and activities shaping land development with a view to lessening the cost of such development and to more efficiently using the land.

1.600 Compliance

.1 Compliance Required

All land, buildings, structures, or appurtenances thereon located within the City of Plano, Texas, which are hereafter occupied, used, erected, altered, or converted shall be used, placed, and erected in conformance with the zoning regulations prescribed for the zoning district in which such land or building is located except as hereinafter provided.

.2 Creation of Building Site

No permit for the construction of a building or buildings upon any tract or plot shall be issued unless the plot or tract is part of a plat of record, properly approved by the Planning & Zoning Commission, and filed in the Plat Records of Collin County or Denton County, Texas.

1.700 Violations and Penalties

Any person, firm, or corporation found to be violating any term or provision of this ordinance shall be subject to a fine in accordance with Section 1-4(a) of the City Code of Ordinances for each offense. Every day a violation continues shall constitute a separate offense.

1.800 Transitional Provisions

.1 Completion of Building Approved or Under Construction

Nothing herein contained shall require any change in the plans, construction, or designated use of a building under construction at the time of the passage of this ordinance and which the entire building shall be completed within one year from the date of the passage of this ordinance.

.2 Preserving Rights in Pending Litigation and Violations under Existing Ordinances

By the passage of this ordinance, no presently illegal or nonconforming use shall be deemed to have been legalized or made conforming unless specifically such use falls within a use district where the actual use is a conforming use. Otherwise, such uses shall remain nonconforming uses where recognized, or an illegal use, as the case may be. It is further the intent and declared purpose of this ordinance that no offense committed and no liability, penalty, or forfeiture, either civil or criminal, incurred prior to the time the proper existing zoning ordinance was repealed and this ordinance adopted, shall be discharged or affected by such repeal; but prosecutions and suits for such offenses, liabilities, penalties, or forfeitures may be instituted or causes presently pending proceeded with in all respects as if such prior ordinance had not been repealed.

1.900 Design Standards and Specifications

(ZC2023-002; Ordinance No. 2023-9-13; ZC2018-008; Ordinance No. 2018-6-11, ZC2017-026; Ordinance No. 2017-11-3, ZC2018-027; Ordinance No. 2019-1-10, and ZC2019-011; Ord. No. 2019-8-8)

.1 The following design standards and specifications, as amended, are referenced in this ordinance:

- A.** Downtown Heritage Resource District Design Standards
- B.** Engineering Construction Standards, as defined in the Subdivision Ordinance
- C.** Erosion and Sediment Control Manual
- D.** Façade Plan Review Checklist
- E.** Fire Code
- F.** Flood Damage Prevention provisions in the city's Code of Ordinances (Chapter 16, Article VIII)
- G.** Haggard Park Heritage Resource District Design Standards
- H.** Heritage Preservation Ordinance
- I.** Landscaping Plan Review Checklists per [Article 17](#).

- J. NCTCOG Standard Specifications for Public Works Construction with City of Plano Special Provisions
 - K. Right-of-Way Ordinance
 - L. Site Plan Review Checklists per [Article 3](#)
 - M. Spring Creekwalk Master Development Plan
 - N. Standard Construction Details
 - O. Standard Park and Trail Construction Details
 - P. Stormwater Design Manual
 - Q. Stormwater Quality Requirements
 - R. Street Design Standards
 - S. Subdivision Ordinance
 - T. Water and Wastewater Design Manual
- .2 The following design standards and specifications, as amended, are incorporated by reference into this ordinance:
- A. Retail Corner Design Guidelines
 - B. Site Design Standards for Solid Waste Containers

1.1000 Zoning upon Annexation

- .1 All territory hereafter annexed to the City of Plano shall be initially classified as A, Agricultural district. The procedure for establishing zoning for an annexed territory shall conform to the procedure established by law for a change in zoning.
- .2 In an area classified upon annexation as A, Agricultural district, the following shall apply:
- A. All lots shall meet the development regulations of this ordinance as may be hereinafter specified.
 - B. No person shall erect, construct, proceed, or continue with the erection or construction of any building or structure, or add to any building or structure, or cause the same to be done in any newly annexed territory to the City of Plano without first applying for and obtaining a Building Permit or Certificate of Occupancy therefore from the Building Official.
 - C. No permit for the construction of a building or use of land shall be issued by the Building Official other than a permit which will allow the construction of a building permitted in the A, Agricultural district, unless and until such territory has been classified in a zoning district other than the A, Agricultural district, by the City Council in the manner provided by law.

1.1100 Interpretations

Questions of interpretation of this ordinance shall be referred to the Director of Planning, who shall have the authority to determine the meaning and interpretation of any provision of this ordinance. Any person aggrieved, or any officer, department, or board of the City of Plano affected by an interpretation of the Director of Planning, may appeal the interpretation to the Planning & Zoning Commission, whose decision in the matter shall be final.

1.1200 Severability

It is the intention of the City Council that this ordinance and every provision thereof shall be considered severable and the validity or partial invalidity of any section, clause, or provision of this ordinance shall not affect the validity of any other portion of this ordinance.

[Remainder of page intentionally blank]

[page intentionally blank]

Article 2 Zoning Map

2.100 Establishment 2-1

2.200 Maintenance and Updates 2-1

2.300 District Boundaries..... 2-1

2.100 Establishment

The location and boundaries of the zoning districts established by this ordinance are maintained as part of the city’s geographic information system (GIS) under the direction of the Director of Planning. This geographic coverage layer constitutes the City of Plano’s official zoning map. The official zoning map—together with all notations, references, data and other information shown on the map— is adopted and incorporated into this ordinance. It is as much a part of this ordinance as if actually depicted within its pages.

2.200 Maintenance and Updates

The Director of Planning is responsible for directing revisions to the official zoning map to reflect its amendment as soon as possible after the effective date of zoning map amendments. No unauthorized person may alter or modify the official zoning map. The Director of Planning may authorize printed copies of the official zoning map to be produced, and maintain digital or printed copies of superseded versions of the official zoning map for historical reference.

2.300 District Boundaries

The district boundary lines shown on the zoning map are usually along streets, alleys, property lines, or extensions thereof. Where uncertainty exists as to the boundaries of districts as shown on the official zoning map, the following rules shall apply:

- .1 Boundaries indicated as approximately following the centerlines of streets, highways, or alleys shall be construed to follow such centerlines.
- .2 Boundaries indicated as approximately following platted lot lines shall be construed as following such lot lines.
- .3 Boundaries indicated as approximately following city limits shall be construed as following city limits.
- .4 Boundaries indicated as following railroad lines shall be construed to be midway between the right-of-way lines.
- .5 Boundaries indicated as following shorelines shall be construed to follow such shore lines, and in the event of change in the shore line shall be construed as moving with the actual shore line; boundaries indicated as approximately following the centerlines of all bodies of water shall be construed to follow such centerlines, and in the event of change in the centerline shall be construed to move with such centerline.
- .6 Boundaries indicated as parallel to or extensions of features indicated in Sec. [2.300.1](#) through Sec. [2.300.5](#) shall be so construed. Distances not specifically indicated on the original zoning maps shall be determined by the scale of the map.

- .7 Whenever any street, alley, or other public way is vacated by official action of the City Council or whenever such area is franchised for building purposes, the zoning district line adjoining each side of such street, alley, or other public way shall be automatically extended to the centerline of such vacated street, alley, or other public way and all areas so involved shall then and henceforth be subject to all regulations of the extended districts.
- .8 The zoning classification applied to a tract of land adjacent to a street shall extend to the centerline of the street, unless as a condition of zoning approval it is stated that the zoning classification shall not apply to the street.
- .9 Where physical features on the ground are at variance with information shown on the official zoning map or when there arises a question as to how or whether a parcel of property is zoned and such question cannot be resolved by the application of the district boundary interpretation rules of Sec. [2.300.1](#) through Sec. [2.300.8](#), the property shall be considered to be classified in the A, Agricultural district, in the same manner as provided for newly annexed territory and the issuance of a building permit shall be in accordance with the provisions of Sec. [1.1000](#).

[Remainder of page intentionally blank]

Article 3 Site Plan Review

3.100	General.....	3-1
3.200	Concept Plan.....	3-3
3.300	Preliminary Site Plan	3-5
3.400	Site Plan.....	3-8
3.500	Adopted Development Plan.....	3-12
3.600	Amendments	3-14
3.700	Extension and Reinstatement Procedure	3-15
3.800	Revocation of Approval	3-15
3.900	Appeals.....	3-15
3.1000	Additional Development and Redevelopment.....	3-16

3.100 General

.1 Overview

- A. This article establishes a site plan review process for land development. The process involves a series of 3 plans, progressing from a general evaluation of a site and development concept to approval of a detailed development plan.
- B. The first plan in the series is a concept plan. This plan establishes a general schematic for site development, primarily focusing on vehicular access and circulation. Concept plans may be used to separate large properties into parts for phasing site planning and development. The second plan in the series is a preliminary site plan. This plan presents more detailed information on building layout, parking, drives, landscaping, screening, and other site improvements. Preliminary site plan approval assures the applicant that the general layout is acceptable prior to proceeding with detailed engineering and design. Site plan approval is the final step in the process. A site plan is a detailed, scaled drawing of all surface improvements, structures, and utilities proposed for development. Site plan approval is required prior to the release of engineering plans and building permits. Concept plans and preliminary site plans require review and approval by the Planning & Zoning Commission. Site plans may be approved by city staff provided that they conform to preliminary plans for the development approved by the Commission.

.2 Purpose

The purpose of this process is to:

- A. Ensure compliance with adopted city development regulations and other applicable regulations for which the city has enforcement responsibility.
- B. Promote safe, efficient, and harmonious use of land through application of city-adopted design standards and guidelines.
- C. Promote stormwater quality planning into the site planning process. (*ZC2017-026; Ord. No. 2017-11-3 & ZC2006-02; Ordinance No. 2006-4-24*)
- D. Protect and enhance the city's environmental and aesthetic quality.

- E. Ensure adequate public facilities to serve development.
- F. Prevent or mitigate adverse development impacts, including overcrowding and congestion.
- G. Aid evaluation and coordination of land subdivision.

.3 Applicability

The site plan review process shall apply to:

- A. Development within an area zoned planned development. (See [Article 12](#))
- B. Nonresidential development, except as provided in Sec. [3.100.4](#).
- C. Multifamily residential development. (*ZC2006-02; Ordinance No. 2006-4-24*)
- D. Patio home and single-family residence attached residential use development and any mixed single-family detached residential development that contains patio home and/or single-family attached residential dwellings. (*ZC2006-02; Ordinance No. 2006-4-24*)
- E. Residential development within an area zoned RCD or NBD. (*ZC2020-012; Ord. No. 2021-1-13*)
- F. Mobile home parks.
- G. Parking lot development, reconstruction, or restriping of more than 20 spaces.

.4 Exemptions

The following types of development are exempted from the requirements of this article.

- A. Agricultural buildings.
- B. Temporary structures permitted under Sec. [15.300](#).

.5 Submission of Applications

- A. Prior to submission of application, a pre-application meeting is required. The purpose of the meeting is to review potential site design before formal submittal. City of Plano engineering and planning staff will discuss the stormwater impacts of the proposed development and opportunities to achieve stormwater quality requirements (see Section 5.6 of the Subdivision Ordinance) and goals of the City of Plano's TPDES permit. A pre-application meeting checklist can be obtained from the city. (*ZC2017-026; Ord. No. 2017-11-3 & ZC2006-02; Ordinance No. 2006-4-24*)
- B. Applications for approval of plans required by this article must be submitted to the City of Plano Planning Department. The Planning Department shall publish at least 30 days prior to the beginning of each year a calendar of official submittal dates. This calendar will generally specify two submittal dates for each calendar month and must specify one submittal date for each calendar month. An application is considered submitted on the first submittal date on or after the date that: 1) the fee is paid; 2) other requirements permitted by law are met; and 3) the applicant delivers the application to the City of Plano Planning Department or deposits the application with the United States Postal Service by certified mail addressed to the City of Plano Planning Department. The date on which the application is submitted shall constitute the filing date for the site plan. (*ZC2023-019, Ord. No. 2024-2-7*)

.6 Fees, Forms, and Procedures

- A. City Council must establish a schedule of fees as required to recoup costs related to the administration of this ordinance.
- B. The Director of Planning may establish procedures, forms, and standards with regard to the content, format, graphics and number of copies of information constituting an application for concept plans, preliminary site plans, and site plans for clarity and consistency of operations. The published procedures, forms, and standards will have the force of ordinance as if fully incorporated herein. (ZC2019-011; Ord. No. 2019-8-8)

3.200 Concept Plan**.1 General**

(ZC2017-026; Ord. No. 2017-11-3)

A concept plan is the initial plan required in the site plan review process. This plan is a general site assessment and development concept. A concept plan defines a basic schematic design for development. A concept plan checklist of items to be included can be obtained from the city. The purpose of the plan is to:

- A. Evaluate the site's natural condition, including vegetation, topography, drainage, surface, and subsurface factors affecting the site's development.
- B. Determine building sites and the use, intensity, bulk, and height of structures to be constructed.
- C. Locate public streets and rights-of-way, and determine points of ingress and egress between the development and public streets, including median breaks and turn lanes.
- D. Determine primary routes of vehicular circulation and parking areas internal to the development.
- E. Delineate development phasing.
- F. Other purposes related to the establishment of a planned development district. (See Sec. [12.100.](#))

.2 Applicability

Except as provided below, a concept plan is required for all development specified in Sec. [3.100.3](#). The concept plan must include all property contained within a planned development district. For property outside of a planned development district, the plan must include all contiguous property of common ownership unless the site is an approved platted lot. A preliminary site plan may be submitted in lieu of a concept plan. (See Sec. [3.300](#))

.3 Application Procedure and Requirements

(ZC2017-026; Ord. No. 2017-11-3)

A. Pre-application

Before preparing a concept plan, the applicant shall meet with the staff of the Planning and Engineering Departments. The purpose of the pre-application meeting is to review the proposed development to ensure compliance with the City of Plano's TPDES permit, stormwater quality requirements (see Section 5.6 of the

Subdivision Ordinance), and general compliance with development regulations as well as to discuss application procedures and submittal requirements. A pre-application meeting checklist can be obtained from the city. (ZC2006-02; Ordinance No. 2006-4-24)

B. General Application

The property owner shall file an application for the approval of a concept plan. This application shall include the information listed below on one, dimensioned, engineer-scaled drawing on a sheet size 24" x 36". The drawing shall include existing and proposed site conditions and improvements, as follows:

- i. Site boundaries and dimensions, site acreage and square footage, and approximate distance to the nearest cross street.
- ii. Location map, north arrow, scale, and title block.
- iii. Topography at 5-foot contours or less.
- iv. Natural features including tree masses, floodplains, drainage ways, and creeks. (See [Article 17](#))
- v. Land use onsite and on adjacent properties, including the assignment of use to specific locations within the plan.
- vi. Building sites (including maximum building intensity, density, height, and use restrictions as appropriate). Illustration of the approximate shape and placement of buildings is encouraged, but is not required.
- vii. Public streets and private drives with pavement widths, rights-of-way, median openings, turn lanes (including storage and transition space), and driveways (including those on adjacent property) with approximate dimensions.
- viii. Proposed dedications and reservations of land for public use including, but not limited to, rights-of-way, easements, park land, open space, drainage ways, floodplains, and facility sites.
- ix. Phases of development, including delineation of areas, building sites, land use, and improvements to be constructed in independent phases and the scheduled timing and sequencing of development.
- x. The locations of the site intended for stormwater quality areas shall be delineated. (ZC2006-02; Ordinance No. 2006-4-24)

C. Standards of Approval

The Planning & Zoning Commission (and City Council if the plan is associated with establishment of a planned development district) may approve, conditionally approve, table, or deny a concept plan based on the plan's: (See also Sec. [12.300](#)) (ZC2023-002; Ordinance No. 2023-9-13)

- i. Compliance with the Comprehensive Plan and adopted design studies.
- ii. Compliance with the Zoning Ordinance and other applicable development regulations.
- iii. Compliance with the recommended mitigation of a traffic study as deemed acceptable by the Director of Engineering.

- iv. Impact on the site's natural resources and effect on adjacent area, property, and land use.

D. Effect

Approval of a concept plan by the Planning & Zoning Commission (or City Council) constitutes authorization by the city for the property owner to submit an application for approval of a preliminary site plan subject to compliance with any condition attached to the approval of the concept plan. As long as the concept plan remains valid, the location of streets, drives, median breaks, and curb cuts shall remain fixed and any subsequently prepared plan for an adjacent property or property located on the opposite face of a public street abutting the site shall coordinate its circulation system to the earlier approved, valid concept plan. Except when authorized, a concept plan may not be used to approve a variance to development regulations. Where an approved plan conflicts with an adopted regulation and no variance or exception is expressly approved, the regulation shall apply. Where approved, valid concept plans delineate areas as separate phases of development, each phase may be independently planned and developed provided that it is in accordance with the concept plan and other applicable regulations.

E. Lapse

Concept plan approval shall expire 2 years following the date of its original approval. (*ZC2003-15; Ordinance No. 2003-9-22*)

3.300 Preliminary Site Plan

.1 General

A preliminary site plan is the second plan in the site plan approval process. The purpose of the plan is to:

- A. Ensure compliance with applicable development regulations and previously approved, valid plans affecting development of the property.
- B. Determine the placement, configuration, coverage, size, and height of buildings.
- C. Determine the design of public street improvements and rights-of-way, the design and location of drives, aisles, and parking.
- D. Determine location and preliminary design of open space, landscaping, walls, screens, and amenities.
- E. Determine the preliminary design of drainage facilities and utilities.

.2 Applicability

Except as provided in Sec. [3.400.2](#), an approved, valid preliminary site plan shall be required prior to the consideration of a site plan. The preliminary site plan must include all property contained within a planned development district, except as permitted as a freestanding phase of development shown on an approved, valid concept plan. For property outside of a planned development district, the plan must include all contiguous property of common ownership unless the site is an approved platted lot or as permitted as a freestanding phase of development shown on an approved, valid concept plan.

.3 Application Procedure and Requirements
(ZC2017-026; Ord. No. 2017-11-3)

A. Pre-application

Before preparing a preliminary site plan, the applicant shall meet with the staff of the Planning and Engineering Departments. The purpose of the pre-application meeting is to review the proposed development to ensure compliance with the City of Plano's TPDES permit, stormwater quality requirements (see Section 5.6 of the Subdivision Ordinance), and general compliance with development regulations as well as to discuss application procedures and submittal requirements. A pre-application meeting checklist can be obtained from the city. (ZC2006-02; Ordinance No. 2006-4-24)

B. General Application

The property owner shall file an application for the approval of a preliminary site plan. This application shall include the information listed below on one, dimensioned, scaled drawing on a sheet size 24" x 36". The drawing shall include existing and proposed site conditions and improvements, as follows:

- i. Site boundaries and dimensions, lot lines, site acreage and square footage, and approximate distance to the nearest cross street.
- ii. Location map, north arrow, scale, title block, and site data summary table.
- iii. Topography at 2-foot contours or less.
- iv. Natural features including tree masses and anticipated tree loss, floodplains, drainage ways, and creeks. (See [Article 17](#))
- v. Land use onsite and on adjacent properties.
- vi. Building locations and footprints, including building size, intensity, density, height, setback, and use.
- vii. Public streets, private drives, and fire lanes with pavement widths, rights-of-way, median openings, turn lanes (including storage and transition space), and driveways (including those on or planned on adjacent property) with dimensions and radii.
- viii. Parking areas and structures, aisles and spaces, handicap spaces, ramps, crosswalks, and loading areas with typical dimensions.
- ix. Access easements and offsite parking.
- x. Proposed dedications and reservations of land for public use including, but not limited to, rights-of-way, easements, park land, open space, drainage ways, floodplains, and facility sites.
- xi. Screening walls, fences, living screens, retaining walls, headlight screens, and service area screens.
- xii. Landscaping and open space areas. (See [Article 17](#))
- xiii. Phases of development, including delineation of areas, building sites, land use, and improvements to be constructed in independent phases and the scheduled timing and sequencing of development.

- xiv. The locations of the site intended for stormwater quality areas shall be delineated. (ZC2006-02; Ordinance No. 2006-4-24)

C. Standards of Approval

The Planning & Zoning Commission may approve, conditionally approve, table, or deny a preliminary site plan based on: (See [3.900](#).) (ZC2023-002; Ordinance No. 2023-9-13)

- i. Conformance with the Comprehensive Plan and adopted design guidelines.
- ii. Compliance with the Zoning Ordinance and other applicable regulations and previously approved, valid plans for the property.
- iii. Compliance with previously approved, valid site-specific stormwater quality plan. (ZC2006-02; Ordinance No. 2006-4-24)
- iv. Compliance with the recommended mitigation of a traffic study as deemed acceptable by the Director of Engineering.
- v. Impact on the site's natural resources and effect on adjacent area, property, and land use.
- vi. Safety and efficiency of vehicular and pedestrian circulation, traffic control, and congestion mitigation.
- vii. Safety and convenience of off-street parking and loading facilities.
- viii. Access for firefighting and emergency equipment to buildings.
- ix. Use of landscaping and screening to shield lights, noise, movement, or activities from adjacent properties and to complement the design and location of buildings and parking.
- x. The location, size, and configuration of open space areas to ensure that such areas are suitable for intended recreation and conservation uses.

D. Effect

Approval of a preliminary site plan by the Planning & Zoning Commission shall constitute authorization by the city for the owner to submit an application for final site plan approval for development of the entire site or a portion thereof provided that the site plan conforms to the preliminary site plan and any conditions attached to its approval. As long as the preliminary site plan remains valid, the location of buildings, landscaped areas, open space, streets, drives, fire lanes, median breaks, curb cuts, and parking shall remain fixed except as to permit minor adjustments resulting from subsequent engineering improvements or to prevent a condition affecting public health or safety which was not known at the time of approval. Except where authorized by ordinance, a preliminary site plan may not be used to approve an exception to development regulations. Where an approved plan conflicts with an adopted regulation and no variance or exception is expressly approved, the regulation shall apply.

.4 Lapse

The approval of a preliminary site plan shall be effective for a period of 2 years from the date that the preliminary site plan is approved by the Planning & Zoning Commission or City Council, at the end of which time the applicant must have submitted and received

approval of a site plan. If a site plan is not approved within 2 years, the preliminary site plan approval is null and void. If site plan approval is only for a portion of the property, the approval of the preliminary site plan for the remaining property shall be null and void. The applicant shall be required to submit a new preliminary site plan for review and approval subject to the then existing regulations.

3.400 Site Plan

.1 General

A site plan is the final plan required in the site plan approval process. The site plan is a detailed plan of the public and private improvements to be constructed. The purpose of the plan is to:

- A.** Ensure compliance with applicable development regulations and previously approved, valid plans affecting development of the property.
- B.** Coordinate and document the design of public and private improvements to be constructed.
- C.** Coordinate the subdivision of land, including the granting of easements, development agreements, and provision of surety.

.2 Applicability

An approved, valid site plan shall be required prior to the approval of any construction plan and permit for all development specified in Sec. ~~3.100.3~~. An approved, valid preliminary site plan is required prior to the consideration of a site plan except as provided below:

- A.** Development of a single building on a corner lot not exceeding one acre (net). (See Subdivision Ordinance, Section 5.2.)
- B.** Development of a single building on one lot not exceeding 5 acres (net) and where the lot is not being subdivided from a larger property.
- C.** Development of parking or outside storage areas.
- D.** Development of utilities and non-occupied structures.
- E.** Development of outdoor recreation structures and amenities.

.3 Application Procedure and Requirements

(ZC2018-008; Ordinance No. 2018-6-11 and ZC2017-026; Ordinance No. 2017-11-3)

A. Pre-application

Before preparing a site plan, the applicant shall meet with the staff of the Planning and Engineering Departments. The purpose of the pre-application meeting is to review the proposed development to ensure compliance with the City of Plano's TPDES permit, stormwater quality requirements (see Section 5.6 of the Subdivision Ordinance), and general compliance with development regulations as well as to discuss application procedures and submittal requirements. A pre-application meeting checklist can be obtained from the city. *(ZC2006-02; Ordinance No. 2006-4-24)*

B. General Application

The property owner shall file an application for the approval of a site plan. This application shall include the information listed below on one, dimensioned, engineer-scaled drawing on a sheet size 24" x 36". The drawing shall include existing and proposed site conditions and improvements, as follows:

- i. Site boundaries and dimensions, lot lines, site acreage and square footage, and approximate distance to the nearest cross street.
- ii. Location map, north arrow, scale, title block, and site data summary table.
- iii. Topography of one-foot contours or less, referenced to sea level datum.
- iv. Natural features including tree masses and anticipated tree loss, floodplains, drainage ways, and creeks. (See [Article 17](#))
- v. Land use onsite and on adjacent properties.
- vi. Building locations and footprints, including dimensions, size, coverage, height, building lines and setbacks, and use.
- vii. Finished floor elevation of structures referenced to sea level datum.
- viii. Public streets, private drives, and fire lanes with pavement widths, rights-of-way, median openings, turn lanes (including storage and transition space), and driveways (including those on adjacent property) with dimensions, radii, and surface type.
- ix. Parking areas and structures, including the number and layout of standard spaces, handicap spaces, the location of ramps, crosswalks, and loading areas with typical dimensions and surface type.
- x. Access easements and offsite parking.
- xi. Dumpster and trash compactor locations and screening.
- xii. Proposed dedications and reservations of land for public use including, but not limited to, rights-of-way, easements, park land, open space, drainage ways, floodplains, and facility sites.
- xiii. Screening walls, fences, living screens, retaining walls, headlight screens, and service area screens, including height and type of construction and/or planting specification.
- xiv. Landscaping and open space areas with dimensions and total square footage (separate landscape plans required). (See [Article 17](#))
- xv. Water and sanitary sewer mains and service lines with sizes, valves, fire hydrants, manholes, and other structures onsite or immediately adjacent to the site specified.
- xvi. Water and sewer connections, meter locations, sizes, and meter and/or detector check valve vaults indicated. Table of the number of water meters by size and noting if they are existing or proposed.
- xvii. Inlets, culverts, and other drainage structures onsite and immediately adjacent to the site.

xviii. The locations of the site intended for stormwater quality areas shall be delineated. (ZC2006-02; Ordinance No. 2006-4-24)

C. Additional Requirements

(ZC2020-003; Ord. No. 2020-8-9)

In addition to meeting the requirements for site plan approval, the following approvals may be necessary prior to authorization for development (if applicable to the project):

- i. Preliminary or final plat or replat;
- ii. Engineering plans;
- iii. Stormwater quality plan;
- iv. Traffic Study (ZC2023-002; Ordinance No. 2023-9-13);
- v. Landscape and irrigation plans;
- vi. Tree preservation and protection plan;
- vii. Facade plan;
- viii. Certificate of Appropriateness;
- ix. Certificate of Compliance; and
- x. Other approvals as required by ordinance.

D. Standards of Approval

Where application for site plan approval is made for development defined on an approved, valid preliminary site plan, the Director of Planning may approve, conditionally approve, or deny the application based upon the criteria listed below. The applicant may appeal the decision of the Director of Planning to the Planning & Zoning Commission by filing a Notice of Appeal within 10 days following the date the Director of Planning notifies the applicant of his action. The Planning & Zoning Commission shall consider all applications for site plan approval for development not requiring a preliminary site plan, or the proposed site plan constitutes a major amendment to an approved, valid preliminary site plan. The Planning & Zoning Commission may approve, conditionally approve, table, or deny a site plan based upon the criteria listed below: (ZC2023-002; Ordinance No. 2023-9-13)

- i. Conformance with the Comprehensive Plan and adopted design guidelines.
- ii. Compliance with the Zoning Ordinance and other applicable regulations and previously approved, valid plans for the property.
- iii. Compliance with previously approved, valid site-specific stormwater quality plan. (ZC2006-02; Ordinance No. 2006-4-24)
- iv. Compliance with the recommended mitigation of a traffic study as deemed acceptable by the Director of Engineering.
- v. The design and location of off-street parking and loading facilities to ensure that all such spaces are usable and are safely and conveniently arranged.

- vi. The width, grade, and location of streets designed to accommodate prospective traffic and to provide access for firefighting and emergency equipment to buildings.
- vii. The use of landscaping and screening:
 - a. To provide adequate buffers to shield lights, noise, movement, or activities from adjacent properties when necessary.
 - b. To complement the design and location of buildings and be integrated into the overall site design.
- viii. The location, size, and configuration of open space areas to ensure that such areas are suitable for intended recreation and conservation uses.
- ix. Protection and conservation of soils from erosion by wind or water or from excavation or grading.
- x. Protection and conservation of water courses and areas subject to flooding.
- xi. The adequacy of streets, water, drainage, sewerage facilities, garbage disposal, and other utilities necessary for essential services to residents and occupants.

E. Effect

Approval of a site plan is the city's authorization to apply for approval of building permits and to receive approval of engineering plans. So long as the site plan remains valid, the city shall not apply any additional requirements concerning building placement, streets, drives, parking, landscaping, or screening. Site plan approval is separate and distinct from other permits and approvals as may be required by the city and other regulatory agencies. Approval of a site plan shall not affect other applicable regulations concerning development and land use. Except where authorized by ordinance, a site plan may not be used to approve a variance to development regulations. Where an approved plan conflicts with an adopted regulation and no variance or exception is expressly approved, the regulation shall apply.

F. Lapse

The approval of a site plan shall be effective for a period of 2 years from the date of approval by the Planning & Zoning Commission, staff, or City Council, at the end of which time the applicant must have submitted and received approval of engineering plans and building permits. If the engineering plans and building permits are not approved, the site plan approval is null and void. If engineering plans and permits have been approved only for a portion of the property and for improvements, the site plan for the remaining property and/or improvements shall be null and void. The applicant shall be required to submit a new site plan for review and approval subject to the then existing regulations. Site plan approval shall expire upon completion of the improvements shown on the plan. Subsequent additional development, site modifications, and redevelopment shall be permitted in accordance with Sec. [3.1000](#).

3.500 Adopted Development Plan

.1 General

(ZC2020-012; Ord. No. 2021-1-13; ZC2012-029; Ord. No. 2012-11-10)

An adopted development plan must accompany a zoning petition for a UMU, NBD, or RCD zoning district and is only applicable in conjunction with that specific district. The purpose of the plan is to:

- A.** Ensure compliance with applicable development regulations and previously approved, valid plans affecting development of the property.
- B.** Determine the placement, configuration, coverage, size, use, and height of buildings.
- C.** Specify the primary, secondary, and tertiary categories of land use, including the minimum and maximum number of residential units.
- D.** Determine the design of public and private street improvements and rights-of-way and the design and location of drives, aisles, and parking.
- E.** Determine location and preliminary design of open space, landscaping, walls, screens, and amenities.
- F.** Enumerate all standards, conditions, performance, and implementation requirements not contained within the base zoning district.
- G.** Determine the preliminary design of drainage facilities and utilities and stormwater quality areas.

.2 Applicability

(ZC2020-012; Ord. No. 2021-1-13)

An adopted development plan approved as part of the zoning action establishing a UMU, NBD, or RCD district is required prior to the consideration of a preliminary site plan or site plan for development of property located within that UMU, NBD, or RCD zoning district. The adopted development plan must include all property contained within the district.

.3 Application Procedure and Requirements

(ZC2017-026; Ord. No. 2017-11-3)

A. Pre-application

Before preparing an adopted development plan, the applicant shall meet with the staff of the Planning and Engineering Departments. The purpose of the pre-application meeting is to review the proposed development to ensure compliance with the City of Plano's TPDES permit, stormwater quality requirements (see Section 5.6 of the Subdivision Ordinance), and general compliance with development regulations as well as to discuss application procedures and submittal requirements. A pre-application meeting checklist can be obtained from the city. *(ZC2017-026; Ord. No. 2017-11-3)*

B. General Application

(ZC2020-012; Ord. No. 2021-1-13)

The property owner shall file an application for the approval of an adopted development plan in conjunction with a petition for UMU, NBD, or RCD zoning. This application must include the information listed below on one, dimensioned, scaled

drawing on a sheet size 24" x 36". The drawing must include existing and proposed site conditions and improvements, as follows:

- i. Site boundaries and dimensions, lot lines, site acreage and square footage, and approximate distance to the nearest cross street.
- ii. Location map, north arrow, scale, title block, and site data summary table.
- iii. Topography at two foot contours or less.
- iv. Natural features including tree masses and anticipated tree loss, floodplains, drainage ways, and creeks.
- v. Land use on site and on adjacent properties, including the primary, secondary, and tertiary categories of land use.
- vi. Building locations and footprints, including building size, intensity, density, height, setback, and use.
- vii. Public streets, private drives, and fire lanes with pavement widths, rights-of-way, median openings, turn lanes (including storage and transition space), and driveways (including those on or planned on adjacent property) with dimensions and radii.
- viii. Parking areas and structures, aisles and spaces, handicap spaces, ramps, crosswalks, and loading areas with typical dimensions.
- ix. Access easements and offsite parking.
- x. Proposed dedications and reservations of land for public use including, but not limited to, rights-of-way, easements, park land, open space, drainage ways, floodplains, and facility sites.
- xi. Screening walls, fences, living screens, retaining walls, headlight screens, and service area screens.
- xii. Landscaping and open space areas.
- xiii. Phases of development, including delineation of areas, building sites, land use, and improvements to be constructed in independent phases and the scheduled timing and sequencing of development.
- xiv. The locations of the site intended for stormwater quality areas shall be delineated. (ZC2006-02; Ordinance No. 2006-4-24)

C. Standards of Approval

The Planning & Zoning Commission and City Council may approve, conditionally approve, table, or deny an adopted development plan based on: (ZC2023-002; Ordinance No. 2023-9-13)

- i. Conformance with the Comprehensive Plan and adopted design guidelines.
- ii. Compliance with the Zoning Ordinance and other applicable regulations and previously approved, valid plans for the property.
- iii. Compliance with previously approved, valid site-specific stormwater quality plan. (ZC2006-02; Ordinance No. 2006-4-24)

- iv. Compliance with the recommended mitigation of a traffic study as deemed acceptable by the Director of Engineering.
- v. Impact on the site's natural resources and effect on adjacent area property and land use.
- vi. Safety and efficiency of vehicular and pedestrian circulation, traffic control, and congestion mitigation.
- vii. Safety and convenience of off-street parking and loading facilities.
- viii. Access for firefighting and emergency equipment to buildings.
- ix. Use of landscaping and screening to shield lights, noise, movement, or activities from adjacent properties and to complement the design and location of buildings and parking.
- x. The location, size, and configuration of open space areas to ensure that such areas are suitable for intended recreation and conservation uses.

D. Effect

Approval of an adopted development plan by the Planning & Zoning Commission and City Council shall constitute authorization by the city for the owner(s) to submit an application for preliminary site plan approval for development of the entire site or a portion thereof provided that the preliminary site plan conforms to the adopted development plan and any conditions attached to its approval. As long as the adopted development plan remains valid, the location of buildings, landscape areas, open space, streets, drives, fire lanes, median breaks, curb cuts, and parking shall remain fixed except as to permit minor adjustments resulting from subsequent engineering improvements or to prevent a condition affecting public health or safety which was not known at the time of approval. Except where authorized by ordinance, an adopted development plan may not be used to approve an exception to development regulations. Where an approved plan conflicts with an adopted regulation and no variance or exception is expressly approved, the regulation shall apply.

E. Lapse

(ZC2020-012; Ord. No. 2021-1-13)

An adopted development plan does not have an expiration date and is valid as long as the property retains the UMU, NBD, or RCD zoning classification.

3.600 Amendments

At any time following the approval of a concept plan, preliminary site plan, adopted development plan, or site plan and before the lapse of such approval, the property owner(s) may request an amendment. Amendments shall be classified as major and minor. Minor amendments shall include corrections of distances and dimensions, adjustments of building configuration and placement, moving nonresidential uses within the same use category to adjacent blocks, realignment of drives and aisles, layout of parking, adjustments to open space, landscaping, and screening, changes to utilities and service locations which do not substantially change the original plan. Minor phasing amendments for adopted development plans are permitted only for the purpose of adding an adjacent nonresidential or vertically mixed-use building into the current phase. Amendments to previously approved storm water conservation areas, increases in building height and/or building

proximity to an adjacent offsite residential use, and all other amendments shall be considered major amendments and may be considered by the Planning & Zoning Commission at a public meeting in accordance with the same procedures and requirements for the approval of a plan. Major amendments to an adopted development plan for UMU, NBD, or RCD districts may only be approved through the same process by which it was initially adopted. The Director of Planning may approve or disapprove a minor amendment. Disapproval may be appealed to the Planning & Zoning Commission. (ZC2020-012; Ord. No. 2021-1-13)

3.700 Extension and Reinstatement Procedure

- .1 Sixty days prior to or following the lapse of approval for a concept plan, preliminary site plan, or site plan as provided in these regulations, the property owner may petition the Planning & Zoning Commission to extend or reinstate the approval. Such petition shall be considered at a public meeting of the Planning & Zoning Commission.
- .2 In determining whether to grant such request, the Planning & Zoning Commission shall take into account the reasons for lapse, the ability of the property owner to comply with any conditions attached to the original approval, and the extent to which newly adopted regulations shall apply to the plan. The Planning & Zoning Commission shall extend or reinstate the plan, or deny the request, in which instance the property owner must submit a new application for approval.
- .3 The Planning & Zoning Commission may extend or reinstate the approval subject to additional conditions based upon newly enacted regulations or such as are necessary to assure compliance with the original conditions of approval. The Planning & Zoning Commission may also specify a shorter time for lapse of the extended or reinstated plan than is applicable to original approvals.

3.800 Revocation of Approval

- .1 The City Council or the Planning & Zoning Commission may revoke approval of a concept plan, preliminary site plan, or site plan if it determines that the conditions of the approval have not been met or if the plan contains, or is based upon, incorrect information which affects a significant health or safety interest.
- .2 Any plan approved prior to March 13, 1986, on which no progress has been made toward completion of the project will expire as of May 11, 2004. All other plans expire according to the lapse of approval standards within this section. (ZC2003-15; Ordinance No. 2003-9-22)

3.900 Appeals

(ZC2023-002; Ordinance No. 2023-9-13; ZC96-23; Ordinance No. 96-6-20)

- .1 The decision of the Planning & Zoning Commission to approve or deny a concept plan, preliminary site plan, and site plan shall be final and binding unless an appeal of the decision is made to the City Council. The applicant, Director of Planning, or 2 members of City Council may appeal the decision of the Commission with regard to a plan by filing a Notice of Appeal in the office of the Director of Planning, no later than 10 days after the date on which the Commission notifies the applicant of its decision. Such notification may take place by means of an oral ruling by the Commission at a public meeting. Written notice of any appeal shall be sent to the property owner. The Notice of Appeal shall set forth in clear and concise fashion the basis for the appeal. The City Council shall

consider the appeal at a public meeting no later than 45 days after the date on which the Notice of Appeal is filed. The City Council may affirm, modify, or reverse the decision of the Commission and may, where appropriate, remand the plan to the Commission for further proceedings consistent with City Council's decision.

- .2 If an applicant seeks to challenge the nexus or proportionality of a mitigation required by adopted codes and ordinances, the applicant shall follow the procedure to seek relief by the Waivers from Development Exactions procedure listed in the Subdivision Ordinance.

3.1000 Additional Development and Redevelopment

Following the completion of improvements shown on an approved site plan, additional development, site modifications, or redevelopment of the site shall be permitted subject to the approval of a revised site plan. Minor expansions and redevelopment may be approved by the Director of Planning under the terms of Sec. [3.600](#). All other expansions or redevelopment shall require submittal of a revised site plan and the approval of the Planning & Zoning Commission under the requirements and procedures then in effect.

[Remainder of page intentionally blank]

Article 4 Amendments

4.100 Procedural Steps of Zoning Petitions and Amendments..... 4-1

4.200 Zoning Petition Details 4-1

4.300 Planning & Zoning Commission Public Hearing..... 4-2

4.400 Planning & Zoning Commission Action 4-3

4.500 City Council Public Hearing 4-4

4.600 City Council Action 4-5

4.700 Supermajority Vote Requirements and Protest Petitions 4-5

4.800 Successive Applications 4-6

4.100 Procedural Steps of Zoning Petitions and Amendments

- .1 The City Council may, from time to time, amend, supplement, or change by ordinance the boundaries of the district or the regulations herein established as provided by the general law of the State of Texas.
- .2 Any person or corporation having a proprietary interest in any property may initiate proceedings to consider a change in zoning on such property, or the Planning & Zoning Commission or City Council may, on its own motion, initiate proceedings to consider a change in zoning on any property. Any person or corporation may petition the City Council for a change or amendment to the provisions of this ordinance, or the Planning & Zoning Commission may, on its own motion or on request from the City Council, institute a study and propose changes and amendments in the public interest.
- .3 Each petition for zoning or for an amendment or change to the existing provisions of this Zoning Ordinance shall be made in writing on a form suitable to the Planning Department and shall be filed with the Planning Department of the City of Plano, Texas, hereinafter referred to as "Planning staff," and shall be accompanied by payment of the appropriate fee to be charged by the City of Plano, Texas, for administering the zoning petition.

4.200 Zoning Petition Details

(ZC2003-15; Ordinance No. 2003-9-22)

- .1 The zoning petition shall contain sufficient information relative to the amendment requested including, but not limited to, the following:
 - A. A key map showing all existing zoning within 200 feet of the subject property.
 - B. A location map showing existing and proposed thoroughfares, collector streets, and local streets on the subject property and within 200 feet of the subject property.
 - C. A statement reading as follows: "Approval of the zoning case associated with this exhibit shall not imply approval of any associated study, plat, or plan, approval of development standards shown hereon, or the initiation of the development process. Planning & Zoning Commission and/or City Council action on studies, plats, or plans relating to development of this property shall be considered as an action separate from action taken on this zoning case."

- .2 To ensure the submission of adequate information, the Planning Department staff is hereby empowered to maintain and distribute a list of specific requirements for zoning petitions. Upon periodic review, the Planning Department staff shall have the authority to update such requirements for zoning petition details.

4.300 Planning & Zoning Commission Public Hearing

- .1 Upon receipt of a complete written petition for zoning or for a change or an amendment to an existing provision of this Zoning Ordinance, the Planning Department staff will set a date for a public hearing before the Planning & Zoning Commission, consistent with applicable notice requirements. (*ZC2023-012; Ordinance No. 2023-8-16; ZC96-01; Ordinance No. 96-2-24*)
- .2 Prior to the issuance of the notice of the public hearing, the petitioner may, by written notice, withdraw the petition or request rescheduling of the public hearing to a later regular meeting of the Planning & Zoning Commission. Once public notice is given, the petitioner may withdraw the petition or reschedule the public hearing only with the approval of the Planning & Zoning Commission. The Planning & Zoning Commission may reject a request to withdraw a zoning petition, reschedule the public hearing, or conduct the public hearing as notified and take action as appropriate within the context of the public notice provided. (*ZC96-01; Ordinance No. 96-2-24*)
- .3 Prior to the issuance of the notice of the public hearing for zoning change requests on real property:
 - A. Any petitioner having a possessory interest in the property must post zoning signs(s) in compliance with the requirements specified on the city's zoning petition form, and submit a signed and notarized affidavit certifying that the required signs(s) is(are) posted on the subject property to the Planning Department staff, or
 - B. Where the Planning & Zoning Commission or City Council, not at the request of or in coordination with a property owner, initiates proceedings to consider a change in zoning on any property not owned and controlled by the City, the City may post notice of the request on a media or communications platform as recommended by the City Manager or their designee. (*ZC2015-15; Ordinance No. 2015-5-3; ZC2022-005, Ordinance No. 2022-6-15*)
- .4 Notice of a public hearing shall, at a minimum, meet the requirements of the general laws of the State of Texas. Before the 20th day before the hearing date, written notice of each public hearing before the Planning & Zoning Commission on a proposed change in a zoning classification shall be sent to each owner, as indicated by the most recently approved municipal tax roll, of real property within 200 feet of the property on which the change in classification is proposed. The notice may be served by its deposit in the municipality, properly addressed with postage paid, in the United States mail. If the property within 200 feet of the property on which the change is proposed is located in territory annexed to the municipality and is not included on the most recently approved municipal tax roll, the notice shall be given before the 20th day before the date of the hearing, and notice of the time and place of the hearing must be published in an official newspaper or newspaper of general circulation in the municipality. Notwithstanding requirements of state statute, when any amendment relates to a change of a zoning regulation or to the general text of this ordinance, notice of the public hearing of the

Planning & Zoning Commission shall be given by publication in a newspaper of general circulation in the city of Plano without the necessity of notifying property owners by mail. The notice shall state the time and place of the hearing and the nature of the subject to be considered, which time shall not be earlier than 20 days from the date of publication. (ZC2022-010, Ordinance No. 2022-8-3; ZC96-01, Ordinance No. 96-2-24)

- .5 The Planning & Zoning Commission must provide written notice of each public hearing regarding any proposed adoption of or change to a zoning regulation or boundary under which a current conforming use of a property is a nonconforming use if the regulation or boundary is adopted or changed. The notice must:
(ZC2023-012; Ordinance No. 2023-8-16)
 - A. Be mailed by United States mail to each owner of real or business personal property where the proposed nonconforming use is located as indicated by the most recently approved municipal tax roll and each occupant of the property not later than the 10th day before the hearing date;
 - B. Contain the time and place of the hearing; and
 - C. Include the following text in bold 14-point type or larger:
"THE CITY OF PLANO IS HOLDING A HEARING THAT WILL DETERMINE WHETHER YOU MAY LOSE THE RIGHT TO CONTINUE USING YOUR PROPERTY FOR ITS CURRENT USE, PLEASE READ THIS NOTICE CAREFULLY."
- .6 Properties located within 500 feet of a proposed change in a zoning classification, which do not receive a notice as required by Sec. [4.300.4](#), a written courtesy notice will be sent to each owner of real property, as indicated by the most recently approved municipal tax roll, before the 20th day before the hearing. A courtesy notice shall also be sent to properties located within 500 feet of the property on which the change is proposed, which do not receive a notice as required by Sec. [4.300.4](#) where located in territory annexed to the municipality and not included on the most recently approved municipal tax roll. The courtesy notice may be served by its deposit in the municipality, properly addressed with postage paid, in the United States mail. (ZC2015-15; Ordinance No. 2015-5-3)
- .7 The Planning & Zoning Commission shall hold a public hearing on any petition for any amendment or change prior to making its recommendation and report to the City Council. The Planning & Zoning Commission may establish such regulations and restrictions regarding the presentation of a zoning case at the public hearing as they may deem necessary.

4.400 Planning & Zoning Commission Action

- .1 Following the public hearing, the Planning & Zoning Commission may vote to approve, approve with amendments and conditions, table, or deny in whole or in part the petition. If the petitioner accepts the recommendation of the Planning & Zoning Commission, subsequent public notice shall be written as approved. If the petitioner does not accept the recommendation of the Planning & Zoning Commission, the petitioner may continue his original request, and subsequent public notice shall be written as originally submitted; however, any part of the request not conforming to the Planning & Zoning Commission's recommendations shall be presumed to have been

denied by the Planning & Zoning Commission. The Planning & Zoning Commission may table for study any zoning case for up to 90 days.

- .2 When a petition is denied by the Planning & Zoning Commission, the Planning & Zoning Commission should offer reasons to the petitioner for such denial.
- .3 When the Planning & Zoning Commission denies a zoning petition, it may deny the petition with or without prejudice. If it shall deny the petition and fail to clearly state the same is being denied with prejudice, then it shall be deemed that the petition is denied without prejudice against refiling. If a petition is denied with prejudice, no petition may be filed for all or a part of the subject tract of land for a period of 2 years from the date of denial by the Planning & Zoning Commission. If it is determined by the Planning & Zoning Commission there has been a sufficient change in circumstances regarding the property or in the zoning petition itself, it may waive the 2-year waiting period and grant a new hearing. The Planning & Zoning Commission may deny, in whole or in part, a zoning petition. The effect of a denial, as defined by this ordinance, shall only apply to the part of the request which is denied.

4.500 City Council Public Hearing

- .1 After a public hearing before the Planning & Zoning Commission, the City Secretary and the City Council shall be notified of any action taken by the Planning & Zoning Commission on the petition, and if the petition is approved, including denials in part, by the Planning & Zoning Commission, the City Secretary shall automatically schedule a public hearing regarding the petition to be held before the City Council, giving notice as required by the general laws of the State of Texas. However, if the petition is denied by the Planning & Zoning Commission, the petitioner may, upon his own motion within 30 days, file with the Planning Department staff a written request that a public hearing be scheduled and held before the City Council regarding the petition. Upon receipt of the written request, a public hearing on the petition shall be scheduled to be held before the City Council, giving notice as required by the general laws of the State of Texas.
- .2 Upon the filing of a written request for the scheduling of a public hearing regarding a petition which has been denied in total by the Planning & Zoning Commission, the action of the Commission with regard to the question of prejudice shall be totally vacated, and the City Council shall determine the question as provided in Sec. [4.600.1](#).
- .3 A public hearing shall be held by the City Council before adopting any proposed amendment, supplement, or change. Notice of such hearing shall be given by publication in a newspaper of general circulation in the city of Plano stating the time and place of such hearing, which time shall not be earlier than 15 days from the date of publication.
- .4 A signed and notarized affidavit certifying that the required zoning sign(s) is(are) being maintained on the subject property in compliance with the requirements specified on the city's zoning petition form must be submitted to the Planning Department staff no later than the 14th day before the date of the City Council hearing. (ZC2015-15; Ordinance No. 2015-5-3)
- .5 Prior to the opening of the public hearing, the petitioner may request withdrawal of the petition or tabling of the request to a specified future City Council meeting. City Council may approve the request or open the public hearing and following its closing take appropriate action within the context of the public notice provided.

4.600 City Council Action

- .1** After a public hearing is held before the City Council regarding the zoning petition, the City Council may approve a change in zoning as appropriate within the context of the public notice provided. City Council may deny in whole or in part, table the petition, or refer it back to the Planning & Zoning Commission for further study. In the event the petition has been denied by the Planning & Zoning Commission or in the event a protest against the petition has been filed as more fully described in Sec. [4.700](#), then the petition shall not be approved except by three-fourths vote of the City Council.
- .2** In considering a motion to deny a zoning petition, or upon voting to deny a zoning petition, the City Council may further consider whether the petition shall be denied with or without prejudice against refiling. If the City Council shall deny the petition and fail to clearly state the same as being denied with prejudice, then it shall be deemed that the petition is denied without prejudice against refiling.

4.700 Supermajority Vote Requirements and Protest Petitions

.1 Supermajority Vote Required

If the Planning & Zoning Commission has wholly or partially denied a proposed amendment, supplement, or change, or if sufficient protest as defined below is submitted against such change, the proposed change must receive the affirmative vote of at least three-fourths of all members of the City Council.

.2 Protests

- A.** The protest must be written and signed by the owners of at least 20% of either the area of the lots or land immediately adjoining the area covered by the proposed change and extending 200 feet from that area, or the area of the lots or land covered by the proposed change. The area of streets and alleys shall be included in this calculation, and unincorporated areas are excluded from this calculation. (*ZC2002-17; Ordinance No. 2002-6-15*)
- B.** A protest of a proposed zoning change must be in writing and must be signed by the owner of the property in question or by a person authorized by power of attorney to act on behalf of the owner. For specific ownership types, the following shall apply: (*ZC2002-17; Ordinance No. 2002-6-15*)
 - i. Corporations**
The protest must be signed by the president, vice president, or by an attorney-in-fact authorized to sign on behalf of the corporation.
 - ii. General or Limited Partnerships**
The protest must be signed by a general partner or by an attorney-in-fact authorized to sign on behalf of the general or limited partnership.
 - iii. Community Property**
The city shall presume the written protest of one spouse to be the protest of both.
 - iv. Condominiums**
Lots or land subject to a condominium declaration are presumed to be commonly owned in undivided interests by the owners of all condominium units and under the control of the governing body of the condominium. For

such lots or land to be included in calculating the lots or land area protesting a proposed rezoning, the written protest must state that the governing body of the condominium has authorized a written protest in accordance with its bylaws, and that the person signing the protest is authorized to act on behalf of the governing body of the condominium.

.3 Presumption of Validity

In all cases where a protest has been properly signed pursuant to this section, the city shall presume that the persons whose signatures appear on the protest are valid.

.4 Withdrawal of Protest

A withdrawal of a protest must be in writing. In the event that multiple protests and withdrawals are filed on behalf of the same owner, the instrument with the latest date and time of execution controls.

4.800 Successive Applications

.1 Following Denial

If the City Council shall deny the petition with prejudice, no petition may be filed for all or part of the subject tract of land for a period of 2 years from the date of action by City Council. A zoning petition denied without prejudice may be filed by the petitioner or other qualified person at any time following the denial. If it is determined there has been sufficient change in the circumstances regarding the property or in the zoning petition itself to permit the granting of a new hearing, the 2-year waiting period may be waived by the Planning & Zoning Commission or, on appeal, the City Council. The provisions of this subsection shall not apply to general text changes in the Zoning Ordinance.

.2 Following Zoning Approval

If, after holding a public hearing, a zoning change, amendment, or supplement is approved by the City Council, no further petition may be considered for all or a part of the subject tract of land for a period of 2 years from the date of the City Council's action, unless it is determined that there are substantive reasons to permit the waiving of the 2-year waiting period and the granting of a new hearing. The determination shall be made by the Planning & Zoning Commission, or on appeal, the City Council. The provisions of this subsection shall not apply to general text changes in the Zoning Ordinance.

.3 Criteria for Waivers Following Zoning Approval

Substantive reasons for waiving the 2-year period include, but are not limited to:

- A. Correction of an error.
- B. A change of conditions affecting the property and which were not known at the time of zoning.
- C. A change in public plans or policies as it affects the property.

.4 Expiration of Pending Zoning Application

Any pending zoning petition shall automatically expire if no action of any kind has been taken on it by either the Planning & Zoning Commission or the City Council for a period of one year. If no ordinance granting zoning has been adopted within 6 months of the

date on which the City Council voted approval of a zoning change, such zoning change shall be automatically placed on the City Council agenda for further consideration.

[page intentionally blank]

Article 5 Variances and Appeals of Administrative Decisions

5.100 Board of Adjustment 5-1

5.200 Jurisdiction 5-1

5.300 Appeals of Order, Requirement, Decision, or Determination related to the Zoning Ordinance 5-3

5.400 Action of the Board of Adjustment 5-4

(ZC2021-013; Ordinance No. 2021-8-5, ZC2008-72; Ordinance No. 2008-12-5)

5.100 Board of Adjustment

The composition and appointment of the Board of Adjustment shall be in compliance with Chapter 16 of the Code of Ordinances.

5.200 Jurisdiction

(ZC2021-013; Ordinance No. 2021-8-5, ZC2020-007; Ordinance No. 2020-6-5)

The Board of Adjustment has jurisdiction to consider the following:

- .1 Appeals
Hear and decide appeals where it is alleged there is error on any order, requirement, decision, or determination made by an administrative officer in the enforcement of this ordinance. For purposes of this Article, “administrative officer” means the person within a city department having the final decision-making authority within the department relative to the enforcement issue. This excludes appeals specifically heard elsewhere by provisions in this ordinance. (ZC2023-010; Ord. No. 2023-8-5)
- .2 Nonconforming Use
Permit the reconstruction, extension, or enlargement of a building occupied by nonconforming uses, on the lot or tract occupied by such building, provided such reconstruction does not prevent the return of such property to a conforming use.
- .3 Payment for Termination of Nonconforming Use or Amortization
(ZC2023-019, Ord. No. 2024-2-7)
 - A. Hear and decide appeals of:
 - i. The amount of payment determined under Sec. 7.700.3, and
 - ii. The period of continued use determined under Sec. 7.700.4.
 - B. The city has the burden of proof to establish the correctness of its determination under Sec. 7.700.3 and Sec. 7.700.4 at such hearing on the appeal.
- .4 Variance
Consider permitting a variance from the terms of the Zoning Ordinance.
 - A. A variance will not be considered by the Board of Adjustment if any of the following conditions apply:
 - i. The variance seeks to authorize a use other than those permitted in the district for which the variance is sought.

- ii. The variance seeks to authorize any person a privilege in developing a parcel of land not permitted by this ordinance to other parcels of land in the same zoning district.
 - iii. The subject lot, parcel of property, or portion thereof does not have a site plan and/or plat approved, as required under the city's development ordinances.
 - iv. No plan has been approved at or beyond the preliminary site plan phase of development.
 - v. The administrative procedures and requirements of this ordinance and the Subdivision Ordinance, with regard to both Planning & Zoning Commission and the City Council consideration and action, on preliminary site plans, site plans, preliminary plats, and final plats, have not been exhausted prior to requesting a variance from the terms of this ordinance.
- B. The Board of Adjustment may permit such variance from the terms of the Zoning Ordinance if:
 - i. The variance will observe the spirit and intent of this ordinance, align with the public interest, and comport with substantial justice;
 - ii. The interpretation of the provisions in this ordinance or its amendments would deprive the petitioner of rights commonly enjoyed by other properties in the same zoning district that comply with the same provisions;
 - iii. The variance does not result in an unnecessary encumbrance on another parcel of land;
 - iv. The variance is not based solely on economic gain or loss, except for compliance with vi. below; and
 - v. The variance does not grant relief to a self-created or personal hardship except to the extent that the self-created or personal hardship arises from factors or grounds that may be considered under section vi. below.
 - vi. Because of special conditions, including restricted area, shape, topography, or physical features that are peculiar to the subject parcel of land, a literal enforcement of this ordinance or its amendments would result in an unnecessary hardship.

The Board may consider the following as grounds to determine whether compliance with this ordinance would result in unnecessary hardship:

- a. The financial cost of compliance is greater than 50% of the appraised value of the structure as shown on the most recent appraisal roll.
- b. Compliance would result in a loss to the lot on which the structure is located on at least 25% of the area on which development may physically occur.
- c. Compliance would result in the structure not being in compliance with another requirement of the Zoning Ordinance, building code, or other requirement.

- d. Compliance would result in the unreasonable encroachment on an adjacent property or easement.
- e. The City considers the structure to be a nonconforming structure.

5.300 Appeals of Order, Requirement, Decision, or Determination related to the Zoning Ordinance

(ZC2023-010; Ord. No. 2023-8-5)

- .1 The Board of Adjustment may take action in accordance with Sec. [5.200.1](#).
- .2 **Appeals to the Board of Adjustment, which are Related to a Specific Application, Address, or Project**
 - A. Any of the following persons may appeal to the Board of Adjustment a decision made by an administrative official:
 - i. a person who:
 - a. filed the application that is the subject of the decision;
 - b. is the owner or representative of the owner of the property that is the subject of the decision; or
 - c. is aggrieved by the decision and is the owner of real property within 200 feet of the property that is the subject of the decision; or
 - ii. any officer, department, board, or bureau of the municipality affected by the decision.
 - B. The Board of Adjustment will determine whether a person has standing to appeal, if standing is challenged by the applicant, owner, an aggrieved person as described in Sec. 5.300.2A.i above, or the city. The Board will base its determination of standing upon the criteria above. The matter of standing will be decided at the time of the hearing on the appeal.
- .3 Such appeal must be made not later than the 20th day after the order, requirement, decision or determination has been rendered by the administrative officer, by filing with the administrative officer and with the Board of Adjustment a Notice of Appeal on a form provided by the City. The administrative official must immediately forward to the Board of Adjustment all the documents constituting the record of the action that is appealed.
- .4 An appeal stays all proceedings of the action unless the administrative officer certifies to the Board of Adjustment that by reason of facts stated in the certificate, a stay would, in their opinion, cause imminent peril to life or property. In such case, proceedings are not stayed, unless a restraining order is granted by the Board of Adjustment or by a court of record on petition.
- .5 The Board must give public notice of the hearing and due notice to the parties in interest. A party may appear at the appeal hearing in person or by agent or attorney. The Board must hear and decide the appeal at the next meeting for which notice can be provided and not later than the 60th day after the date the appeal is filed.
- .6 Interpretations may be considered consistent with the language in Sec. [1.1100](#).

5.400 Action of the Board of Adjustment

- .1** In exercising its powers, the Board of Adjustment may, in conformity with the provisions of Section 211.009(b) of the Texas Local Government Code, reverse or affirm, wholly or partly, or may modify the order, requirement, decision, or determination appealed from and make such order, requirement, decision, or determination as ought to be made and shall have all the powers of the officer from whom the appeal is taken, including the power to impose reasonable conditions to be complied with by the petitioner.
- .2** Each case must be heard by at least 75% of the members of the Board of Adjustment. The concurring vote of 75% of the members of the Board of Adjustment shall be necessary to revise any order, requirement, decision, or determination of an administrative officer, or to decide in favor of the petitioner on any matter upon which it is required to pass under this ordinance or to approve any variance under this ordinance. (ZC2023-010; Ord. No. 2023-8-5)
- .3** The date of filing of the decision in the office of the Board of Adjustment shall be the date the Board of Adjustment announces its decision either orally or in writing to the petitioner.
- .4** An appeal of the Board of Adjustment's decision must be in accordance with Chapter 211 of the Texas Local Government Code as the same may be amended from time to time.
- .5** No appeal to the Board of Adjustment for the same variance, on the same property, shall be allowed prior to the expiration of 2 years from a previous ruling by the Board of Adjustment unless other property in the immediate vicinity has within the 2-year period been rezoned, granted a similar variance request by the Board of Adjustment, or such that the physical conditions have changed. These circumstances shall permit the rehearing of an appeal by the Board of Adjustment prior to the expiration of the 2-year period, but shall not compel the Board of Adjustment, after a hearing, to grant a variance.
- .6** If the court reverses or modifies the Board of Adjustment's decision, the Board of Adjustment may elect to appeal that decision.

[Remainder of page intentionally blank]

Article 6 Specific Use Permits and Certificates of Occupancy

6.100 Specific Use Permits 6-1

6.200 Certificates of Occupancy 6-1

6.100 Specific Use Permits

- .1 The City Council of the City of Plano, Texas, after a public hearing and proper notice to all parties affected and after recommendations by the Planning & Zoning Commission may authorize the issuance of specific use permits for the uses indicated by an “S” in the use tables of Sec. 14.100 and Sec. 14.200.
- .2 The purpose and intent of a specific use permit is to authorize and regulate a use not normally permitted in a district which could be of benefit in a particular case to the general welfare, provided adequate development standards and safeguards are established for such use during the review of a specific use permit application.
- .3 The Planning & Zoning Commission in considering and determining its recommendations to the City Council on any request for a specific use permit may require from the applicant plans, information, operating data, and expert evaluation concerning the location, function, and characteristics of any building or use proposed. The City Council may, in the interest of the public welfare and to insure compliance with this ordinance, establish conditions of operation, location, arrangement, and type and manner of construction of any use for which a permit is authorized. In authorizing the location of any of the uses listed as specific use permits, the City Council may impose such development standards and safeguards as the conditions and locations indicate important to the welfare and protection of adjacent property from noise, vibration, dust, dirt, smoke, fumes, gas, odor, explosion, glare, offensive view, traffic, or other undesirable or hazardous conditions.
- .4 All specific use permits approved in accordance with the provisions of this ordinance in its original form or as hereafter amended shall be referenced on the official zoning map.

6.200 Certificates of Occupancy

(ZC2017-039; Ordinance No. 2018-3-13 and ZC95-08; Ordinance No. 95-5-25)

- .1 **Certificate of Occupancy**
It is unlawful for any person, firm, association, or corporation with ownership, care, custody, or control over a parcel of land, with or without a building, located within the municipal limits of the City of Plano to allow such building or parcel to be used, occupied, or modified in any manner that does not comply with a required, valid Certificate of Occupancy issued by the Chief Building Official, or designee of the City of Plano. The provisions of this section do not apply to single-family residence, two-family residence, farm, ranch, garden, or orchard uses, nor housing types in the RCD zoning district. (ZC2020-012; Ord. No. 2021-1-13).

- A. Any Certificate of Occupancy is void, unless granted to a property with an approved site plan and approved final plat filed of record, with exceptions as specifically granted under the city's development regulations.
- B. Any Certificate of Occupancy is void, unless the associated use and any additional development, site modifications, or redevelopment are in conformance with the approved site plan as determined by the Director of Planning, or designee.
- C. After March 26, 2018, all Land Occupancy Permits previously issued are hereby renamed Certificates of Occupancy and treated as Certificates of Occupancy for all intents and purposes.

[Remainder of page intentionally blank]

Article 7 Nonconformities

7.100 Nonconforming Status..... 7-1

7.200 Continuance..... 7-1

7.300 Change of Use 7-1

7.400 Residential Uses in Nonresidential Zoning Districts 7-1

7.500 Loss of Nonconforming Status 7-2

7.600 Stopping Nonconforming Use Status..... 7-2

7.700 Process Following City Council Order to Stop a Nonconforming Use 7-2

7.800 Other methods of Terminating a Nonconforming Use or Removal or Relocation of
Structures due to Nonconformity 7-3

7.900 Determination of Nonconforming Status and Administrative Official Decision 7-3

7.100 Nonconforming Status

Nonconforming status shall exist under the following provisions of this ordinance:

- .1 When a use or structure, which does not conform to the regulations prescribed in the district in which such use or structure is located, was in existence and lawfully operating prior to August 27, 1956, and has been operating without discontinuance.
- .2 When on the effective date of this ordinance the use or structure was in existence and lawfully constructed, located and operating in accordance with the provisions of the prior zoning ordinance or which was a nonconforming use there under, and which use or structure does not now conform to the regulations herein prescribed for the district in which such use or structure is located.
- .3 When a use or structure, which does not conform to the regulations, prescribed in the district in which such use or structure is located was in existence at the time of annexation to the City of Plano and has since been in regular and continuous use.

7.200 Continuance

Any nonconforming use of land or structure may be continued for indefinite periods of time, except nonconformities may be terminated as described in Sec. 7.600, Sec. 7.700, and Sec. 7.800. (ZC2023-019, Ord. No. 2024-2-7)

7.300 Change of Use

The Building Official, in consultation with the Director of Planning, may grant a change of occupancy from one nonconforming use to another, providing the use is within the same, or higher or more restricted classification as the original nonconforming use. In the event a nonconforming use of a building may be changed to another nonconforming use of more restricted classification, it shall not later be changed to a less restrictive classification of use and the prior less restrictive classification shall be considered to have been abandoned. (ZC2023-019, Ord. No. 2024-2-7)

7.400 Residential Uses in Nonresidential Zoning Districts

Existing residences, including but not limited to single-family, multifamily, and independent living facilities, located in nonresidential districts may be improved, maintained, or rebuilt as conforming structures. (ZC2022-016; Ord. No. 2023-2-5)

7.500 Loss of Nonconforming Status

- .1** Notwithstanding any other provisions of this ordinance, if a nonconforming use on a particular parcel shall cease operation for a period of more than 6 months, then such nonconforming use shall be deemed to be permanently abandoned and shall not be re-instituted on that parcel or any other parcel in any district which does not permit the discontinued use. For the purposes of this paragraph, to “cease operation” shall mean to intentionally abandon the nonconforming use. The temporary suspension of a use shall not constitute abandonment, provided the property is not used during the period of suspension for any other purpose. The preceding provision shall apply in all cases except those specified for the RT district. (ZC2023-019, Ord. No. 2024-2-7)
- .2** If (1) a nonconforming structure or (2) a structure occupied by a nonconforming use is destroyed, it may not be rebuilt unless the structure or use can conform to the provisions of this ordinance. For purposes of this section, a structure is destroyed if it has suffered damage, neglect, disrepair, or impairment in excess of 60% of its reasonable value. If such a structure is not destroyed, reconstruction will be permitted, but the size or function of the nonconforming structure, or any nonconforming use occupying the structure, cannot be expanded. The preceding provision shall apply in all cases except for those specified for UR, RT, and CC districts.

7.600 Stopping Nonconforming Use Status

(ZC2023-019, Ord. No. 2024-2-7)

City Council may order a nonconforming use to stop as follows:

- .1** A City Council member uses the city’s regular process to place an item on a Council meeting agenda.
- .2** During that meeting, the Council votes as to whether they wish to proceed with full deliberation of the matter at a future meeting or terminate the discussion of the matter.
- .3** If the Council determines to proceed, the matter will be placed on the agenda of a future meeting for full deliberation and a possible order that the nonconforming use stop. The order shall be made by adoption of a resolution. The date of the resolution is the date of the action by Council to adopt.

7.700 Process Following City Council Order to Stop a Nonconforming Use

(ZC2023-019, Ord. No. 2024-2-7)

- .1** The City must notify the property owner or lessee of the property, as indicated by the most recently approved municipal tax roll, not later than the 10th day after the date of the resolution. Notice must include a copy of the resolution and a description of the remedies, either payment or continued use, which an owner or lessee is entitled to under state law.
- .2** Not later than the 30th day after the date the city gives notice, the property owner or lessee must respond in writing to the city indicating the remedy, either payment or continued use, chosen by the owner or lessee. If the city does not receive timely notice from an owner or lessee, the city may choose the remedy, as provided by state law.
- .3** If the owner or lessee elects payment, or the city chooses payment after the owner or lessee fails to timely respond under Sec. [7.700.2](#), then the city will hire an appraiser and

follow the requirements of state law to determine the appropriate payment. A city official will notice the owner or lessee of the amount of the payment and simultaneously pay the owner or lessee. The person receiving payment must stop the nonconforming use not later than the 10th day after the date of the payment.

- .4 If the owner or lessee elects continuing use, or the city chooses continuing use after the owner or lessee fails to timely respond, then the city will hire an expert and follow the requirements of state law to determine the appropriate amount and therefore, the period of time for the use to continue before it is terminated. The city will notice the owner or lessee of the appropriate amount and time determined by the expert. The person must stop the nonconforming use at the determined time.
- .5 A person entitled to payment or continuing use may appeal the determination by the appraiser or expert to the Board of Adjustment not later than the 20th day after the date of the notice of the determination of the amount or the period of time as described in Sec. [7.700.3](#) or Sec. [7.700.4](#), above.
- .6 Continued use, apportionment, and appeal of the Board of Adjustment's determination is as described in state law.

7.800 Other methods of Terminating a Nonconforming Use or Removal or Relocation of Structures due to Nonconformity

(ZC2023-019, Ord. No. 2024-2-7)

- .1 Nonconforming uses or structures may also be terminated by court order or as otherwise allowed by law.
- .2 Removal or relocation of structures due to nonconformity is at the discretion of City Council.

7.900 Determination of Nonconforming Status and Administrative Official Decision

(ZC2023-010; Ord. No. 2023-8-5)

The process for determination of nonconforming status is overseen by the Director of Planning. In their absence, a designee may be appointed.

- .1 **Informal Determination**
City staff makes initial, informal determinations of whether a nonconforming use or structure exists under the provisions of the Zoning Ordinance. The informal determination is not appealable, and is considered valid unless a formal decision is requested.
- .2 **Formal Decision**
The property owner may request a formal decision as to whether a nonconforming use or structure exists on their property from the Director of Planning.
 - A. The Director of Planning will meet with the requesting property owner, tenant, or designated representative within twenty (20) business days of the date on which the request for a formal decision was filed with the Director of Planning, unless otherwise agreed by the parties.
 - B. Based upon the evidence presented at such meeting, the Director of Planning will provide a formal, written decision within twenty (20) business days. The formal decision and related evidence are public records.

.3 Appeal

The formal decision of the Director of Planning may be appealed to the Board of Adjustment under [Article 5](#) of this Ordinance.

Article 8 Definitions

8.100 Interpretation of Language 8-1

8.200 Terms Defined 8-1

8.100 Interpretation of Language

All words used in the present tense shall include the future; all words in the singular number include the plural number, and all words in the plural number include the singular number; the word “person” includes “corporation,” “co-partnership,” “association,” and “individual”; the word “shall” is mandatory and not discretionary. Terms not herein defined shall have the meaning assigned to them in the Building Code of the City of Plano. Terms not defined herein or in the Building Code shall have the meaning customarily assigned to them.

8.200 Terms Defined

Accessory Building or Use

A building or use that is clearly subordinate to and functionally related to the primary building or use, which contributes to the comfort, convenience, or necessity of occupants of the primary building or use on the same platted lot. Accessory buildings shall be detached from the primary building and shall not be used for living quarters. (ZC96-29; Ord. No. 96-11-29)

Accessory Housing Shelter, Temporary

See “Temporary Accessory Housing Shelter.”

Agricultural Activity

Shall be as defined in Section 2.2 of the Subdivision Ordinance, as amended. (ZC2017-026; Ord. No. 2017-11-3)

Airport

A place where an aircraft can land and take off, usually equipped with hangars, facilities for refueling and repair, and various accommodations for passengers. (See Sec. 15.600)

Alley

A public space or thoroughfare which affords only secondary means of access to property abutting thereon, which has been deeded or dedicated to the public for public use.

Amusement, Commercial (Indoor)

Provision, for a fee, admission charge, or other similar remuneration, of leisure-time amusement or entertainment primarily by and for participants within a completely enclosed building. Typical uses include bowling alleys, ice or roller skating rinks, arcades, and bingo parlors. (ZC2024-008; Ord. No. 2024-4-13, ZC96-29; Ord. No. 96-11-29)

Amusement, Commercial (Outdoor)

An outdoor area or structure, open to the public, which provides entertainment or amusement primarily by and for participants for a fee or admission charge. Typical uses include batting cages, miniature golf, go-kart tracks, and carnivals.

Anchor Store or Tenant

In regional malls, stores with over 100,000 square feet of gross lease able area. (ZC98-100; Ord. No. 99-1-8)

Animal Exhibition

A collection of animals for display to the public. An animal exhibition shall not include the sale, breeding, or butchering of animals.

Antenna

Any exterior transmitting or receiving device mounted on or within a support structure, building, or structure and used in communications that radiate or capture electromagnetic waves, digital signals, analog signals, radio frequencies (excluding radar signals), wireless telecommunications signals, television signals, or other communications signals. (See Sec. [15.200](#)) (ZC99-43; Ord. No. 99-9-39)

Antenna Support Structure

The transmitting or receiving system, its supporting structures and any appurtenances mounted thereon, including a free-standing structure built specifically to support or act as an antenna or a structure mounted on some other manmade object such as a building or bridge. (See Sec. [15.200](#)) (ZC99-43; Ord. No. 99-9-39)

Apartment

A room or suite of rooms in a multifamily dwelling or apartment house arranged, designed, or occupied as a place of residence by a single-family, individual, or group of individuals.

Apartment House

Same as Dwelling, Multifamily.

Artisan's Workshop

Production of jewelry, furniture, sculpture, pottery, leather goods and similar hand-crafted consumer goods, involving the use of hand tools and small-scale, light mechanical equipment within a completely enclosed area not exceeding 3,000 square feet of floor area.

Asphalt or Concrete Batching Plant (Permanent)

See "Concrete or Asphalt Batching Plant (Permanent)."

Asphalt or Concrete Batching Plant (Temporary)

See "Concrete or Asphalt Batching Plant (Temporary)."

Assembly Hall

A building or portion of a building in which facilities are provided for civic, educational, or social purposes. (ZC2024-008; Ord. No. 2024-4-13, ZC97-80, Ord. No. 98-2-17)

Assisted Living Facility

A building or buildings, other than a single-family dwelling, designed and staffed to provide housing for residents who require some type of support for daily living, such as assistance for bathing, dressing, medication, meal preparation, or other functions. In addition to housing, this type of facility may also provide convenience services, such as meals, housekeeping, transportation, and community facilities, such as central dining rooms and activity rooms. (ZC2009-09 & 2000-83; Ordinance Nos. 2009-6-9 & 2000-11-30)

Backyard Cottage

A detached dwelling unit subordinate to and located on the same lot as a Single-Family Residence (Detached) dwelling unit. (ZC2018-033; Ord. No. 2019-2-10)

Bank, Savings and Loan, or Credit Union

An establishment for the custody, loan, exchange, or issue of money, the extension of credit, and/or facilitating the transmission of funds.

Basement

A building story which is partly underground. A basement shall be counted as a story in computing building height if at least one half of its height is above the average level of the adjoining ground prior to berming, using measurements taken at each corner of the building which meets the ground.

Best Management Practices (BMPs)

Shall be as “Permanent Best Management Practices” and “Temporary Best Management Practices” as defined in Section 2.2 of the Subdivision Ordinance, as amended. (ZC2017-026; Ord. No. 2017-11-3)

Block

An area enclosed by streets and occupied by or intended for buildings.

Board

The zoning Board of Adjustment as established in Sec. [5.100](#).

Boarding/Rooming House (Single-Room Occupancy)

A residence or dwelling, excluding hotels and household care facilities, wherein three or more rooms are individually rented either by written or oral agreement for 30 days or more. (ZC2024-008; Ord. No. 2024-4-13)

Body Piercing

The creation of an opening in an individual’s body, other than in an individual’s ear lobe, to insert jewelry or other decoration. (ZC2001-19; Ord. No. 2001-11-25)

Building

Any structure built for the support, shelter, and enclosure of persons, animals, chattels, or movable property of any kind. When subdivided in a manner sufficient to prevent the spread of fire, each portion so subdivided may be deemed a separate building.

Building Line

A line parallel or approximately parallel to the front lot line at a specific distance there from, marking the minimum distance from the front lot line that a building may be erected.

Building Material Sales

An establishment for the sale of materials customarily used in the construction of buildings and other structures, including sales of lumber, drywall and similar construction materials. May include facilities for storage and sales outside a building. Refer to Sec. [19.300](#) open storage area screening requirements. (ZC96-29; Ord. No. 96-11-29)

Building Official

Chief Building Official for the City of Plano or his designee.

Bus/Truck Leasing

See “Truck/Bus Leasing.”

Bus/Truck Repair

See “Truck/Bus Repair.”

Business Service

This group includes establishments primarily engaged in providing services not elsewhere classified to business enterprises on a fee contract basis including, but not limited to, advertising agencies, computer programming and software services, tutoring services excluding trade schools, and office equipment sales, rental, leasing, or repair.

Cabinet/Upholstery Shop

An establishment for the production, display, and sale of furniture and soft coverings for furniture.

Cafeteria/Restaurant

See “Restaurant/Cafeteria.”

Caliper

The diameter of a tree trunk measured in inches at a point 12 inches above the ground.

Caretaker’s/Guard’s Residence

A residence located on a premises with a main nonresidential use and occupied only by a caretaker or guard employed on the premises.

Carport

A structure open on a minimum of 3 sides designed or used to shelter vehicles. (See Sec. [13.900.3](#))

Car Wash

Structure used to wash motorcycles, personal vehicles and light commercial vehicles. (ZC2017-014; Ord. No. 2017-7-9)

Cemetery

Property used for the interring of the dead.

Certificate of Occupancy

An official certificate issued by the city through the Building Official which indicates conformance with or approved conditional waiver from the zoning regulations and authorizes legal use of the premises for which it is issued; may be referred to as an Occupancy Permit. (ZC95-08; Ord. No. 95-5-25)

City Council

The governing body of the City of Plano, Texas.

Climbing Guard

Equipment or shields specifically designed to prevent a person from climbing an antenna support structure. (ZC98-92; Ord. No. 98-11-45)

College/University

An institution established for educational purposes offering courses for study beyond the secondary education level, excluding trade schools.

Commercial Antenna

Any antenna system that provides, directly or indirectly for a fee, telecommunications services to the public or to such classes of users as to be effectively available directly to the public, regardless of the facilities used. (ZC98-92; Ord. No. 98-11-45)

Commercial Drone Delivery Hub (Large)

An area of land, structural surface, building, or structure with one or more designated drone staging areas for use by unmanned aircraft, including but not limited to those defined under Commercial Drone Delivery Hub (Small), to distribute commercial goods by air. This includes any appurtenant areas used or intended for use for unmanned aircraft system buildings, structures, and other facilities. (ZC2023-014, Ord. No. 2024-2-6)

Commercial Drone Delivery Hub (Small)

An area of land, structural surface, building, or structure with one or more designated drone staging areas for use by small unmanned aircraft systems (sUAS) under 55 pounds total take-off weight or as defined in Section 44801 of Title 49, United States Code, as amended, whichever is the lesser, to distribute commercial goods by air. This includes any appurtenant areas used or intended for use for unmanned aircraft system buildings, structures, and other facilities. (ZC2023-014, Ord. No. 2024-2-6)

Commercial Pet Sitting/Kennel (Indoor Pens)

See “Kennel (Indoor Pens)/Commercial Pet Sitting.”

Commissary

An establishment in which food, containers, or supplies are kept, handled, prepared, packaged, or stored for transportation by mobile food units, and that serves as an operating base where a mobile food unit may be stored, parked, serviced, cleaned, supplied, and maintained. A restaurant may serve as a commissary for one mobile food unit which is owned and operated by the restaurant. Commissaries must comply with other provisions of the Code of Ordinances. (ZC2019-001; Ord. No. 2019-5-7)

Communications Operations (Amateur)

The transmission, retransmission, and/or reception of radio, television, electromagnetic, or microwave signals for private or personal use and not for the purpose of operating a business and/or for financial gain. (See Sec. 15.200) (Ord. No. 95-9-38)

Communications Operations (Commercial)

The transmission, retransmission, and/or reception of radio, television, electromagnetic, or microwave signals primarily for the purpose of operating a business and/or for financial gain. (See Sec. 15.200) (Ord. No. 95-9-38)

Community Center

A building, or complex of buildings, that houses cultural, recreational, athletic, library, and/or entertainment facilities owned and/or operated by a governmental agency or private non-profit agency. (ZC2021-011; Ord. No. 2021-7-6)

Community Investment Program (CIP)

Shall be as defined in Section 2.2. of the Subdivision Ordinance, as amended. (ZC2017-026; Ord. No. 2017-11-3)

Compact Construction and Transportation Equipment Sales & Service

Storage, leasing, renting, or repair of compact construction equipment and transportation equipment designed to be towed by light commercial vehicles for the transport of light loads or deliveries. (ZC2017-014; Ord. No. 2017-7-9)

Compact Construction Equipment

Light-weight construction equipment which is designed to work on small commercial and residential projects including but not limited to track loaders, excavators, backhoe loaders, skid steers, and telehandlers. (ZC2017-014; Ord. No. 2017-7-9)

Concrete/Asphalt Batching Plant (Permanent)

A permanent manufacturing facility for the production of concrete or asphalt.

Concrete/Asphalt Batching Plant (Temporary)

A temporary manufacturing facility for the production of concrete or asphalt during construction of a project and to be removed when the project is completed.

Construction

Shall be as defined in Section 2.2. of the Subdivision Ordinance, as amended. (ZC2017-026; Ord. No. 2017-11-3)

Construction Yard (Temporary)

A storage yard or assembly yard for building materials and equipment directly related to a construction project and subject to removal at completion of construction. (See Sec. [15.300](#))

Continuing Care Facility

A development designed and staffed to provide housing together with a continuum of personal care services; and nursing services, medical services, or other health-related services on the same property. A continuing care facility includes a combination of independent living, assisted living, or long-term care facilities. (ZC2022-016; Ord. No. 2023-2-5)

Convenience Store

An establishment of 5,000 square feet or less of floor area that sells food and other consumable and non-consumable products for off-premise use or consumption. Convenience stores may include the dispensing or sales of personal vehicle fuels, lubricants, and accessories, but shall not include personal vehicle repair or the sale of replacement parts. (ZC2017-014; Ord. No. 2017-7-9)

Country Club or Golf Course

See “Golf Course or Country Club”

Courtyard

An open, unoccupied space, bounded on more than 2 sides by the walls of a building. An inner courtyard is entirely surrounded by the exterior walls of a building. An outer courtyard has one side open to a street, alley, yard, or other permanent open space.

Crematory

A building, structure, or part thereof used for the purposes of the cremation of human or animal remains and that has appropriate permits, licensing, and/or registration for cremation by the State of Texas. (ZC2023-022; Ord. No. 2023-10-11)

Data Center

A facility whose primary service is data processing and is used to house computer systems and associated components, such as telecommunications and storage systems, including but not limited to web hosting organizations and internet service organizations. A server farm, telecom hotel, carrier hotel, telco hotel, telehouse co-location center, or any other term applicable to facilities which are used for these specified purposes shall be deemed to be a data center. (This definition shall only apply to data center as a primary use.) (ZC2010-05; Ordinance No. 2010-10-15)

Day Care Center

An operation other than public, parochial, or private school providing care for 7 or more children under 14 years old for less than 24 hours per day at a location other than a residence. (ZC2008-74; Ordinance No. 2009-6-7)

Day Care Center (Accessory)

An accessory use providing care for children of employees, customers, or patrons of the principal use. The center shall be completely contained within the primary use and shall not constitute more than 15% of the area of the principal use. (ZC2008-74; Ordinance No. 2009-6-7)

Day Care Center (Adult)

A facility that provides services under an Adult Day Care Program on a daily or regular basis, but not overnight, to 4 or more elderly or handicapped persons who are not related by blood, marriage, or adoption to the owner of the facility. Adult day care centers must be licensed by the Texas Department of Human Services. (Ord. No. 96-1-9)

Day Care (In-home)

An operation providing care in the caretaker's residence for less than 24 hours a day for up to 8 children under the age of 14, provided that the total number of children, including the caretaker's own children, is no more than 8 at any time. (ZC2012-21; Ordinance No. 2012-8-16 ZC2008-74; Ordinance No. 2009-6-7)

Decibel

A unit of measurement of sound pressure.

Development

Shall be as defined in Section 2.2. of the Subdivision Ordinance, as amended. (ZC2017-026; Ord. No. 2017-11-3)

Development Regulations

Shall be as defined in Section 2.2. of the Subdivision Ordinance, as amended. (ZC2017-026; Ord. No. 2017-11-3)

Director of Engineering

Shall be as defined in Section 2.2. of the Subdivision Ordinance, as amended. (ZC2017-026; Ord. No. 2017-11-3)

Director of Planning

Shall be as defined in Section 2.2. of the Subdivision Ordinance, as amended. (ZC2017-026; Ord. No. 2017-11-3)

Disabled Individual

A person who has a physical or mental impairment that substantially limits one or more major life activities, a person who is regarded as having that type of impairment, or a person who has a record of that type of impairment. The term "disabled" includes persons recovering from addiction, but such term does not include current, illegal use of, or addiction to a controlled substance (as defined in Section 102 of the Controlled Substances Act (21 U.S.C. 802)). (ZC2009-09; Ordinance 2009-6-9)

Distribution/Warehouse Center

See "Warehouse/Distribution Center."

District

A section of the City of Plano for which the regulations governing the area, height, or use of the land and buildings are uniform.

Drip Line

A vertical line running through the outermost portion of the crown of a tree and extending to the ground.

Drone Staging Area

A designated area over which an unmanned aircraft completes the final phase of the approach, to a hover or a landing, and from which an unmanned aircraft initiates take-off. The drone staging area includes both the launch pads and any required safety areas, and may include areas for the outdoor storage of goods, materials, containers, trailers, or other equipment. (See Sec. [15.100.3](#)) (ZC2023-014, Ord. No. 2024-2-6)

Dry Cleaning Plant

An industrial facility where fabrics are cleaned with substantially nonaqueous organic solvents.

Duplex

Same as Two-Family Dwelling.

Dwelling (Multifamily)

Any building or portion thereof, which is designed, built, rented, leased, or let to be occupied as 3 or more dwelling units or apartments or which is occupied as a home or residence of 3 or more households. (ZC2009-09; Ordinance 2009-6-9)

Dwelling (Single-family)

A building having accommodations for and occupied by not more than one household. (ZC2009-09; Ordinance 2009-6-9)

Dwelling (Two-Family)

A detached building having separate accommodations for and occupied by not more than 2 households. (ZC2009-09; Ordinance 2009-6-9)

Dwelling Unit

A building or portion of a building which is arranged, occupied, or intended to be occupied as living quarters of a family and including facilities for food preparation, sleeping, and sanitation.

Easement

A grant of one or more of the property rights by the property owner to and/or for the use by the public, a corporation, or another person or entity.

Electrical Power Generating Plant

A complex of structures, machinery, and associated equipment for generating electric energy for distribution to consumers and other users of electric power.

Electrical Substation

A subsidiary station in which electric current is transformed.

Engineering Construction Standards

Shall be as defined in Section 2.2. of the Subdivision Ordinance, as amended. (ZC2017-026; Ord. No. 2017-11-3)

Engine Repair Shop (Small)

A shop for repair of lawnmowers, chainsaws, lawn equipment, and other machines with only one-cylinder engines. (ZC96-29; Ord. No. 96-11-29)

Exhibition Area

An area or space either outside or within a building for the display of topic-specific goods or information.

Exterior Sales

The sale or display of merchandise within a designated area outside of a building, including greenhouses designed and used exclusively for the sale or storage of plants. (ZC2019-011; Ord. No. 2019-8-8)

Fairgrounds

An area where outdoor fairs, circuses, or exhibitions are held.

Farm, Ranch, Garden, or Orchard

An area of 5 acres or more which is used for growing usual farm products, vegetables, fruits, trees, and grain and for the raising thereon of the usual farm poultry and farm animals such as horses, cattle, and sheep and including the necessary accessory uses for raising, treating, and storing products raised on the premises, but not including the commercial feeding of offal or garbage to swine or other animals and not including any type of agriculture or husbandry specifically prohibited by ordinance or law.

Farmers Market

A farmers market is an establishment or location providing individual spaces leased by farmers and other vendors primarily for the retail sale of food, handicrafts, artwork, and other artisanal products intended for off-site consumption or use. A farmers market shall not include the sale of used household goods or constitute a flea market. (ZC2019-001; Ord. No. 2019-5-7)

Feed Store

An establishment for the selling of corn, grain, and other food stuffs for animals and livestock, and including other implements and goods related to agricultural processes, but not including farm machinery.

Fire Station/Public Safety Building

A building housing fire apparatus and usually firefighters, or a building housing a law enforcement agency of a unit of government.

Fitness/Health Center

See “Health/Fitness Center.”

Flea Market

A site where space inside or outside a building is rented to vendors on a short-term basis for the sale of merchandise. The principal sales shall include new and used household goods, personal effects, tools, artwork, small household appliances, and similar merchandise, objects, or equipment in small quantities. The term, flea market, shall not be deemed to include wholesale sales establishments or rental services establishments, but shall be deemed to include personal services establishments, food services establishments, retail sales establishments, and auction establishments.

Flex Space (Live-Work)

A dwelling unit that may be used by the resident completely or in part for an allowed nonresidential use.

Floodplain

An area of land subject to inundation by a 100-year frequency flood, as shown on the floodplain map of the City of Plano.

Floor Area

The total square feet of floor space within the outside dimensions of a building including each floor level, but excluding carports, residential garages, and breezeways.

Floor Area Ratio (FAR)

The floor area of a main building or buildings on a lot, divided by the lot area. See [Figure 8-1](#).




Figure 8-1: Floor Area Ratio

Food Store/Grocery Store

A retail establishment that displays or sells food and other consumable and non-consumable products intended primarily for off-premise use or consumption. (ZC96-29a; Ord. No. 96-12-11)

Food Truck Park

An area designed to accommodate two or more mobile food units and offering food and/or beverages for sale to the public as the primary use of the property. (ZC2019-001; Ord. No. 2019-5-7)

Fraternal Organization, Lodge, or Civic Club

An organized group having a restricted membership and specific purpose related to the welfare of the members such as Elks, Masons, Knights of Columbus, or a labor union.

Frequency

The number of times per second a vibration or sound wave oscillates.

Funeral/Mortuary Parlor

See "Mortuary/Funeral Parlor."

Furniture, Home Furnishings, and Equipment Stores

This group includes retail stores selling goods used for furnishing the home including, but not limited to, furniture, floor coverings, draperies, glass and chinaware, domestic stoves, refrigerators, and other household electrical and gas appliances.

Garden Center

A retail business for the display and/or sale of trees, shrubs, flowers, ornamental plants, seeds, garden and lawn supplies, and other materials used in indoor and outdoor planting. (See Sec. [19.300](#)) (ZC92-55; Ord. No. 92-9-1)

Golf Course or Country Club

An area of 20 acres or more improved with trees, greens, fairways, hazards, and which may include a clubhouse, dining room, and accessory recreational uses.

Government Facility

Any building or land area that is owned, primarily used, and/or primarily occupied by a public school, city, state, or federal government, or such building or land area that is specifically exempt from land-use regulation by state or federal law. (ZC2021-011; Ord. No. 2021-7-6)

Grocery/Food Store

See “Food/Grocery Store.”

Gross Leasable Area

The floor area of a regional mall greater than 1,000,000 square feet in size, excluding atriums, malls, other public spaces, and areas for support activities. The gross lease able area is determined by subtracting 35% from the gross floor area of the mall itself and 15% from the gross floor area of the anchor stores. (ZC98-100; Ord. No. 99-1-8)

Ground Mounted

An antenna or antenna support structure fixed directly into the ground. (ZC98-92; Ord. No. 98-11-45)

Guard’s/Caretaker’s Residence

See “Caretaker’s/Guard’s Residence.”

Gun Range (Indoor)

Any indoor facility open to the public and occupying all or a portion of a building where firearms are discharged for testing or recreation purposes. (Ord. No. 93-9-29)

Hardware Store

Retail sales of household hardware and supplies customarily used for consumer home repair and maintenance but not including building construction materials such as lumber and drywall and not including outdoor sales of storage areas for hardware or supplies. (Ord. No. 96-4-25)

Health/Fitness Center

A public or private facility operated to promote physical health and fitness. Activities may include exercise, physical therapy, training, and education pertaining to health and fitness. Uses or combinations of uses or facilities would typically include, but are not limited to, game courts, weight lifting and exercise equipment, aerobics, swimming pools and spas, and running or jogging tracks. (ZC96-29; Ord. No. 96-11-29)

Heavy Commercial Vehicle/Truck

A self-propelled vehicle having a Manufacturer’s Recommended Gross Vehicle Weight (GVW) of greater than 11,000 pounds, such as tractor-trailers, buses, and other similar vehicles. The term “truck” shall be construed to mean “Heavy Commercial Vehicle” unless specifically stated otherwise. (ZC2017-014; Ord. No. 2017-7-9)

Heavy Machinery Sales and Storage

A building or open area, other than a right-of-way or public parking area, used for the display, sale, rental, and storage of heavy machinery, either machines in general or as a functioning unit. Heavy machinery includes but is not limited to tractors, farm machinery, bulldozers, street graders, and paving devices. (ZC98-69; Ordinances No. 98-10-10)

Height

The vertical distance of a building measured from the average grade as measured at the corners of the building prior to berming to (1) the highest point of the roof's surface if a flat surface, (2) the deck line of mansard roofs or (3) the highest point of the ridge for hip and gable roofs and, in any event, including chimneys, cooling towers, elevator bulkheads, tanks, water towers, radio towers, antennas, ornamental cupolas, domes or spires, and parapet walls. (See Sec. [13.600](#))

Heliport

An area of land or water or a structural surface which is used, or intended for use, for the landing and taking off of rotary wing and tiltrotor passenger aircraft, and any appurtenant areas which are used, or intended for use for heliport buildings and other heliport facilities. (See Sec. [15.600](#)) (ZC2023-014, Ord. No. 2024-2-6)

Helistop

The same as a heliport, except that no refueling, maintenance, repairs, or storage of aircraft is permitted. (See Sec. [15.600](#)) (ZC2023-014, Ord. No. 2024-2-6)

Heritage Resource Overlay District

A type of overlay district used to designate a local historic landmark or local historic district as referenced in Section 211.0165 of the Texas Local Government Code. (ZC2021-013; Ordinance No. 2021-8-5)

Historic Landmark or District

See "Heritage Resource Overlay District" (ZC2021-013; Ordinance No. 2021-8-5)

Home Occupations

Any activity carried out for gain by a resident which results in the manufacture or provision of goods and/or services and is conducted as an accessory use in a dwelling unit. (See Sec. [15.700](#))

Hospital

An institution currently licensed by the State of Texas as a General Hospital, Special Hospital, or Private Psychiatric Hospital, and acting as such. (ZC2018-018; Ord. No. 2018-11-7)

Hotel/Motel

See "Motel/Hotel."

Household

A domestic unit that resides in and shares in common a single dwelling unit and consists of one or more individuals related by blood, marriage, adoption or recognized legal union or guardianship, and not more than 4 adult unrelated individuals, plus any minor children, or persons residing in a household care facility. (ZC2009-09 Ordinance No. 2009-6-9)

Household Care Facility

A dwelling unit that provides residence to not more than 8 persons, regardless of legal relationship, who are elderly; disabled; orphaned, abandoned, or neglected children; victims of domestic violence; or rendered temporarily homeless due to fire, natural disaster, or financial setbacks, living together with no more than 2 caregivers as a single household. Where applicable, a household care facility shall have appropriate licensing and/or registration by the State of Texas. (ZC2009-09 & 2004-15; Ordinance Nos. 2009-6-9 & 2004-9-18)

Household Care Institution

A facility that provides residence and care to more than 8 persons, regardless of legal relationship, who are elderly; disabled; orphaned, abandoned, or neglected children; victims of domestic violence; convalescing from illness; or rendered temporarily homeless due to fire, natural disaster, or financial setback. Where applicable, a household care institution shall have appropriate licensing and/or registration by the State of Texas. (ZC2009-09 & 2004-15; Ordinance No. 2009-6-9 & 2004-9-18)

Housekeeping Unit

A dwelling unit organized as a single entity in which members share common kitchen facilities and have access to all parts of the dwelling.

Independent Living Facility

A development providing dwelling units specifically designed for the needs of elderly persons. In addition to housing, this type of facility may provide convenience services, such as meals, housekeeping and transportation, and community facilities, such as central dining rooms and activity rooms. (ZC2000-83; Ord. No. 2000-11-30)

Industrial (Light)

Industrial uses which meet the performance standards, bulk controls, and other requirements established in this ordinance.

Industrial Use (Hazardous or Nuisance)

An industrial use that, due to the possible emission of excessive smoke, noise, gas, fumes, dust, odor, vibration, or danger of fire, explosion, or radiation as may be determined by Health, Fire, or Building officials is presently or in the future likely to be a hazard or nuisance to adjacent property or the community-at-large.

Kennel (Indoor Pens)/Commercial Pet Sitting

An establishment in which more than 6 dogs or domestic animals are on the premises at one time, that has indoor pens and provides any of the following services related to the animals for commercial purposes: housing during the day or overnight, grooming, breeding, boarding, exercising, training, or selling. Animal transportation service may be provided. Keeping backyard hens inside, consistent with the Code of Ordinances, does not create or establish a Kennel (Indoor Pens). (ZC2021-020; Ord. No. 2021-9-25)

Kennel (Outdoor Pens)

An establishment in which more than 6 dogs or domestic animals more than one year old are on the premises at one time, that has outdoor pens and provides any of the following services related to the animals for commercial purposes: housing during the day or overnight, grooming, breeding, boarding, exercising, training, or selling. The keeping of backyard hens, consistent with the Code of Ordinances, does not create a Kennel (Outdoor Pens). (ZC2021-020; Ord. No. 2021-9-25)

Kiosk

A small, free-standing, one-story structure having a maximum floor area of 350 square feet and used for commercial purposes or the posting of temporary information and/or posters, notices, and announcements. If a kiosk is to be occupied, it shall have a minimum floor area of 25 square feet. (See Sec. [13.900.2](#))

Kitchen (Accessory)

A second kitchen in a single-family residence, the use of which is subordinate and incidental to the common living activities of the household. An accessory kitchen is permitted in the main building, servants' quarters located in the main building, and pool cabanas. (ZC2000-84; Ord. No. 2001-1-15)

Land Disturbing Activity

Shall be as defined in Section 2.2. of the Subdivision Ordinance, as amended. (ZC2017-026; Ord. No. 2017-11-3)

Landscape

The physical features of a property contributing to its aesthetic appearance through the addition of ornamental objects and/or plant material including, but not limited to, ground cover, grass, shrubs, and trees. (ZC2016-001; Ordinance No. 2016-5-4)

Licensed Massage Therapy

A health care service practiced by a licensed massage therapist, as defined by state law. "Massage therapy" means the manipulation of soft tissue for therapeutic purposes. The term includes, but is not limited to, effleurage (stroking), petrissage (kneading), strokes, and Swedish gymnastics, either by hand or with mechanical or electrical apparatus for the purpose of body massage. Massage therapy may include the use of oil, salt glows, heat lamps, hot and cold packs, tub, shower, or cabinet baths. Equivalent terms for massage therapy are massage, therapeutic massage, massage technology, myotherapy, or any derivation of those terms. The terms "therapy" and "therapeutic" do not include diagnosis, the treatment of illness or disease, or any service or procedure for which a license to practice medicine, chiropractic, physical therapy, or podiatry is required by law.

Light Commercial Vehicle

A self-propelled vehicle having a Manufacturer's Recommended Gross Vehicle Weight (GVW) of less than or equal to 11,000 pounds including, but not limited to, a pick-up truck or van. This definition excludes personal vehicles. (ZC2017-014; Ord. No. 2017-7-9)

Live-in Management

In relationship to a Short-term Rental, Live-in Management means the operator identified on the short-term rental registration stays in the dwelling overnight whenever guests are present at the Short-term Rental. The property owner may act as the operator. (ZC2024-008; Ord. No. 2024-4-13)

Live-in Management STR

A Short-term Rental with Live-in Management and one or more rooms available for overnight guests. For this definition, a room is a sleeping quarter which must include a place that people sleep but can also include kitchen, bathrooms, and hallways which function as one unit. (ZC2024-008; Ord. No. 2024-4-13)

Live-Work (Business Loft)

A building that is designed with one ground-floor, nonresidential space and one attached dwelling unit. The dwelling unit may be located on the same floor, or directly above, the nonresidential use and must be occupied by individuals owning or employed by the associated nonresidential use. (ZC2020-012; Ord. No. 2021-1-13)

Loading Space

An off-street space or berth and/or an associated building opening used for the loading or unloading of vehicles including railroad cars. (ZC2002-48; Ord. No. 2002-10-41)

Long-term Care Facility

A development providing in-patient health care, personal care, or rehabilitative services over a long period of time to persons chronically ill, aged, or disabled due to injury or disease. (ZC2000-83; Ord. No. 2000-11-30)

Lot

Land occupied or to be occupied by a building and its accessory building including such open spaces as are required under this ordinance and having a minimum frontage of 12 feet upon a public street or officially approved place.

Lot Area

The net horizontal area of the lot excluding portions of streets and alleys and easements for streets and alleys.

Lot (Corner)

A lot or parcel of land abutting upon 2 or more streets at their intersection or upon 2 parts of the same street forming an interior angle of less than 135 degrees.

Lot Coverage

The percentage of the total area of a lot occupied by the base (first story or floor) of buildings located on the lot.

Lot Depth

The horizontal distance measured perpendicularly between 2 points on the front lot line and 2 points on the rear lot line which creates an area that meets the zoning district's minimum width and depth requirements. Lot depth shall not include easements which impair the use of the lot surface as a yard. See [Figure 8-2: Lot Depth](#).




Figure 8-2: Lot Depth

Lot (Flag or Panhandle)

A lot having access to a street by means of a parcel of land having a depth greater than its frontage and having a width less than the minimum required lot width but not less than 12 feet.

Lot (Interior)

A lot other than a corner lot.

Lot Line (Front)

The narrower side of the lot abutting a street. Where 2 lot lines abutting streets are of equal length, the owner shall have a choice in designating which is the front. For a lot that has a boundary line that does not abut the front street line, is not a rear lot line, and lies along the same general directional orientation as the front and rear lot lines, that line shall be considered a front lot line in establishing minimum setback lines. See [Figure 8-3](#).




Figure 8-3: Front Lot Line

Lot Line (Rear)

The lot line farthest from and most parallel to the front lot line. For triangular lots, the point opposite the front lot line shall be considered the rear lot line and have a value of zero. See [Figure 8-4](#).

Lot Line (Side)

Any lot line not the front or rear lot line. See [Figure 8-4](#).




Figure 8-4: Rear and Side Lot Lines

Lot Lines

The lines bounding a lot.

Lot of Record

A lot, which is part of a subdivision, the plat of which has been recorded in the office of the County Clerk of Collin County or Denton County.

Lot (Through)

A residential lot other than a corner lot abutting more than one street and having access to more than one street. Through lots are prohibited by this ordinance.

Lot Width

The horizontal distance measured between side lot lines parallel to the front lot line measured from the point on the building line closest to the front lot line. See [Figure 8-5](#).




Figure 8-5: Lot Width

Main Building

The building or buildings on a lot which are occupied by the primary use.

Manufacturing (Heavy-intensity)

Basic industrial processing which transforms materials, particularly raw materials, into a new substance, compound, or product. Uses include, but are not limited to, meat packing, chemical and petroleum processing and manufacturing, and foundries. (ZC05-20; Ord. No. 2005-6-34)

Manufacturing (Light-intensity)

Indoor assembly and manufacturing of finished products or parts from previously prepared materials and parts. Fabrication may be used in limited form to shape or define the final product but shall not comprise the primary activity of such operations. (ZC05-20; Ord. No. 2005-6-34)

Manufacturing (Moderate-intensity)

Manufacturing of finished products and component products or parts, including the transportation, treatment, or processing of materials or substances, exclusive of basic industrial processing. (ZC05-20; Ord. No. 2005-6-34)

Masonry Construction

The form of construction composed of stone, brick, cast concrete, hollow clay tile, concrete block or tile, or other similar building unit or materials or combination thereof laid up unit by unit and set in mortar. Brick veneer, exterior plasters as defined in the City of Plano Building Code, and cementitious lap siding shall be acceptable masonry construction alternatives. (ZC2016-013; Ord. No. 2016-6-14)

Mast

A pole of wood or metal, or a tower fabricated of metal, used to support an amateur radio antenna and maintain it at the proper elevation. (ZC98-92; Ord. No. 98-11-45)

Mausoleum

Property used for the interring of the dead where bodies are interred above ground in stacked vaults.

Merchandise Display

The outside exhibition of goods and materials for immediate sale or rental; and excluding the storage of vehicles, heavy machinery, or light commercial vehicles. (ZC2017-014; Ord. No. 2017-7-9)

Mid-Rise Residential

Buildings containing not less than five floors designed for residential occupancy and including accessory uses including but not limited to parking garages, recreational amenities, meeting space, storage, and personal services. A mid-rise residential development may include a mix of residential and nonresidential uses in the same structure. (ZC2013-13; Ordinance No. 2013-10-13)

Microwave Reflector/Antenna

An apparatus constructed of solid, mesh, or perforated materials of any configuration that is used to receive and/or transmit microwave signals from a terrestrial or orbital located transmitter or transmitter relay. This definition is meant to include, but is not limited to, what are commonly referred to as satellite receive only earth stations (T.V.R.O.S) or satellite dishes. (See Sec. [15.200](#)) (*Ord. No. 95-9-38*)

Mini-Warehouse/Public Storage

A building containing separate, individual, self-storage units of 500 square feet or less for rent or lease. The conduct of sales, business, or any activity other than storage shall be prohibited within any individual storage unit. (*ZC96-29; Ord. No. 96-11-29*)

Mobile Food Unit

Shall be as defined in Section 9.2 of the Code of Ordinances, as amended. (*ZC2019-001; Ord. No. 2019-5-7*)

Mobile Home

A dwelling designed to be transported on its own chassis on the highway in one or more sections by a prime mover and which is constructed with a base section so as to be independently self-supporting and not requiring a permanent foundation for year-round living.

Mobile Home/Trailer Display and Sales

See "Trailer/Mobile Home Display and Sales."

Mobile Home/Trailer Park

An area of not less than 10 acres or more than 25 acres approved for occupancy by mobile homes and accessory structures related thereto.

Model Home

A single-family or duplex residential structure temporarily used for the display, sales, and/or oversight of the construction of new residences within the subdivision or development in which the residential structure is located.

Monopole

A self-supporting, tubular-shaped antenna support structure which consists of a single vertical pole fixed into the ground and/or attached to a foundation. (*ZC98-92; Ord. No. 98-11-45*)

Month

Shall be as defined in Section 2.2. of the Subdivision Ordinance, as amended. (*ZC2017-026; Ord. No. 2017-11-3*)

Mortuary/Funeral Parlor

A place for the storage of deceased bodies prior to their burial or cremation, or a building used for the preparation of the deceased for burial and the display of the deceased and ceremonies connected therewith before burial or cremation. (*ZC2023-022; Ord. No. 2023-10-11*)

Motel/Hotel

A building or group of buildings designed for and occupied as a temporary dwelling place of individuals and providing 4 or more rooms suitable for daily or long-term occupancy. Hotel services including daily housekeeping and upkeep of furnishings must be provided. Meeting rooms, recreational facilities, and restaurants shall be permitted as an accessory use within the buildings. This definition shall not include other dwelling units as defined by this ordinance. (ZC2014-37; Ordinance No. 2015-1-10)

Motorcycle

A vehicle, other than a tractor, that is equipped with a rider's saddle and designed to have, when propelled, not more than 3-wheels on the ground. (ZC2017-014; Ord. No. 2017-7-9)

Motorcycle Sales & Service

The display, sale, servicing and repair of motorcycles. (ZC2017-014; Ord. No. 2017-7-9)

Multifamily Building

Same as Dwelling, Multifamily.

Multifamily Residence

Same as Dwelling, Multifamily.

Nonconforming Use

A building, structure or use of land lawfully occupied at the time of the effective date of this ordinance or amendments thereto, and which does not conform to the use regulations of the district in which it is situated.

Nursery

An establishment for the cultivation and propagation, display, storage and sale (retail and wholesale) of large plants, shrubs, trees and other materials used in indoor or outdoor plantings; and the contracting for installation and/or maintenance of landscape material as an accessory use. (ZC96-50; Ord. No. 96-9-36)

Occupancy

The use or intended use of the land or buildings by proprietors or tenants.

Octave Band

A portion of the audible sound spectrum. An Octave Band analyzer divides the audible sound spectrum into 8 Octave Bands.

Odor Threshold

The concentration of odorous matter in the atmosphere necessary to be perceptible to the olfactory nerve of a normal person. Determination of the Odor Threshold is prescribed by A.S.T.M.D. 1391-57, "Standard Method for Measuring Odor in Atmosphere."

Office (Field)

A building or structure, of either permanent or temporary construction, used in connection with a development or construction project for display purposes or for housing temporary supervisory or administrative functions related to development, construction, or the sale of real estate properties within the active development or construction project.

Office (Medical)

An establishment dispensing health services, including medical, surgical, dental, and other outpatient services.

Office (Professional/General Administrative)

A room or group of rooms used for the provision of executive, management, or administrative services. Typical uses include administrative offices and services including real estate, insurance, property management, investment, personnel, travel, secretarial services, telephone answering, and business offices of public utilities, organizations, and associations; but excluding medical offices.

Office (Showroom/Warehouse)

An establishment that primarily consists of sales offices and sample display areas for products and/or services delivered or performed off-premises. Catalog and telephone sales facilities are appropriate. Incidental retail sales of products associated with the primary products and/or services are permitted. Warehousing facilities shall be incidental to the primary use and shall not exceed 50% of the total floor area. This designation does not include service contractor. (ZC2017-014; Ord. No. 2017-7-9)

Open Space

Area included in any side, rear, or front yard or any unoccupied space on the lot that is open and unobstructed to the sky except for the ordinary projections of cornices, eaves, or porches. (See "Usable Open Space")

Open Storage

The keeping outside of goods, materials, containers, vehicles, trailers, or other equipment on a lot or tract. (ZC2017-014; Ord. No. 2017-7-9)

Paint Shop

An establishment where painting services are performed.

Park/Playground

Any tract of land or outdoor facility accessible and open for use by the general public for active or passive recreational purposes, including but not limited to, playgrounds, swimming pools, outdoor recreation facilities, trails, nature preserves, and greenbelts. (ZC2016-015; Ord. No. 2016-6-31)

Parking Space

An all-weather surfaced area used for parking a vehicle, not on a public street or alley, together with an all-weather surfaced driveway connecting the area with a street, permitting free ingress and egress without encroachment on the street.

Particulate Matter

Finely divided solid or liquid matter, other than water, which is released into the atmosphere.

Patio Home

A single-family dwelling on a separate lot which may develop with open space setbacks only on 3 sides, commonly developed in a cluster configuration. (ZC2017-009; Ord. No. 2017-6-5)

Paved

A solid and continuously firm concrete or asphalt surface or other material approved by the Director of Engineering. (ZC2017-014; Ord. No. 2017-7-9)

Pawn Shop

An establishment where money is loaned on the security of personal property pledged in the keeping of the owners (pawnbroker).

Permanent Best Management Practices (BMPs)

Shall be as defined in Section 2.2. of the Subdivision Ordinance, as amended. (ZC2017-026; Ord. No. 2017-11-3)

Personal Service Shop

Establishments primarily engaged in providing services generally involved in the care of the person or his apparel including, but not limited to, barber and beauty shops, dry-cleaning and laundry pick-up stations, self-service laundromats, and tailors.

Personal Vehicle

A movable device propelled or drawn by mechanical power designed to carry one or more persons, not to exceed 22 feet in length, such as automobiles, pick-up trucks, motorcycles, mopeds, all-terrain vehicles (ATVs), and golf carts. This definition excludes light and heavy commercial vehicles. (ZC2017-014; Ord. No. 2017-7-9)

Planning & Zoning Commission

The agency appointed by the City Council as an advisory body to it and which is authorized to recommend changes in the zoning and other functions as delegated to it by the City Council.

Plat

A plan of a subdivision of land creating building lots or tracts and showing all essential dimensions and other information essential to comply with the subdivision standards of the City of Plano and subject to approval by the Planning & Zoning Commission and filed in the Plat Records of Collin and Denton Counties.

Playground/Park

See "Park/Playground."

Plot

A single unit or parcel of land, or a parcel of land that can be identified and referenced to a recorded plat or map.

Portable Buildings Sales

An establishment which displays and sells structures which are capable of being carried and transported to another location, not including mobile homes.

Post Office (Government and Private)

Local branch of the U.S. Postal Service or private commercial venture engaged in the distribution of mail and incidental services.

Premises

Any parcel of real property together with all buildings or structures thereon.

Primary Use

Any use permitted by right or by specific use permit in accordance with the use tables of Sec. [14.100](#) or Sec. [14.200](#). (ZC96-29; Ord. No. 96-11-29)

Principal Building

Same as Main Building.

Print Shop (Major)

An establishment whose primary service is long-run printing including, but not limited to, book, magazine, and newspaper publishing. (ZC2000-36; Ord. No. 2000-6-26)

Print Shop (Minor)

An establishment whose primary service is short-run printing to produce newsletters, flyers, resumes, maps, construction documents and plans, and similar items. (ZC2000-36; Ord. No. 2000-6-26)

Private Club

An establishment providing social and dining facilities, as well as alcoholic beverage service, to an association of persons, and otherwise falling within the definition of, and permitted under the provisions of the Texas Alcoholic Beverage Code, as the same may be hereafter amended, and as it pertains to the operation of private clubs. (See Sec. [15.1000](#)) (ZC2008-82; Ordinance No. 2009-1-8)

Private Recreation Facility or Area

A facility or area that is owned and/or operated by a nonprofit organization and that provides for sports, leisure, and recreation activities operated for the exclusive use of its members and their guests and not the general public. (ZC2011-28; Ordinance No. 2011-10-10)

Private Street

A private vehicular access way shared by and serving 2 or more lots, which is not dedicated to the public and is not publicly maintained. Private streets and alleys may be established only under the terms of the Subdivision Ordinance. The term “private street” shall be inclusive of alleys.

Private Utility (other than listed)

A non-public utility requiring special facilities in residential areas or on public property such as heating, cooling, or communications not customarily provided by the municipality or public utilities.

Public Safety Building/Fire Station

See “Fire Station/Public Safety Building.”

Public Storage/Mini-Warehouse

See “Mini-Warehouse/Public Storage.”

Radio, Television, or Microwave Communications (Amateur)

The transmission, retransmission, or reception of radio, electromagnetic, or microwave signals for private or personal use and not for the purpose of operating a business and/or for financial gain. (See Sec. [15.200](#))

Radio, Television, or Microwave Communications Operations (Commercial)

The transmission, retransmission, or reception of radio, electromagnetic, or microwave signals primarily for the purpose of operating a business and/or for financial gain. (See Sec. [15.200](#))

Railroad Freight Depot or Docks

A facility/place for the loading and unloading of materials on trains.

Recreational Vehicle (RV)

A portable vehicle designed for temporary or short-term occupancy and primarily intended for travel, recreational, and vacation usage. Recreational vehicles include, but are not limited to, boats and other marine vehicles, travel and tent trailers, pickup campers and shells, motorized travel units (motor homes), converted buses, and similar vehicles used for temporary portable housing or recreational use. (ZC2017-014; Ord. No. 2017-7-9)

Recreational Vehicle Parking Lot/Garage

An area or structure designed for the parking of recreational vehicles for sale, distribution, or storage purposes. (ZC2017-014; Ord. No. 2017-7-9)

Recreational Vehicle Sales & Service

Retail sales, renting, leasing, and repair of new or pre-owned recreational vehicles. (ZC2017-014; Ord. No. 2017-7-9)

Rehabilitation Care Facility

A dwelling unit which provides residence and care to not more than 8 persons regardless of legal relationship who have been convicted of prohibited criminal conduct and received conditional release, probation, or parole with supervision, living together with not more than 2 supervisory personnel as a single household. Where applicable a rehabilitation care facility shall have appropriate licensing and/or registration. (ZC2009-09; Ordinance 2009-6-9)

Rehabilitation Care Institution

A facility which provides residence and care to 9 or more persons, regardless of legal relationship, who have been convicted of prohibited criminal conduct and received conditional release, probation or parole with supervision, together with supervisory personnel. (ZC2009-09; Ordinance 2009-6-9)

Religious Facility

A building used primarily for religious assembly and worship and those accessory activities which are customarily associated therewith, and the place of residence for religious personnel on the premises. (ZC2010-06; Ordinance No. 2010-8-7)

Repair/Storage of Furniture and Appliances (Inside)

See "Storage/Repair of Furniture and Appliances (Inside)."

Repair/Storage of Furniture and Appliances (Outside)

See "Storage/Repair of Furniture and Appliances (Outside)."

Research and Development Center

An indoor facility that includes laboratories and experimental equipment for medical testing, prototype design and development, and product testing. (Ord. No. 96-4-25)

Residence

Same as a dwelling; also, when used with district, an area of residential regulations.

Residential District

District where the primary purpose is residential use.

Restaurant/Cafeteria

An establishment where food and drink are prepared and consumed primarily on the premises. Drive-up windows are permitted. (ZC96-29; Ord. No. 96-11-29)

Restaurant (Drive-in)

An eating establishment where primarily food or drink is served to customers in personal vehicles or where facilities are provided on the premises which encourage the serving and consumption of food in personal vehicles on or near the restaurant premises. (ZC2017-014; Ord. No. 2017-7-9)

Retail/Service (Incidental)

Retail or service use that is clearly incidental and supportive to the primary use. The retail or service use shall be operated for the benefit or convenience of the employees, visitors, or customers of the primary use. Such uses shall have no separate outside entrance and no signage visible from the outside. (ZC96-29; Ord. No. 96-11-29)

Retail Store

An establishment engaged in the selling of goods and merchandise to the general public for personal or household consumption and/or rendering services for such goods and merchandise.

Room

A building or portion of a building which is arranged, occupied, or intended to be occupied as living or sleeping quarters but not including toilet or cooking facilities.

Rooming/Boarding House

See "Boarding/Rooming House."

Salvage or Reclamation of Products

The reclamation and storage of products or materials.

Sand, Gravel, Stone, or Petroleum Extraction

The process of extracting sand, gravel, stone, or petroleum from the earth.

School (Private)

A school under the sponsorship of a private agency or corporation other than a public or religious agency, having a curriculum general equivalent to public elementary or secondary school.

School (Public or Parochial)

A school under the sponsorship of a public or religious agency providing elementary or secondary curriculum but not including trade schools.

Service Contractor

An establishment whose primary activity is the provision of services for the construction, maintenance, cleaning, or repair of buildings and properties on a fee or contract basis. Service contractors may include but are not limited to, plumbing, heating, and air conditioning, construction, and landscape maintenance services. (ZC2017-014; Ord. No. 2017-7-9)

Service/Retail (Incidental)

See “Retail/Service (Incidental).”

Service Yard (Public or Utility)

An area for the servicing and storage of vehicles, mechanical items, or other property of a government agency, or public or private utility.

Shopping Center

A group of primarily retail and service commercial establishments planned, constructed, and managed as a total entity with customer and employee parking provided onsite, provision for delivery of goods separated from customer access, and provision of aesthetically appropriate design and protection from the elements.

Short-term Rental (STR)

Any portion, or all, of a dwelling unit offered or used for transient lodging, in exchange for compensation, for less than thirty (30) consecutive days. This definition of Short-term Rental includes Live-in Management STR but does not include Household Care Facility, Rehabilitation Care Facility, or Temporary Accessory Housing Shelter. (ZC2024-008; Ord. No. 2024-4-13)

Signs

Definitions relating to the regulation of signs can be found in Sec. ~~22.200~~. (ZC2000-73; Ord. No. 2000-11-22)

Single-Family Residence (Attached)

A dwelling that is part of a structure containing 3 or more dwellings, each designed and constructed for occupancy by one family, with each dwelling attached by a common wall to another with a minimum length of attachment of 20 feet, in which each dwelling is located on a separate platted lot (unless the dwelling is part of a planned residential development approved without separate platted lots); except that 20% of the total dwellings in a single-family attached project may be included in structures containing only 2 dwellings.

Single-Family Residence (Detached)

A dwelling designed and constructed for occupancy by one family and located on a lot or separate building tract and having no physical connection to a building located on any other separate lot or tract.

Site Improvement

Shall be as defined in Section 2.2. of the Subdivision Ordinance, as amended. (ZC2017-026; Ord. No. 2017-11-3)

Smoke

The visible discharge of particulate matter from chimney, vent, exhaust, or combustion process.

Stable

A facility for boarding horses, renting horses to the public, or conducting riding lessons. A minimum of 10 acres is required for this use.

Storage/Repair of Furniture and Appliances (Inside)

An establishment that repairs common household appliances and furniture items such as refrigerators, stoves, microwave ovens, televisions, stereos, radios, lamps, tables, chairs, desks, and sofas, and which may provide indoor storage space for items being repaired. (ZC98-69; Ord. No. 98-10-10)

Storage/Repair of Furniture and Appliances (Outside)

An establishment that repairs common household appliances and furniture items such as refrigerators, stoves, microwave ovens, televisions, stereos, radios, lamps, tables, chairs, desks, and sofas, and which may provide for outdoor storage space for items being repaired. (ZC98-69; Ord. No. 98-10-10)

Stormwater Management Facility

Shall be as defined in Section 2.2. of the Subdivision Ordinance, as amended. (ZC2017-026; Ord. No. 2017-11-3)

Stormwater Quality Area

Shall be as defined in Section 2.2. of the Subdivision Ordinance, as amended. (ZC2017-026; Ord. No. 2017-11-3)

Story

The height between the successive floors of a building or from the top floor to the roof. (ZC2001-49; Ord. No. 2002-1-25)

Street

Any thoroughfare or public driveway, other than an alley and more than 22 feet in width, which has been dedicated or deeded to the public for public use.

Street Line

A boundary line between a lot, tract, or parcel of land and a contiguous street right-of-way. A street line is the same as a front property line or right-of-way line.

Structural Alterations

Any change in the supporting member of a building, such as a bearing wall, column, beams, or girders.

Structure

A combination of materials to form a construction for use, occupancy, or ornamentation whether installed on, above, or below the surface of land or water.

Studio (Dance, Gymnastics, and/or Martial Arts)

A building or portion of a building used as a place of work for a gymnast, dancer and/or martial artist or for instructional classes in gymnastics, dance and/or martial arts.

Studio (Photographer, Musician, and/or Artist)

A building or portion of a building as a place of work by a photographer, musician, and/or artist.

Studio (Radio and/or Television)

A building or portion of a building used as a place for radio and/or television broadcasting.

Studio Residence

A residence which includes up to 50% of its total floor area as a work area for a photographer, artist, musician, architect, or similar occupation. The primary occupant of the work area must also be a permanent resident of the dwelling unit. All activities associated with the studio shall take place in the primary structure, as opposed to an accessory building or yard. (All stipulations in Sec. [15.700](#) applying to “home occupations,” with exception of the 20% floor area limitation, shall apply to studio residences)

Substandard Street

Shall be as defined in Section 2.2. of the Subdivision Ordinance, as amended. (ZC2017-026; Ord. No. 2017-11-3)

Superstore

Any retail building for a single, primary tenant that exceeds 80,000 square feet in size. A superstore may contain multiple secondary tenants with interior access to the primary tenant space. A superstore may be freestanding or may be an in-line tenant in a larger center. The square footage of a superstore shall include all primary and ancillary uses with interior access to the primary tenant space including inventory storage, automotive repair, and open storage areas. (ZC2000-48; Ord. No. 2000-8-13)

Tattooing and Permanent (or Intradermal) Cosmetics

The practice of producing an indelible mark or figure on the human body by scarring or inserting pigment under the skin using needles, scalpels, or other related equipment. (ZC2000-98, Ord. No. 2001-2-18)

Telephone Line and Exchange

A line for the transmission of telephone signals and a central office in which telephone lines are connected to permit communication.

Telescopic/Crank-Up Tower

An antenna support structure designed to be lowered and raised either manually or mechanically. (ZC98-92; Ord. No. 98-11-45)

Temporary Accessory Housing Shelter

A housing shelter operated as an accessory use to a religious facility, providing temporary, free lodging for individuals or families. This definition shall not include household care facility and household care institutions. (ZC2023-023; Ord. No. 2023-10-12, ZC11-13; Ordinance No.; 2011-6-14)

Temporary Best Management Practices (BMPs)

Shall be as defined in Section 2.2. of the Subdivision Ordinance, as amended. (ZC2017-026; Ord. No. 2017-11-3)

Temporary Parking

Parking of an operable vehicle for a reasonable period of time considering the primary use of the lot and consistent with [Article 16](#). (ZC2017-014; Ord. No. 2017-7-9)

Theater (Drive-in)

An open lot with its appurtenant facilities devoted primarily to the showing of motion pictures or theatrical productions on a paid admission basis to patrons seated in personal vehicles. (ZC2017-014; Ord. No. 2017-7-9)

Theater (Neighborhood)

A building or part of a building devoted to the showing of motion pictures or for dramatic, musical, or live performances with a maximum of 10 screens or stages and a combined seating capacity of 2,500 or less. (ZC96-24; Ord. No. 96-7-3)

Theater (Regional)

A building or portion of a building used primarily for showing motion pictures or for dramatic, musical, or live performances having more than 10 screens or stages or a combined seating capacity greater than 2,500. (ZC96-24; Ord. No. 96-7-3)

Toxic and Noxious Matter

Any solid, liquid, or gaseous matter which is present in sufficient quantities to endanger health, safety, or comfort of persons in the vicinity or which may cause injury or damage to property.

Tract

An area, parcel, site, piece of land, or property which is the subject of a zoning or development application.

Trade Schools

Establishments, other than public or parochial schools, private schools, or colleges, offering training or instruction in a trade, art, or occupation.

Trailer/Mobile Home Display and Sales

The offering for sale, storage, or display of trailers or mobile homes on a parcel of land but excluding the use of such facilities as dwellings either on a temporary or permanent basis.

Trailer/Mobile Home Park

See "Mobile Home/Trailer Park."

Transit Center/Station

Any premises for the loading and unloading of passengers by a public or private transit company including the temporary parking of transit vehicles between routes or during stop overs and excluding overnight parking, storage, and maintenance of transit vehicles. This definition shall not include bus stops along rights-of-way. (ZC2011-36; Ordinance No. 2011-12-9; ZC96-29; Ordinance No. 96-11-29)

Transmission Lines/Utility Distribution

See "Utility Distribution/Transmission Lines."

Transportation and Utility Structures/Facilities

Permanent facilities and structures operated by companies engaged in providing transportation and utility services including, but not limited to, sewage pumping stations, telephone exchanges, water reservoirs, and water pumping stations. (ZC2011-36; Ordinance No. 2011-12-9)

Transit Station/Turnaround

Passenger terminal or loading facilities for a privately or publicly-owned transit system.

Travel Trailer

A mobile vehicle designed and used as a temporary place of dwelling and of such size and design as to be subject to licensing for towing on the highway by a passenger motor vehicle or other prime mover, and not requiring a special permit for moving on the highways as contrasted to a mobile home.

Truck

A heavy commercial vehicle unless specifically stated otherwise. (ZC2017-014; Ord. No. 2017-7-9)

Truck/Bus Leasing

The rental of new or used panel trucks, vans, trailers, recreational vehicles, or motor-driven buses in operable condition and where no repair work is done. (ZC2017-014; Ord. No. 2017-7-9)

Truck/Bus Repair

An establishment providing major and minor vehicle repair services to heavy commercial vehicles. (ZC2017-014; Ord. No. 2017-7-9)

Truck Parking Lot

Area for parking heavy commercial vehicles and/or trucks for sale, distribution, or storage purposes. (ZC2017-014; Ord. No. 2017-7-9)

Truck Sales (Heavy Truck)

The display, sale, or rental of new or used heavy commercial vehicles or trucks in operable condition. (ZC2017-014; Ord. No. 2017-7-9)

Truck Terminal

A facility where freight is unloaded from interstate trucks and/or intermodal containers and loaded onto local or regional delivery vehicles. May include facilities for the temporary storage of loads prior to shipment.

Two-Family Residence

Same as Two-Family Dwelling.

Two-Family Residence (Attached)

An attached building having separate accommodations for and occupied by not more than 2 households. (ZC2020-012; Ord. No. 2021-1-13)

University/College

See "College/University."

Upholstery/Cabinet Shop

See "Cabinet/Upholstery Shop."

Usable Open Space

An open area or recreational facility which is designed and intended to be used for outdoor living and/or recreation. (ZC06-02; Ord. No. 2006-4-24)

Utility Distribution/Transmission Lines

Facilities which serve to distribute and transmit electrical power, gas and water including, but not limited to, electrical transmission lines, gas transmission lines, and metering stations.

Vehicle

A moveable device propelled or drawn by mechanical power designed to carry one or more persons or property. (ZC2017-014; Ord. No. 2017-7-9)

Vehicle Dealer (New)

Retail sales and/or leasing of new personal vehicles or light commercial vehicles, including, as a minor part of the business, the sales and/or leasing of used personal vehicles or light commercial vehicles. (ZC2017-014; Ord. No. 2017-7-9)

Vehicle Dealer (Used)

Retail sales and leasing of used personal vehicles or light commercial vehicles. (ZC2017-014; Ord. No. 2017-7-9)

Vehicle Leasing and Renting

Storage, leasing, or renting of personal vehicles, motorcycles, and light commercial vehicles. (ZC2017-014; Ord. No. 2017-7-9)

Vehicle Parking Lot/Garage (Primary)

An area, structure, or shared area where a fee may be charged for the temporary parking of operable personal and light commercial vehicles. (ZC2017-014; Ord. No. 2017-7-9)

Vehicle Parts Sales (Inside)

The use of any building or other premise for the display and sale of new or used parts for vehicles other than heavy commercial vehicles. (ZC2017-014; Ord. No. 2017-7-9)

Vehicles Parts Sales (Outside)

The sale of new or used parts for vehicles other than heavy commercial vehicles. (ZC2017-014; Ord. No. 2017-7-9)

Vehicle Repair (Major) – Personal and Light Commercial

Major repair or reconditioning of engines and transmissions; retrofitting of air conditioning systems; wrecker service; collision services including body, frame, or fender straightening or repair; customizing; painting; vehicle steam cleaning; undercoating and rust proofing; and other similar services for personal and light commercial vehicles. (ZC2017-014; Ord. No. 2017-7-9)

Vehicle Repair (Minor/Fueling Station) – Personal and Light Commercial

An establishment used for the retail dispensing or sales of vehicle fuels, lubricants, tires and vehicle accessories; the minor repair or replacement of parts, tires, paintless dent repair, and performing state inspections and making minor repairs necessary to pass state inspection for personal and light commercial vehicles. Services listed under Major Vehicle Repair or any other similar services are not included. (ZC2017-014; Ord. No. 2017-7-9)

Vehicle Storage

The keeping, on a lot or tract, of operable vehicles for the purpose of holding such vehicles in reserve. This definition excludes temporary parking. (ZC2017-014; Ord. No. 2017-7-9)

Vendor

A person or business selling goods or services at an establishment operating individual lease spaces such as a farmers market or flea market. A single vendor may employ more than one individual. (ZC2019-001; Ord. No. 2019-5-7)

Veterinary Clinic

An establishment, not including outside pens, where animals and pets are admitted for examination and medical treatment.

Vibration

A periodic displacement of the earth measured in inches.

Warehouse/Distribution Center

A building used primarily for the storage and distribution of goods, merchandise, supplies, and equipment including wholesalers which display, sell, and distribute merchandise to business representatives for resale but excluding "Truck Terminal." (ZC96-29; Ord. No. 96-11-29)

Week

Shall be as defined in Section 2.2. of the Subdivision Ordinance, as amended. (ZC2017-026; Ord. No. 2017-11-3)

Whip Antenna

An antenna consisting of a single, slender, rod-like element which is supported only at or near its base. (ZC98-92; Ord. No. 98-11-45)

Window (Bay)

A multi-panel, polygonal, or curved window projecting out from an opening in the exterior wall plane that does not increase the floor area of a building. The bottom of the bay window opening must be a minimum of 2 feet in height above the finished floor. A bay window may be supported by corbels or brackets. (ZC05-07; Ord. No. 2005-5-28)

Window (Box)

A polygonal or curved window projecting out from an opening in the exterior wall plane that increases the floor area of a building. A box window typically is supported by an extension of the building foundation or a cantilevered extension of floor joists. (ZC05-07; Ord. No. 2005-5-28)

Winery

A wine-making facility that: (1) ferments juices from grapes and/or other fruit, (2) blends wines, (3) manufactures, bottles, labels, and packages wine, and/or performs any other activity authorized by Chapter 16, Winery Permit, of the Texas Alcoholic Beverage Code as amended. (ZC05-24; Ord. No. 2005-7-10)

Wire Antenna

A flexible filament, cable, or wire designed to function as an antenna. (ZC98-92; Ord. No. 98-11-45)

Wrecking Yard

Any lot upon which 2 or more motor vehicles of any kind which are incapable of being operated due to condition or lack of license have been placed for the purpose of obtaining parts for recycling or resale.

Yard

An open space that lies between the principal or accessory building or buildings and the nearest lot line and which is unoccupied and unobstructed from the ground upward except as herein permitted.

Yard (Front)

An open, unoccupied space on a lot facing a street extending across the front of the lot between the side lot lines and from the front building line to the front lot or street line.

Yard (Rear)

An open, unoccupied space on a lot, except for accessory buildings as herein permitted, extending across the rear of a lot from one side lot line to the other side lot line. The rear yard shall be at the opposite end of the lot from the front yard.

Yard (Side)

An open, unoccupied space or spaces on one or 2 sides of a main building and on the same lot with the building, extending from the building to a side line of the lot and extending through from the front yard to the rear yard.

Year

Shall be as defined in Section 2.2. of the Subdivision Ordinance, as amended. (*ZC2017-026; Ord. No. 2017-11-3*)

Zoning Envelope

The three-dimensional space within which a structure is permitted to be built on a lot and which is defined by maximum height regulations and yard setbacks.

Zoning District Map

The official map upon which the boundaries of the various zoning districts are drawn and which is an integral part of the zoning ordinance.

DIVISION 2 | ZONING DISTRICT REGULATIONS

Article 9 Residential Districts 9-1

Article 10 Nonresidential Districts10-1

Article 11 Overlay Districts11-1

Article 12 Planned Development District12-1

Article 13 Lot and Building Standards13-1

[page intentionally blank]

Article 9 Residential Districts

9.100	The Districts	9-1
9.200	A, Agricultural District	9-2
9.300	ED, Estate Development District	9-3
9.400	SF-20, Single-Family Residence-20 District.....	9-6
9.500	SF-9, Single-Family Residence-9 District	9-7
9.600	SF-7, Single-Family Residence-7 District	9-10
9.700	SF-6, Single-Family Residence-6 District	9-13
9.800	UR, Urban Residential District.....	9-15
9.900	PH, Patio Home District	9-16
9.1000	SF-A, Single-Family Residence Attached District	9-19
9.1100	2F, Two-Family Residence (Duplex) District	9-22
9.1200	GR, General Residential District	9-25
9.1300	MF-1, Multifamily Residence-1 District	9-27
9.1400	MF-2, Multifamily Residence-2 District	9-29
9.1500	MF-3, Multifamily Residence-3 District	9-31
9.1600	MH, Mobile Home District	9-33
9.1700	RCD, Residential Community Design District	9-35

9.100 The Districts

The city's residential zoning districts are listed below. When this zoning ordinance refers to "residential" zoning districts it is referring to these districts.

Map Symbol/Abbreviation	District Name	Section
A	Agricultural	9.200
ED	Estate Development	9.300
SF-20	Single-Family Residence-20	9.400
SF-9	Single-Family Residence-9	9.500
SF-7	Single-Family Residence-7	9.600
SF-6	Single-Family Residence-6	9.700
UR	Urban Residential	9.800
PH	Patio Home	9.900
SF-A	Single-Family Residence Attached	9.1000
2F	Two-Family Residence (Duplex)	9.1100
GR	General Residential	9.1200
MF-1	Multifamily Residence-1	9.1300
MF-2	Multifamily Residence-2	9.1400
MF-3	Multifamily Residence-3	9.1500
MH	Mobile Home	9.1600
RCD	Residential Community Design	9.1700

[Remainder of page intentionally blank]

9.200 A, Agricultural District

.1 Purpose

The A, Agricultural district is intended to provide for farming, dairying, pasturage, horticulture, animal husbandry, and the necessary accessory uses for the packing, treating, or storing of produce. It is anticipated that all “A” districts will be changed to other zoning classifications as the city proceeds toward full development.

.2 Permitted Uses

See the residential districts use table in Sec. [14.100](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

The following area, yard, and bulk requirements apply to all development in the A district unless otherwise expressly stated:

Description	Requirement
Minimum Lot Area	85,000 square feet
Minimum Lot Width	150 feet
Minimum Lot Depth	150 feet
Minimum Front Yard	40 feet (See Sec. 13.500.2)
Minimum Side Yard	
Interior lot	15 feet or 10% of lot width, whichever is greater (See Sec. 13.500.3)
Corner Lot	25 feet on street side
Maximum Side Yard	25 feet
Minimum Rear Yard	10 feet (See Sec. 13.500.4)
Minimum Floor Area per Dwelling Unit	800 square feet
Maximum Height	3 story provided the third story may not exceed 10% of the total floor area of the building, 45 feet (See Sec. 13.600)
Maximum Coverage	20%, plus 10% additional coverage permitted for accessory buildings (See Sec. 13.500.4A)
Parking Requirements	2 parking spaces per dwelling unit (See Article 16)

[Remainder of page intentionally blank]

9.300 ED, Estate Development District

.1 Purpose

The ED district is intended to provide areas for single-family development in a rural or ranch-like setting or where topography and/or utility capacities limit the use of the land. Provisions are made for limited ranching pursuits as well as those uses necessary and incidental to single-family living. Accessory dwelling units are permitted for use by family members.

.2 Permitted Uses

See the residential districts use table in Sec. [14.100](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

The following area, yard, and bulk requirements apply to all development in the ED district unless otherwise expressly stated:

Description	Requirement
Minimum Lot Area	43,560 square feet; 85,000 square feet if any livestock, except backyard hens kept in accordance with the Code of Ordinances, are kept (See Sec. 9.300.4A) (ZC2021-020; Ord. No. 2021-9-25)
Minimum Lot Width	150 feet
Minimum Lot Depth	250 feet
Minimum Front Yard	50 feet, except as provided in Sec. 13.500.2
Minimum Side Yard	
Interior Lot	15 feet or 10% of lot width, whichever is greater (See Sec. 13.500.3) (Ord. No. 95-4-30)
Corner Lot	25 feet on street side (See Sec. 13.500.3)
Maximum Side Yard	30 feet
Minimum Rear Yard	10 feet (See Sec. 13.500.4)
Minimum Floor Area per Dwelling Unit	800 square feet
Maximum Height	3 story provided the third story may not exceed 10% of the total floor area of the building, 40 feet (See Sec. 13.600)
Maximum Coverage	20%, plus 10% additional coverage permitted for accessory buildings (See Sec. 13.500.4A)
Parking Requirements	2 parking spaces per dwelling unit (See Article 16)

.4 Special District Requirements

A. Animal Restrictions

(ZC2013-32; Ordinance No. 2014-1-8)

i. Number

No more than two livestock can be maintained per acre of lot area.

ii. Type

Livestock animals are limited exclusively to horses and other equine species, cattle, llamas, sheep and goats. Swine and fowl are expressly prohibited. Domestic animals are allowed consistent with the Code of Ordinances. Other types of animals which introduce an unusual disturbance to the community or adjoining property owners shall not be maintained.

iii. Breeding

No livestock animals, other than equine species, shall be kept for commercial breeding purposes.

- iv. Notwithstanding the above, backyard hens may be kept in accordance with the Code of Ordinances. *(ZC2021-020; Ord. No. 2021-9-25)*

B. Accessory Buildings

(ZC2019-011; Ord. No. 2019-8-8)

- i. Accessory buildings in the ED district, except garages, must be located behind the main dwelling in the rear yard.
- ii. Accessory buildings must be at least 50 feet from any side property line and 25 feet from the rear property line.
- iii. Accessory buildings must be at least 100 feet from dwellings on adjoining property.
- iv. The number of accessory buildings must be limited to one, except that more than one may be granted by approval of a site plan. An additional accessory building may be added without the approval of a site plan only if that building is a coop for backyard hens kept in accordance with the Code of Ordinances. *(ZC2021-020; Ord. No. 2021-9-25)*

C. Accessory Dwelling Units

Accessory dwelling units in the ED district shall be allowed as an incidental residential use of a building on the same lot as the main dwelling unit and shall comply with the preceding requirements for accessory buildings and with the following:

- i. No temporary buildings, mobile homes, or travel trailers may be used for onsite dwelling purposes.
- ii. The accessory dwelling unit must be constructed to the rear of the main dwelling. Each lot must have a minimum of one acre per dwelling unit or accessory dwelling unit constructed upon it. For example, a house with 2 accessory dwelling units would require a minimum lot size of 3 acres.
- iii. The accessory dwelling unit must have a floor area of at least 500 square feet.
- iv. Accessory dwelling units require site plan approval.
- v. The accessory dwelling unit may not be sold separate from sale of the entire property, including the main dwelling unit.

D. Fences

(ZC2001-21; Ord. No. 2001-8-26)

All fences within an ED district shall comply with the following standards:

- i. Fences within the front yard setback shall be no more than 48 inches in height. Combinations of berms and fences shall not exceed 48 inches in height.
- ii. Fences within the front yard setback shall be horizontal rail or vertical wrought iron with or without masonry columns.
- iii. All fencing shall be at least 50% see-through, except those required for enclosing swimming pools.

- iv.** No farm or rural fencing (such as barbed wire) shall be used. Smooth, non-climbable 2-inch by 4-inch mesh on metal posts is allowed behind the building line.
- v.** Stockade or other solid fencing or walls shall not be constructed on property lines.

[Remainder of page intentionally blank]

9.400 SF-20, Single-Family Residence-20 District

.1 Purpose

The SF-20 district is intended to provide for single-family development in a semi-rural setting without provisions for ranching or related activities. The SF-20 district may also serve as transitional areas between ED districts and urban uses or districts.

.2 Permitted Uses

See the residential districts use table in Sec. [14.100](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

The following area, yard, and bulk requirements apply to all development in the SF-20 district unless otherwise expressly stated:

Description	Requirement
Minimum Lot Area	20,000 square feet
Minimum Lot Width	
Interior Lot	100 feet
Corner Lot	105 feet
Minimum Lot Depth	150 feet
Minimum Front Yard	35 feet, except as provided in Sec. 13.500.2
Minimum Side Yard	(Ord. No. 95-4-30)
Interior Lot	10 feet or 10% of lot width, whichever is greater (See Sec. 13.500.3)
Corner Lot	15 feet on street side (See Sec. 13.500.3)
Maximum Side Yard	25 feet
Minimum Rear Yard	10 feet (See Sec. 13.500.4)
Minimum Floor Area per Dwelling Unit	800 square feet
Maximum Height	3 story provided the third story may not exceed 10% of the total floor area of the building, 40 feet (See Sec. 13.600)
Maximum Coverage	25%, plus 10% additional coverage permitted for accessory buildings (See Sec. 13.500.4A)
Parking Requirements	2 parking spaces per dwelling unit (See Article 16)

[Remainder of page intentionally blank]

9.500 SF-9, Single-Family Residence-9 District

.1 Purpose

The SF-9 district is intended to provide areas for large-lot, urban, single-family development protected from excessive noise, illumination, odors, visual clutter, and other objectionable influences to family living.

.2 Permitted Uses

See the residential districts use table in Sec. [14.100](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

(ZC2006-02; Ord. No. 2006-4-24)

The following area, yard, and bulk requirements apply to all development in the SF-9 district unless otherwise expressly stated:

Description	Standard Requirements	Stormwater Incentive Option 1 Requirements	Stormwater Incentive Option 2 Requirements
Minimum Lot Area	9,000 square feet	8,550 square feet	8,100 square feet
Minimum Lot Width	75 feet	75 feet	75 feet
Minimum Lot Depth	100 feet	95 feet	95 feet
Minimum Front Yard	30 feet, except as provided in Sec. 9.500.4 and Sec. 13.500.2	25 feet, except as provided in Sec. 9.500.4 and Sec. 13.500.2	25 feet, except as provided in Sec. 9.500.4 and Sec. 13.500.2
Minimum Side Yard	(Ord. No. 95-4-30)		
Interior Lot	7.5 feet or 10% of lot width, whichever is greater, except as in Sec. 13.500.3	7.5 feet or 10% of lot width, whichever is greater, except as in Sec. 13.500.3	7.5 feet or 10% of lot width, whichever is greater, except as in Sec. 13.500.3
Corner Lot	15 feet on street side, except as in Sec. 13.500.3	15 feet on street side, except as in Sec. 13.500.3	15 feet on street side, except as in Sec. 13.500.3
Maximum Side Yard	10 feet	10 feet	10 feet
Minimum Rear Yard	10 feet, except as provided in Sec. 9.500.4 and Sec. 13.500.4	10 feet, except as provided in Sec. 9.500.4 and Sec. 13.500.4	10 feet, except as provided in Sec. 9.500.4 and Sec. 13.500.4
Minimum Floor Area per Dwelling Unit	800 square feet	800 square feet	800 square feet
Maximum Height	2 story, 35 feet, except as in Sec. 13.600	2 story, 35 feet, except as in Sec. 13.600	2 story, 35 feet, except as in Sec. 13.600
Maximum Coverage	45% total for principal and accessory buildings (See Sec. 13.500.4A)	47.5% total for principal and accessory buildings (See Sec. 13.500.4A)	50% total for principal and accessory buildings (See Sec. 13.500.4A)
Minimum Usable Open Space designated as Stormwater Quality Area (ZC2017-026; Ord. No. 2017-11-3)	N/A	5% in accordance with Sec. 9.500.4	10% in accordance with Sec. 9.500.4
Parking Requirements	2 parking spaces per dwelling unit (See Article 16)	2 parking spaces per dwelling unit (See Article 16)	2 parking spaces per dwelling unit (See Article 16)

.4 Miscellaneous Area, Yard, and Bulk Requirements

(ZC2017-026; Ord. No. 2017-11-3 & ZC2006-02; Ord. No. 2006-4-24)

SF-9 subdivisions shall be developed in conformance with Standard Requirements, Stormwater Incentive Option 1 Requirements, or Stormwater Incentive Option 2 Requirements.

- A. For all SF-9 subdivisions, if the lot is alley served, garages shall be set back a minimum of 20 feet from the rear property lines.
- B. If developed in accordance with Standard Requirements, a SF-9 subdivision may vary the front yard setback under one, but not both, of the following provisions:
 - i. The minimum front yard setback may be reduced by a maximum of 5 feet if 25% of the street lengths in the subdivision are curvilinear in design. In no case shall the required front yard be less than 25 feet. The term curvilinear in design shall refer to any street segment which is designed with a degree of curvature not less than $3=30'$ and not greater than $22=55'$ and which shall offset a minimum distance of 30 feet, that offset being measured perpendicular to the initial tangent line of the curve. Computation of percentage of curvilinear streets shall utilize the centerline of all interior streets, excluding streets with a right-of-way width greater than 70 feet. See [Figure 9-1](#).




Figure 9-1: Curvilinear Streets

- ii. The front yard setback may be staggered, varied, or reduced to a minimum setback of 25 feet provided that the average setback for any block face shall be 30 feet. Under this provision, no more than 3 adjacent lots may have a setback of less than 30 feet. Where setbacks are varied, the maximum setback shall be 35 feet and a minimum lot depth of 70 feet, as measured from the front building line to the rear lot line, shall be maintained.
- C. Per Section 5.6 of the Subdivision Ordinance and the Stormwater Quality Requirements, if Stormwater Quality Requirements and Permanent BMPs are

applicable, an SF-9 subdivision must be developed in accordance with Stormwater Incentive Option 1 or 2 Requirements if:

- i. The minimum gross area of the subdivision is 10 acres; and
- ii. The subdivision provides a stormwater quality area per Sec. [9.500.3](#) above, and the provided stormwater quality areas are shown on a site-specific stormwater quality management plan per Section 5.6 of the Subdivision Ordinance or in the city's Stormwater Quality Requirements.

[Remainder of page intentionally blank]

9.600 SF-7, Single-Family Residence-7 District

.1 Purpose

The SF-7 district is intended to provide for areas of urban single-family development on moderate-size lots, protected from excessive noise, illumination, odors, visual clutter, and other objectionable influences to family living.

.2 Permitted Uses

See the residential districts use table in Sec. [14.100](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

(ZC2006-02; Ord. No. 2006-4-24)

The following area, yard, and bulk requirements apply to all development in the SF-7 district unless otherwise expressly stated:

Description	Standard Requirements	Stormwater Incentive Option 1 Requirements	Stormwater Incentive Option 2 Requirements
Minimum Lot Area	7,000 square feet	6,650 square feet	5,400 square feet
Minimum Lot Width			
Interior Lot	65 feet	65 feet	55 feet
Corner Lot	70 feet	70 feet	60 feet
Minimum Lot Depth	100 feet	95 feet	95 feet
Minimum Front Yard	30 feet, except as provided in Sec. 9.600.4 and Sec. 13.500.2	25 feet, except as provided in Sec. 9.600.4 and Sec. 13.500.2	25 feet, except as provided in Sec. 9.600.4 and Sec. 13.500.2
Minimum Side Yard	(Ord. No. 95-4-30)		
Interior Lot	6.5 feet or 10% of lot width, whichever is greater, except as in Sec. 13.500.3	6.5 feet or 10% of lot width, whichever is greater, except as in Sec. 13.500.3	6.5 feet or 10% of lot width, whichever is greater, except as in Sec. 13.500.3
Corner Lot	15 feet on street side, except as in Sec. 13.500.3	15 feet on street side, except as in Sec. 13.500.3	15 feet on street side, except as in Sec. 13.500.3
Maximum Side Yard	10 feet	10 feet	10 feet
Minimum Rear Yard	10 feet, except as provided in Sec. 9.600.4 and Sec. 13.500.4	10 feet, except as provided in Sec. 9.600.4 and Sec. 13.500.4	10 feet, except as provided in Sec. 9.600.4 and Sec. 13.500.4
Minimum Floor Area per Dwelling Unit	800 square feet	800 square feet	800 square feet
Maximum Height	2 story, 35 feet, except as in Sec. 13.600	2 story, 35 feet, except as in Sec. 13.600	2 story, 35 feet, except as in Sec. 13.600
Maximum Coverage	45% total for principal and accessory buildings (See Sec. 13.500.4A)	47.5% total for principal and accessory buildings (See Sec. 13.500.4A)	50% total for principal and accessory buildings (See Sec. 13.500.4A)
Minimum Usable Open Space designated as Stormwater Quality Area (ZC2017-026; Ord. No. 2017-11-3)	N/A	5% in accordance with Sec. 9.600.4	10% in accordance with Sec. 9.600.4
Parking Requirements	2 parking spaces per dwelling unit (See Article 16)	2 parking spaces per dwelling unit (See Article 16)	2 parking spaces per dwelling unit (See Article 16)

.4 Miscellaneous Area, Yard, and Bulk Requirements

(ZC2017-026; Ord. No. 2017-11-3 & ZC2006-02; Ord. No. 2006-4-24)

SF-7 subdivisions shall be developed in conformance with Standard Requirements, Stormwater Incentive Option 1 Requirements, or Stormwater Incentive Option 2 Requirements.

- A. For all SF-7 subdivisions, if the lot is alley served, garages shall be set back a minimum of 20 feet from the rear property lines.
- B. If developed in accordance with Standard Requirements, a SF-7 subdivision may vary the front yard setback under one, but not both, of the following provisions:
 - i. The minimum front yard setback may be reduced by a maximum of 5 feet if 25% of the street lengths in the subdivision are curvilinear in design. In no case shall the required front yard be less than 25 feet. The term curvilinear in design shall refer to any street segment which is designed with a degree of curvature not less than $3=30'$ and not greater than $22=55'$ and which shall offset a minimum distance of 30 feet, that offset being measured perpendicular to the initial tangent line of the curve. Computation of percentage of curvilinear streets shall utilize the centerline of all interior streets, excluding streets with a right-of-way width greater than 70 feet. See [Figure 9-2](#).




Figure 9-2: Curvilinear Streets

- ii. The front yard setback may be staggered, varied, or reduced to a minimum setback of 25 feet provided that the average setback for a block face shall be 30 feet. Under this provision, no more than 3 adjacent lots may have a setback of less than 30 feet. Where setbacks are varied, the maximum setback shall be 35 feet and a minimum lot depth of 70 feet, as measured from the front building line to the rear lot line, shall be maintained.
- C. Per Section 5.6 of the Subdivision Ordinance and the Stormwater Quality Requirements, if Stormwater Quality Requirements and Permanent BMPs are

applicable, an SF-7 subdivision must be developed in accordance with Stormwater Incentive Option 1 or 2 Requirements if:

- i. The minimum gross area of the subdivision is 10 acres; and
- ii. The subdivision provides a stormwater quality area per Sec. [9.600.3](#) above, and the provided stormwater quality areas are shown on a site-specific stormwater quality management plan per Section 5.6 of the Subdivision Ordinance or in the city's Stormwater Quality Requirements.

[Remainder of page intentionally blank]

9.700 SF-6, Single-Family Residence-6 District

.1 Purpose

The SF-6 district is intended to provide for small-lot, urban, single-family development protected from excessive noise, illumination, odors, visual clutter, and other objectionable influences to family living.

.2 Permitted Uses

See the residential districts use table in Sec. [14.100](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

(ZC2006-02; Ord. No. 2006-4-24)

The following area, yard, and bulk requirements apply to all development in the SF-6 district unless otherwise expressly stated:

Description	Standard Requirements	Stormwater Incentive Option 1 Requirements	Stormwater Incentive Option 2 Requirements
Minimum Lot Area	6,000 square feet	5,700 square feet	5,400 square feet
Minimum Lot Width			
Interior Lot	55 feet	55 feet	55 feet
Corner Lot	60 feet	60 feet	60 feet
Minimum Lot Depth	100 feet	95 feet	95 feet
Minimum Front Yard	25 feet, except as provided in Sec. 9.700.4 and Sec. 13.500.2	25 feet, except as provided in Sec. 9.700.4 and Sec. 13.500.2	25 feet, except as provided in Sec. 9.700.4 and Sec. 13.500.2
Minimum Side Yard	(Ord. No. 95-4-30)		
Interior Lot	6 feet or 10% of lot width, whichever is greater, except as in Sec. 13.500.3	6 feet or 10% of lot width, whichever is greater, except as in Sec. 13.500.3	6 feet or 10% of lot width, whichever is greater, except as in Sec. 13.500.3
Corner Lot	15 feet on street side, except as in Sec. 13.500.3	15 feet on street side, except as in Sec. 13.500.3	15 feet on street side, except as in Sec. 13.500.3
Maximum Side Yard	10 feet	10 feet	10 feet
Minimum Rear Yard	10 feet, except as provided in Sec. 9.700.4 and Sec. 13.500.4	10 feet, except as provided in Sec. 9.700.4 and Sec. 13.500.4	10 feet, except as provided in Sec. 9.700.4 and Sec. 13.500.4
Minimum Floor Area per Dwelling Unit	800 square feet	800 square feet	800 square feet
Maximum Height	2 story, 35 feet, except as in Sec. 13.600	2 story, 35 feet, except as in Sec. 13.600	2 story, 35 feet, except as in Sec. 13.600
Maximum Coverage	45% total for principal and accessory buildings (See Sec. 13.500.4A)	47.5% total for principal and accessory buildings (See Sec. 13.500.4A)	50% total for principal and accessory buildings (See Sec. 13.500.4A)
Minimum Usable Open Space designated as Stormwater Quality Area (ZC2017-026; Ord. No. 2017-11-3)	N/A	5% in accordance with Sec. 9.700.4	10% in accordance with Sec. 9.700.4
Parking Requirements	2 parking spaces per dwelling unit (See Article 16)	2 parking spaces per dwelling unit (See Article 16)	2 parking spaces per dwelling unit (See Article 16)

.4 Miscellaneous Area, Yard, and Bulk Requirements

(ZC2017-026; Ord. No. 2017-11-3 & ZC2006-02; Ord. No. 2006-4-24)

SF-6 subdivisions shall be developed in conformance with Standard Requirements, Stormwater Incentive Option 1 Requirements, or Stormwater Incentive Option 2 Requirements.

- A. For all SF-6 subdivisions, the front yard setback may be reduced to 20 feet if the lot is alley served. When a 20-foot front yard setback is used, the minimum rear yard setback must be increased from 10 to 15 feet. Garages shall be setback a minimum of 20 feet from the rear property lines.
- B. If developed in accordance with Standard Requirements, a SF-6 subdivision may stagger, vary, or reduce the front yard setback of 20 feet provided that the average setback for any block face shall be 25 feet. Under this provision, no more than 3 adjacent lots may have a setback of less than 25 feet. Where setbacks are varied, the maximum setback shall be 30 feet and a minimum lot depth of 70 feet, as measured from the front building line to the rear lot line, shall be maintained.
- C. Per Section 5.6 of the Subdivision Ordinance and the Stormwater Quality Requirements, if Stormwater Quality Requirements and Permanent BMPs are applicable, an SF-6 subdivision must be developed in accordance with Stormwater Incentive Option 1 or 2 Requirements if:
 - i. The minimum gross area of the subdivision is 10 acres; and
 - ii. The subdivision provides a stormwater quality area per Sec. [9.700.3](#) above, and the provided stormwater quality areas are shown on a site-specific stormwater quality management plan per Section 5.6 of the Subdivision Ordinance or in the city's Stormwater Quality Requirements.

[Remainder of page intentionally blank]

9.800 UR, Urban Residential District

.1 Purpose

The UR district is intended to provide for single-family detached development, particularly infill development, in an urban, pedestrian-oriented environment.

.2 Permitted Uses

See the residential districts use table in Sec. [14.100](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

The following area, yard, and bulk requirements apply to all development in the UR district unless otherwise expressly stated:

Description	Requirement
Minimum Lot Area	5,000 square feet
Minimum Lot Width	
Interior Lot	50 feet
Corner Lot	55 feet
Minimum Lot Depth	90 feet
Minimum Front Yard	10 feet or within 5 feet of the average setback of existing, adjacent structures facing the same street, whichever is greater (See Sec. 13.500.2)
Minimum Side Yard	
Interior Lot	5 feet
Corner Lot	10 feet on street side (See Sec. 13.500.3)
Maximum Side Yard	10 feet
Minimum Rear Yard	5 feet (See Sec. 13.500.4)
Minimum Floor Area per Dwelling Unit	800 square feet
Maximum Height	2 story, 35 feet (See Sec. 13.600)
Maximum Lot Coverage	60%, including accessory uses and/or buildings
Maximum Floor Area	None
Parking Requirements	2 parking spaces per dwelling unit (See Article 16)

.4 Other Regulations

Multifamily residences lawfully constructed prior to the institution of a UR district are permitted. Any remodeling, reconstruction, redevelopment, or other improvements shall not increase the floor area or number of dwelling units of a particular structure or site

[Remainder of page intentionally blank]

9.900 PH, Patio Home District

(ZC2017-009 & 96-58; Ord. No. 2017-6-5 & 96-10-29)

.1 Purpose

The PH district is intended to provide for areas of detached, single-family development in a clustered lot pattern with a common usable open space system that is an integral part of the development.

.2 Permitted Uses

See the residential districts use table in Sec. [14.100](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

(ZC2017-009 & 2006-02; Ord. No. 2017-6-5 & 2006-4-24)

The following area, yard, and bulk requirements apply to all development in the PH district unless otherwise expressly stated:

Description	Standard Requirements	Stormwater Incentive Option 1 Requirements	Stormwater Incentive Option 2 Requirements
Minimum Lot Area	4,000 square feet	3,800 square feet	3,600 square feet
Minimum Lot Width			
Interior Lot	40 feet	40 feet	40 feet
Corner Lot	45 feet	45 feet	45 feet
Minimum Lot Depth	90 feet	90 feet	85 feet
Minimum Front Yard	20 feet, except as provided in Sec. 9.900.4 and in Sec. 13.500.2	15 feet, except as provided in Sec. 13.500.2	10 feet, except as provided in Sec. 13.500.2
Minimum Side Yard			
Interior Lot	5 feet, except as noted in Sec. 9.900.4 and Sec. 13.500.3	5 feet, except as noted in Sec. 9.900.4 and Sec. 13.500.3	5 feet, except as noted in Sec. 9.900.4 and Sec. 13.500.3
Corner Lot	15 feet on street side	15 feet on street side	15 feet on street side
Maximum Side Yard	N/A	N/A	N/A
Minimum Rear Yard	10 feet, except as provided in Sec. 9.900.4 and Sec. 13.500.4	10 feet, except as provided in Sec. 9.900.4 and Sec. 13.500.4	10 feet, except as provided in Sec. 9.900.4 and Sec. 13.500.4
Minimum Floor Area per Dwelling Unit	800 square feet	800 square feet	800 square feet
Maximum Height	2 story, 35 feet, except as in Sec. 13.600	2 story, 35 feet, except as in Sec. 13.600	2 story, 35 feet, except as in Sec. 13.600
Maximum Coverage	60% total for principal and accessory buildings (See Sec. 13.500.4A)	60% total for principal and accessory buildings (See Sec. 13.500.4A)	60% total for principal and accessory buildings (See Sec. 13.500.4A)
Minimum Usable Open Space	10% in accordance with Sec. 9.900.7	10% in accordance with Sec. 9.900.7	10% in accordance with Sec. 9.900.7
Minimum Usable Open Space designated as Stormwater Quality Area (ZC2017-026; Ord. No. 2017-11-3)	N/A	5% in accordance with Sec. 9.900.4	10% in accordance with Sec. 9.900.4

.4 Miscellaneous Area, Yard, and Bulk Requirements

(ZC2017-026; Ord. No. 2017-11-3 & ZC2017-009; Ord. No. 2017-6-5 & ZC2006-02; Ord. No. 2006-4-24)

PH subdivisions shall be developed in conformance with Standard Requirements, Stormwater Incentive Option 1 Requirements, or Stormwater Incentive Option 2 Requirements.

A. All PH subdivisions shall comply with the following standards:

- i. A minimum separation of 10 feet shall be provided between patio homes.
- ii. Houses may develop as zero lot line homes. If developed with a zero lot line, one side yard setback shall be zero feet and the opposite side yard setback shall be a minimum of 10 feet.
- iii. A house on a lot where the zero side abuts an alley may be pulled back from the alley so long as a minimum separation of 10 feet is provided between houses.
- iv. If houses are developed as zero lot line homes, a minimum 6-foot wide maintenance easement shall be placed on the adjacent lot to enable the property owner to maintain his house on the zero side yard setback side.
- v. Side yards and maintenance easements shall be placed on the subdivision plat.
- vi. Patio homes with roof overhangs are allowed when lots have been platted with a 6-foot wide nonencroachment easement and the final plat for the subdivision was approved prior to October 28, 1996.
- vii. Each patio home shall have a 2-car garage. The garage space shall not be eliminated by enclosing the garage with a stationary wall.

B. If developed in accordance with Standard Requirements, a PH subdivision may amend setbacks as follows:

- i. The front yard setback may be reduced to 10 feet or 15 feet provided that:
 - a. The driveway and garage are accessed from an alley; and
 - b. The open yard area of either the rear or non-zero side yard is increased by an amount equal to or greater than that of the increased buildable area created by the reduction in the front yard setback.
- ii. The front yard setback may be reduced to 15 feet for lots without an alley provided that:
 - a. The garage sets back 20 feet from the front property line; and
 - b. The open yard area of either the rear or non-zero side yard is increased by an amount equal to or greater than that of the increased buildable area created by the reduction in the front yard setback.
- iii. The maximum front yard setback is 25 feet and a minimum lot depth of 65 feet, as measured from the front building line to the rear lot line, is maintained.

- C. Per Section 5.6 of the Subdivision Ordinance and the Stormwater Quality Requirements, if Stormwater Quality Requirements and Permanent BMPs are applicable, a PH subdivision must be developed in accordance with Stormwater Incentive Option 1 or 2 Requirements if:
- i. The minimum gross area of the subdivision is 10 acres; and
 - ii. The subdivision provides a stormwater quality area per Sec. [9.900.3](#) above, and the provided stormwater quality areas are shown on a site-specific stormwater quality management plan per Section 5.6 of the Subdivision Ordinance or in the city's Stormwater Quality Requirements; and
 - iii. A PH subdivision developed under either of these requirements shall have front or rear entry garages. Correspondingly, garages shall be set back a minimum of 20 feet from the front or rear property lines.

.5 Parking Requirements

Two off-street spaces per dwelling unit plus one-half space per dwelling unit for visitor parking within 600 feet of each dwelling unit are required. The visitor parking requirements may be eliminated or reduced at the time of site plan or subdivision plat approval with a finding that there is adequate on-street parking for visitors. (See [Article 16](#))

.6 Maintenance Requirements for Common Areas

A property owners association is required for continued maintenance of common land and facilities. The requirements for the property owners association are outlined in Article V of the Subdivision Ordinance.

.7 Usable Open Space Requirements

Except as provided below, any subdivision developed under the PH standards of this ordinance shall provide usable open space which equals or exceeds 10% of the gross platted area, excluding rights-of-way for major thoroughfares Type E or larger. Usable open space shall not be required for a PH development if it contains 50 or fewer lots and the property contiguous (abutting or separated only by a local or collector street) to the subdivision is either developed for use other than patio homes or is restricted by zoning to not permit PH development. Properties separated by rights-of-way, drainage, or utility easements in excess of 60 feet in width shall not be considered as contiguous. Usable open space shall comply with the supplementary regulations in Sec. [13.800](#). (ZC06-02; Ord. No. 2006-4-24)

.8 Walls

A wall may be erected on the front property line provided such wall is of at least 50% open construction. Such walls must meet all other applicable requirements for walls contained in [Article 20](#).

[Remainder of page intentionally blank]

9.1000 SF-A, Single-Family Residence Attached District

.1 Purpose

The SF-A district is intended to provide for a variety of residential housing types and densities in the medium density range (5–10 units/acre) on individually-platted lots or multiple units on a single lot.

.2 Permitted Uses

See the residential districts use table in Sec. [14.100](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

(ZC2006-02; Ord. No. 2006-4-24)

SF-A zoned property may be developed in accordance with the standards in the PH, 2F, and single-family districts or in accordance with the following SF-A standards:

Description	Standard Requirements	Stormwater Incentive Option 1 Requirements	Stormwater Incentive Option 2 Requirements
Minimum Lot Area per Dwelling Unit	2,250 square feet when on individually-platted lots. Maximum of 10 units/acre when multiple units are platted on a single lot, except as provided in Sec. 9.1000.4 .	2,140 square feet when on individually-platted lots. Maximum of 10 units/acre when multiple units are platted on a single lot, except as provided in Sec. 9.1000.4 .	2,025 square feet when on individually-platted lots. Maximum of 10 units/acre when multiple units are platted on a single lot, except as provided in Sec. 9.1000.4 .
Minimum Lot Width			
Interior Lot	25 feet	25 feet	25 feet
Corner Lot	30 feet	30 feet	30 feet
Minimum Lot Depth	85 feet	85 feet	80 feet
Minimum Front Yard (ZC2000-86; Ord. No. 2001-10-8)			
Lots not fronting cul-de-sacs	20 feet, except as provided in Sec. 9.1000.4	15 feet, except as provided in Sec. 9.1000.4	10 feet, except as provided in Sec. 9.1000.4
Lots fronting cul-de-sacs	20 feet The front yard may be staggered, varied, or reduced to a 10-foot front yard with site plan approval as provided Sec. 9.1000.4 .	15 feet	10 feet
Minimum Side Yard of Corner Lot (ZC2000-86; Ord. No. 2001-10-8)	10 feet adjacent to the street, except as in Sec. 13.500.3	10 feet adjacent to the street, except as in Sec. 13.500.3	10 feet adjacent to the street, except as in Sec. 13.500.3
Maximum Side Yard	N/A	N/A	N/A
Minimum Building Separation	10 feet for all uses, except as in Sec. 13.500.3	10 feet for all uses, except as in Sec. 13.500.3	10 feet for all uses, except as in Sec. 13.500.3
Minimum Rear Yard (ZC2000-86; Ord. No. 2001-10-8)	10 feet, except as provided in Sec. 9.1000.4	10 feet, except as provided in Sec. 9.1000.4	10 feet, except as provided in Sec. 9.1000.4
Minimum Floor Area per	800 square feet	800 square feet	800 square feet

Description	Standard Requirements	Stormwater Incentive Option 1 Requirements	Stormwater Incentive Option 2 Requirements
Dwelling Unit			
Maximum Height	2 story, 35 feet, except as in Sec. 13.600	2 story, 35 feet, except as in Sec. 13.600	2 story, 35 feet, except as in Sec. 13.600
Maximum Coverage (<i>ZC2000-86; Ord. No. 2001-10-8</i>)	65% total for principal and accessory buildings (See Sec. 13.500.4A)	68% total for principal and accessory buildings (See Sec. 13.500.4A)	72% total for principal and accessory buildings (See Sec. 13.500.4A)
Minimum Usable Open Space	10% in accordance with Sec. 9.1000.5	10% in accordance with Sec. 9.1000.5	10% in accordance with Sec. 9.1000.5
Minimum Usable Open Space designated as Stormwater Quality Area (<i>ZC2017-026; Ord. No. 2017-11-3</i>)	N/A	5% in accordance with Sec. 9.1000.4	10% in accordance with Sec. 9.1000.4
Parking Requirements (<i>ZC2000-86; Ord. No. 2001-10-8</i>)			
Front Entry	2.25 parking spaces per dwelling unit. 2 off-street parking spaces, exclusive of garage and carport, shall be provided adjacent to each unit or within 100 feet of each unit if established with site plan approval. 0.25 visitor parking spaces shall be provided within 600 feet of each unit.	2.25 parking spaces per dwelling unit. 2 off-street parking spaces, exclusive of garage and carport, shall be provided adjacent to each unit or within 100 feet of each unit if established with site plan approval. 0.25 visitor parking spaces shall be provided within 600 feet of each unit.	2.25 parking spaces per dwelling unit. 2 off-street parking spaces, exclusive of garage and carport, shall be provided adjacent to each unit or within 100 feet of each unit if established with site plan approval. 0.25 visitor parking spaces shall be provided within 600 feet of each unit.
Rear/Alley Entry	2 parking spaces per dwelling unit	2 parking spaces per dwelling unit	2 parking spaces per dwelling unit

.4 Miscellaneous Area, Yard, and Bulk Requirements

(*ZC2017-026; Ord. No. 2017-11-3 & ZC2006-02; Ord. No. 2006-4-24*)

SF-A subdivisions shall be developed in conformance with Standard Requirements, Stormwater Incentive Option 1 Requirements, or Stormwater Incentive Option 2 Requirements.

A. All SF-A subdivisions shall comply with the following standards:

- i.** Houses shall be developed as attached townhouses.
- ii.** No complex of townhouse buildings shall exceed 200 feet in length.
- iii.** Each dwelling unit shall contain a 2-car garage in addition to required parking spaces. The garage space shall not be eliminated by enclosing the garage with a stationary wall.
- iv.** Landscaping requirements of one tree for each 3 dwelling units shall be met. Trees planted to meet this requirement may be clustered or dispersed throughout the site and must be indicated on the landscape plan. New trees planted to meet this requirement shall be a minimum 3-inch caliper.

- v. When multiple units are platted on a single lot, the density may be increased to 12 dwelling units per acre if the Planning & Zoning Commission determines that the increase is necessary to provide additional amenities. In making this determination, the Planning & Zoning Commission will review additional open space, landscaping, screening, subdivision design, and treatment of natural environment.
- B. If developed in accordance with Standard Requirements, the front yard setback may be reduced to 10 feet provided that:
 - i. The driveway and garage are accessed from an alley; and
 - ii. The garage door is set back 20 feet from the rear property line; and
 - iii. The open yard area of either the rear or non-zero side yard is increased by an amount equal to or greater than that of the increased buildable area created by the reduction in the front yard setback.
- C. Per Section 5.6 of the Subdivision Ordinance and the Stormwater Quality Requirements, if Stormwater Quality Requirements and Permanent BMPs are applicable, an SF-A subdivision must be developed in accordance with Stormwater Incentive Option 1 or 2 Requirements if:
 - i. The minimum gross area of the subdivision is 10 acres; and
 - ii. The subdivision provides a stormwater quality area per Sec. [9.1000.3](#) above, and the provided stormwater quality areas are shown on a site-specific stormwater quality management plan per Section 5.6 of the Subdivision Ordinance or in the city's Stormwater Quality Requirements; and
 - iii. A SF-A subdivision developed under either of these requirements shall have front or rear entry garages. Correspondingly, garages shall be set back a minimum of 20 feet from the front or rear property lines.

.5 Usable Open Space Requirements

(ZC2006-02; Ord. No. 2006-4-24 and ZC2000-86; Ord. No. 2001-10-8)

Except as provided below, any subdivision developed under the SF-A standards of this ordinance shall provide usable open space which equals or exceeds 10% of the gross platted area, excluding rights-of-way for major thoroughfares Type E or larger, or easements for drainage or floodways. Usable open space shall not be required for an SF-A development if it contains 50 or fewer lots and the property contiguous (abutting or separated only by a local or collector street) to the subdivision is either developed for use other than SF-A or is restricted by zoning to not permit SF-A development. Properties separated by rights-of-way, drainage, or utility easements in excess of 60 feet in width shall not be considered as contiguous. Usable open space shall comply with the supplementary regulations in Sec. [13.800](#). (ZC06-02)

[Remainder of page intentionally blank]

9.1100 2F, Two-Family Residence (Duplex) District

.1 Purpose

The 2F district is designed to provide for areas of two-family development that are consistent in design and in development patterns with typical single-family detached development. The 2F district is intended to encourage single-family ownership by permitting the division of a 2F lot along the common wall of the 2 residential units of a duplex.

.2 Permitted Uses

See the residential districts use table in Sec. [14.100](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

(ZC2006-02; Ord. No. 2006-4-24)

2F-zoned property may be developed in accordance with the standards in the Single-Family Residence-7 zoning district or in accordance with the following 2F standards:

Description	Standard Requirements	Stormwater Incentive Option 1 Requirements	Stormwater Incentive Option 2 Requirements
Minimum Lot Area	8,000 square feet	7,600 square feet	5,400 square feet
Minimum Lot Width			
Interior Lot	70 feet	70 feet	55 feet
Corner Lot	75 feet	75 feet	60 feet
Minimum Lot Depth	100 feet	100 feet	100 feet
Minimum Front Yard	30 feet, except as provided in Sec. 9.1100.4 and Sec. 13.500.2	25 feet, except as provided in Sec. 9.1100.4 and Sec. 13.500.2	25 feet, except as provided in Sec. 9.1100.4 and Sec. 13.500.2
Minimum Side Yard	(Ord. No. 95-4-30)		
Interior Lot	6.5 feet or 10% of lot width, whichever is greater, except as in Sec. 13.500.3	6.5 feet or 10% of lot width, whichever is greater, except as in Sec. 13.500.3	6.5 feet or 10% of lot width, whichever is greater, except as in Sec. 13.500.3
Corner Lot	15 feet on street side, except as in Sec. 13.500.3	15 feet on street side, except as in Sec. 13.500.3	15 feet on street side, except as in Sec. 13.500.3
Maximum Side Yard	10 feet	10 feet	10 feet
Minimum Rear Yard	10 feet, except as provided in Sec. 9.1100.4 and Sec. 13.500.4	10 feet, except as provided in Sec. 9.1100.4 and Sec. 13.500.4	10 feet, except as provided in Sec. 9.1100.4 and Sec. 13.500.4
Minimum Floor Area per Dwelling Unit	800 square feet	800 square feet	800 square feet
Maximum Height	2 story, 35 feet, except as in Sec. 13.600	2 story, 35 feet, except as in Sec. 13.600	2 story, 35 feet, except as in Sec. 13.600
Maximum Coverage	45% total for principal and accessory buildings (See Sec. 13.500.4A)	47.5% total for principal and accessory buildings (See Sec. 13.500.4A)	50% total for principal and accessory buildings (See Sec. 13.500.4A)
Minimum Usable Open Space designated as Stormwater Quality	N/A	5% in accordance with Sec. 9.1100.4	10% in accordance with Sec. 9.1100.4

Description	Standard Requirements	Stormwater Incentive Option 1 Requirements	Stormwater Incentive Option 2 Requirements
Area (ZC2017-026; Ord. No. 2017-11-3)			
Parking Requirements	2 parking spaces per dwelling unit (See Article 16)	2 parking spaces per dwelling unit (See Article 16)	2 parking spaces per dwelling unit (See Article 16)

.4 Miscellaneous Area, Yard, and Bulk Requirements

(ZC2017-026; Ord. No. 2017-11-3 & ZC2006-02; Ord. No. 2006-4-24)

2F subdivisions shall be developed in conformance with Standard Requirements, Stormwater Incentive Option 1 Requirements, or Stormwater Incentive Option 2 Requirements.

A. All 2F subdivisions shall comply with the following standards:

- i.** Each dwelling unit shall contain a 2-car garage in addition to required parking spaces. The garage space shall not be eliminated by enclosing the garage with a stationary wall. If the lot is alley served, garages shall be set back a minimum of 20 feet from the rear property lines.
- ii.** Lots in the 2F district may be platted in pairs such that a duplex may be placed on each pair of lots. The subdivision plat shall designate the pairs of lots and which lot lines are to be outside lot lines of each pair. There shall be only one dwelling unit per lot, and no dwelling unit shall cross a lot line. No single-family dwelling may be constructed on one of the designated pair of lots.
- iii.** Where lots in the 2F district are not platted in pairs, the lots may be further resubdivided into 2 separate lots (but no such further resubdivision shall be permitted) by metes and bounds survey prepared by a licensed surveyor of the state of Texas, such resubdivision to accomplish the division of the lots into 2 separate parcels so as to allow the separate use of each portion of the property as an individual dwelling, provided the date of issuance of a building permit for a two-family residence is after June 3, 1983. There shall be only one dwelling unit per parcel, and no single-family dwelling may be constructed on one of the resubdivided parcels.
- iv.** All utilities shall be provided separately to each duplex in a 2F district such that each unit is individually metered.

B. If developed in accordance with Standard Requirements, a 2F subdivision may vary the front yard setback under one, but not both, of the following provisions:

- i.** The minimum front yard setback may be reduced by a maximum of 5 feet if 25% of the street lengths in the subdivision are curvilinear in design. In no case shall the required front yard to less than 25 feet. The term curvilinear in design shall refer to any street segment which is designed with a degree of curvature not less than 3=30' and not greater than 22=55' and which shall offset a minimum distance of 30 feet, that offset being measured perpendicular to the initial tangent line of the curve. Computation of percentage of curvilinear streets shall utilize the centerline of all interior

streets, excluding streets with a right-of-way width greater than 70 feet. See [Figure 9-3](#).




Figure 9-3: Curvilinear Streets

- ii. The front yard setback may be staggered, varied, or reduced to a minimum setback of 25 feet provided that the average setback for any block face shall be 30 feet. Under this provision, no more than 3 adjacent lots may have a setback of less than 30 feet. Where setbacks are varied, the maximum setback shall be 35 feet and a minimum lot depth of 70 feet, as measured from the front building line to the rear lot line, shall be maintained.
- C. Per Section 5.6 of the Subdivision Ordinance and the Stormwater Quality Requirements, if Stormwater Quality Requirements and Permanent BMPs are applicable, a 2F subdivision must be developed in accordance with Stormwater Incentive Option 1 or 2 Requirements if:
- i. The minimum gross area of the subdivision is 10 acres; and
 - ii. The subdivision provides a stormwater quality area per [Sec. 9.1100.3](#) above, and the provided stormwater quality areas are shown on a site-specific stormwater quality management plan per Section 5.6 of the Subdivision Ordinance or in the city's Stormwater Quality Requirements.

[Remainder of page intentionally blank]

9.1200 GR, General Residential District

(ZC2002-47; Ord. No. 2002-10-26)

.1 Purpose

The GR district is intended to provide for infill residential development that is consistent with the unique character of the Douglass Community near downtown Plano. It includes standards that are consistent with the size, dimensions, and configuration of existing lots, and contains special design and material requirements that are compatible with existing structures in the neighborhoods.

.2 Permitted Uses

See the residential districts use table in Sec. [14.100](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

The following area, yard, and bulk requirements apply to all development in the GR district unless otherwise expressly stated:

Description	Single-Family Residence Requirement	Two-Family Requirement
Minimum Lot Area	3,000 square feet	6,000 square feet
Minimum Lot Width		
Interior Lot	30 feet	55 feet
Corner Lot	30 feet	55 feet
Minimum Lot Depth	90 feet	90 feet
Minimum Front Yard		
Garages Facing Street	20 feet, except as provided in Sec. 13.500.2	20 feet, except as provided in Sec. 13.500.2
All other	10 feet	10 feet
Maximum Front Yard (does not apply to garages facing street or nonresidential uses)	15 feet	15 feet
Minimum Side Yard		
Corner Lot (street side)	5 feet (See also Sec. 13.500.3)	5 feet (See also Sec. 13.500.3)
Garages Facing Street	20 feet	20 feet
Garages Facing Alley	20 feet	20 feet
All other	5 feet	5 feet
Minimum Rear Yard	5 feet (See also Sec. 13.500.4)	10 feet (See also Sec. 13.500.4)
Minimum Floor Area per Dwelling Unit	800 square feet	800 square feet
Maximum Lot Coverage [includes percentage permitted for main structure and 10% additional coverage permitted for accessory buildings. (See Sec. 13.500.4A)]	50% total	50% total
Maximum Height		
Residential Uses	1 story, 30 feet (up to 50% of attic floor area may be used as 2 nd floor living space. See also Sec. 13.600)	1 story, 30 feet (up to 50% of attic floor area may be used as 2 nd floor living space. See also Sec. 13.600)
Nonresidential Uses	2 story, 35 feet	
Minimum Open Space	N/A	N/A
Parking Requirements	1 space per dwelling unit (See also Article 16)	1 space per dwelling unit (See also Article 16)

.4 Special District Requirements

The Douglass Community is a unique location which is of architectural and cultural importance to the community, and has special elements that should be maintained to perpetuate the long-term character and viability of the community. The following provisions are required for that purpose: (ZC2023-019, Ord. No. 2024-2-7)

A. Front Porches

Covered porches shall be located along the front of any housing structure and shall be a minimum 40 square feet per unit. Each porch shall have a minimum dimension of 4 feet.

B. Siding Materials

Homes and garages shall be constructed of overlapping, horizontal wood siding; overlapping, horizontal cementitious siding; overlapping, horizontal aluminum or vinyl siding; and brick. Exterior plasters and stone are not permitted.

C. Roofs

Roofs for residential structures and garages shall be “gabled” or “hipped” design with a minimum slope of 6:12 (for every horizontal foot, the roof must rise vertically 6 inches). The point at which a roof attaches to the residential structure (including attached garages) shall be no less than 7 feet above the top of the foundation.

D. Fences

Fences greater than 40 inches in height shall be set back a minimum of 10 feet from the front of a structure and shall be no taller than 6 feet.

[Remainder of page intentionally blank]

9.1300 MF-1, Multifamily Residence-1 District

.1 Purpose

The MF-1 district is intended to accommodate condominiums and apartments at a density of 12 residential units per acre in a park-like setting with extensive areas of usable open space and landscaping. MF-1 districts should be located along or near major thoroughfares and should not have principal access to standard residential streets.

.2 Permitted Uses

See the residential districts use table in Sec. [14.100](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

The following area, yard, and bulk requirements apply to all development in the MF-1 district unless otherwise expressly stated:

Description	Requirement
Maximum Residential Density	12 units per acre
Minimum Lot Area	8,400 square feet
Minimum Lot Width	70 feet
Minimum Lot Depth	120 feet
Minimum Front Yard	
1 and 2 story	25 feet, except as provided in Sec. 15.800 and Sec. 13.500.2
3 story	100 feet, except as provided in Sec. 15.800 and Sec. 13.500.2 .
Minimum Side Yard	15 feet (See Sec. 15.800 and Sec. 13.500.3)
Maximum Side Yard	N/A
Minimum Rear Yard	15 feet (See Sec. 15.800 and Sec. 13.500.4)
Minimum Floor Area per Dwelling Unit	
Efficiency	500 square feet
1 bedroom	650 square feet
2 bedroom	800 square feet
Each additional bedroom	200 square feet
Maximum Lot Coverage	35% plus 10% additional coverage permitted for accessory buildings (See Sec. 13.500.4A)
Maximum Height	3 story, 40 feet (See Sec. 13.600)
Minimum Usable Open Space	Usable open space shall comply with the supplementary regulations in Sec. 13.800 . (ZC06-02; Ord. No. 2006-4-24)
One bedroom	600 square feet
Each additional bedroom	300 square feet

.4 Parking Requirements

- A. Two parking spaces per dwelling unit (See [Article 16](#))
- B. The off-street parking spaces designated for each dwelling unit shall be located within 100 feet of the dwelling unit served by such spaces.

.5 Miscellaneous Multifamily Residence Provisions

(See also Sec. [15.800](#))

A. Walls

A wall not more than 8 feet in height may be erected in the front yard provided such wall is of at least 50% open construction. Such walls must meet all other applicable requirements for walls contained in [Article 20](#).

B. Garage Enclosures

The elimination of a garage space by enclosing the garage with a stationary building wall shall be prohibited.

C. Street Names

Whenever street names are to be given to public streets or private drives in a multifamily development, such street names shall be approved with approval of a site plan. If block numbers are used, they shall be shown on the site plan.

D. Alternate Standards

An MF-1 district may be developed according to the standards required in the 2F, SF-A, PH, or SF-6 districts.

[Remainder of page intentionally blank]

9.1400 MF-2, Multifamily Residence-2 District

.1 Purpose

The MF-2 district is intended to accommodate condominiums and apartments at a density of 18 residential units per acre providing sufficient areas for usable open space and landscaping. MF-2 districts should have direct access and/or frontage on major thoroughfares and no principal access to standard residential streets.

.2 Permitted Uses

See the residential districts use table in Sec. [14.100](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

The following area, yard, and bulk requirements apply to all development in the MF-2 district unless otherwise expressly stated:

Description	Requirement
Maximum Residential Density	18 units per acre
Minimum Lot Area	8,400 square feet
Minimum Lot Width	70 feet
Minimum Lot Depth	120 feet
Minimum Front Yard (1 and 2 story)	25 feet, except as provided in Sec. 15.800 and Sec. 13.500.2 .
Minimum Side Yard	15 feet (See Sec. 15.800 and Sec. 13.500.3)
Maximum Side Yard	N/A
Minimum Rear Yard	15 feet (See Sec. 15.800 and Sec. 13.500.4)
Minimum Floor Area per Dwelling Unit	
Efficiency	500 square feet
1 bedroom	650 square feet
2 bedroom	800 square feet
Each additional bedroom	200 square feet
Maximum Lot Coverage	35% plus 10% additional coverage permitted for accessory buildings (See Sec. 13.500.4A)
Maximum Height	2 story, 35 feet (See Sec. 15.800 and Sec. 13.600)
Minimum Usable Open Space	
Usable open space shall comply with the supplementary regulations in Sec. 13.800 . (ZC06-02; Ord. No. 2006-4-24)	
One bedroom	600 square feet
Each additional bedroom	300 square feet

.4 Parking Requirements

- A. Two parking spaces per dwelling unit (See [Article 16](#))
- B. The off-street parking spaces designated for each dwelling unit shall be located within 100 feet of the dwelling unit served by such spaces.

.5 Miscellaneous Multifamily Residence Provisions

(See Sec. [15.800](#))

A. Walls

A wall not more than 8 feet in height may be erected in the front yard provided such wall is of at least 50% open construction. Such walls must meet all other applicable requirements for walls contained in [Article 20](#).

B. Garage Enclosures

The elimination of a garage space by enclosing the garage with a stationary building wall shall be prohibited.

C. Street Names

Whenever street names are to be given to public streets or private drives in a multifamily development, such street names shall be approved with approval of a site plan. If block numbers are used, they shall be shown on the site plan.

D. Alternate Standards

An MF-2 district may be developed in accordance with the standards required in the 2F, SF-A, PH, and SF-6 districts.

[Remainder of page intentionally blank]

9.1500 MF-3, Multifamily Residence-3 District

.1 Purpose

The MF-3 district is intended to provide for relatively dense condominium and apartment developments at 21.5 residential units per acre. This density will allow limited areas of usable open space that must be carefully designed for maximum accessibility and utilization by the residents of an MF-3 development. MF-3 districts should have access and frontage to major thoroughfares, with no principal access to standard residential streets.

.2 Permitted Uses

See the residential districts use table in Sec. [14.100](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

The following area, yard, and bulk requirements apply to all development in the MF-3 district unless otherwise expressly stated:

Description	Requirement
Maximum Residential Density	21.5 units per acre
Minimum Lot Area	8,400 square feet
Minimum Lot Width	70 feet
Minimum Lot Depth	120 feet
Minimum Front Yard	
1 and 2 story	25 feet, except as provided in Sec. 15.800 and Sec. 13.500.2
3 story	100 feet, except as provided in Sec. 15.800 and Sec. 13.500.2
Minimum Side Yard	15 feet (See Sec. 15.800 and Sec. 13.500.3)
Maximum Side Yard	N/A
Minimum Rear Yard	15 feet (See Sec. 15.800 and Sec. 13.500.4)
Minimum Floor Area per Dwelling Unit	
Efficiency	500 square feet
1 bedroom	650 square feet
2 bedroom	800 square feet
Each additional bedroom	200 square feet
Maximum Lot Coverage	35% plus 10% additional coverage permitted for accessory buildings (See Sec. 13.500.4A)
Maximum Height	3 story with a maximum third floor top plate line of 35 feet and a maximum 45-foot height for any portion of the building. Top plate line is defined as the top horizontal member of an exterior frame wall supporting ceiling joists, rafters, or other members. (Ord. No. 94-1-34)
Minimum Usable Open Space	Usable open space shall comply with the supplementary regulations in Sec. 13.800 (ZC06-02; Ord. No. 2006-4-24)
One bedroom	400 square feet - One bedroom
Each additional bedroom	300 square feet - Each additional bedroom

.4 Parking Requirements

- A. Two parking spaces per dwelling unit (See [Article 16](#))
- B. The off-street parking spaces designated for each dwelling unit shall be located within 100 feet of the dwelling unit served by such spaces.

.5 Miscellaneous Multifamily Residence Provisions (See Sec. [15.800](#))

A. Walls

A wall not more than 8 feet in height may be erected in the front yard provided such wall is of at least 50% open construction. Such walls must meet all other applicable requirements for walls contained in [Article 20](#).

B. Garage Enclosures

The elimination of a garage space by enclosing the garage with a stationary building wall shall be prohibited.

C. Street Names

Whenever street names are to be given to public streets or private drives in a multifamily development, such street names shall be approved with approval of a site plan. If block numbers are used, they shall be shown on the site plan.

D. Alternate Standards

An MF-3 district may be developed in accordance with the standards required in the 2F, SF-A, PH, and SF-6 districts.

[Remainder of page intentionally blank]

9.1600 MH, Mobile Home District

.1 Purpose

The MH district is intended to provide for the development of Mobile Home or Trailer Parks where mobile or manufactured housing can be placed in a coordinated, well-designed urban setting.

.2 Permitted Uses

See the residential districts use table in Sec. [14.100](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

The following area, yard, and bulk requirements apply to all development in the MH district unless otherwise expressly stated:

Description	Requirement
Minimum Lot Area	4,500 square feet
Minimum Lot Width	
Interior Lot	40 feet minimum/45 feet average
Corner Lot	45 feet
Minimum Lot Depth	95 feet
Minimum Front Yard	
From Street	30 feet (See Sec. 13.500.2)
From Drive	15 feet
Minimum Side Yard	(Ord. No. 95-4-30)
Interior Lot	See note [1], immediately following table
Corner Lot	15 feet on street side (See Sec. 13.500.3)
Maximum Side Yard (Ord. No. 95-4-30)	10 feet (See also Sec. 13.500.3 and note [2], immediately following table)
Minimum Rear Yard	10 feet (See also Sec. 13.500.4 and note [2], immediately following table)
Minimum Floor Area per Dwelling Unit	480 square feet
Maximum Lot Coverage	480 square feet
Maximum Height	1 story, 15 feet (See Sec. 13.600)
Parking Requirements	2 parking spaces per dwelling unit (See Article 16)

[1] No mobile home or house trailer shall be located nearer than 5 feet to the side of any lot, plot, or tract on which such mobile home or trailer is located, and all mobile home stands shall be so located that a minimum of 20 feet clearance shall exist between adjacent mobile homes. Any accessory structure such as an awning, cabana, carport, storage cabinet, or porch which has a floor area of 25 square feet or more shall be considered the same as a mobile home for establishing the minimum side yard clearance. No mobile home shall be located nearer than 20 feet to any boundary line or district line of an MH district.

[2] No mobile home or house trailer shall be located nearer than 10 feet to the rear line of any lot, plot, or tract on which such mobile home is located, and no mobile home shall be located nearer than 20 feet to any boundary line or district line of an MH district.

.4 Special District Requirements

A. Required Area

Minimum area for a mobile home park shall be 10 acres. Maximum area for a mobile home park shall be 25 acres.

B. Accessory Building

In the MH district, no carport, garage, storage building, office, or caretaker's dwelling, laundry house, or other permitted structure may be located nearer than 10 feet to any side or rear line of a plot, lot, tract, or stand except that such

structure may be located within 5 feet of the side or rear line of a plot, lot, tract, or stand when such structures are located within the rear 25% of the trailer lot, plot, or tract. Such structures shall also be subject to front yard requirements above.

C. Alternate Standards

An MH district may be developed according to the standards required in the PH, 2F, SF-A, and SF-6 districts.

D. Street Names

Whenever street names are to be given to public streets or private drives in an MH development, such street names shall be approved with approval of a site plan.

[Remainder of page intentionally blank]

9.1700 RCD, Residential Community Design District

(ZC2020-013; Ord. No. 2021-1-12)

.1 Purpose

The RCD district is intended to provide a planning, regulatory, and management framework for the design and integration of small lot residential development. The district is designed to reinforce surrounding neighborhood character, provide appropriate transitions in use and building scale, ensure appropriate allocation and design of open space, and achieve a well-connected street and pedestrian network. The zoning district is appropriate primarily for undeveloped properties and redevelopment of retail or commercial corners, redevelopment of commercial corridors when meeting Expressway Corridor Environmental Health Guidelines, in transit-oriented development areas, or when implementing a small area plan. The standards are intended to ensure compatibility between the district and surrounding residential neighborhoods. (ZC2022-017; Ord. No. 2023-2-6)

.2 Minimum District Size

No RCD district smaller than 5 acres may be established unless a specific finding is made by the City Council that the establishment of the district is required to implement the Comprehensive Plan or related study.

.3 Permitted Uses

See the residential districts use table in Sec. [14.100](#) for a complete listing.

.4 Housing-Types Requirement

- A.** The district is limited to a minimum of 10 dwelling units per acre and a maximum of 20 dwelling units per acre. Calculation of residential density is based on the net size of the property, exclusive of public and private streets, street easements, and public usable open space, at the time of development.
- B.** If a housing type is provided, it must account for at least 10% of the total units in the district.
- C.** The required mix of housing types is determined by the number of dwelling units provided within the district as shown below. (ZC2022-017; Ord. No. 2023-2-6)

Dwelling Units Provided	50 Units or Less	51-100 Units	Over 100 Units
Minimum District Size	5 acres	5 acres	10 acres
Minimum Housing Types Required	1	2	3
Tier One Units	Minimum 50% of total units	Minimum 50% of total units	Minimum 50% of total units
Tier Two Units	Permitted	Permitted	Permitted
Tier Three Units	Not permitted	Not permitted	Cannot exceed 25% of total units

.5 Area, Yard, and Bulk Requirements for Housing Types

The following area, yard, and bulk requirements apply to all residential lots in the RCD district unless otherwise expressly stated:

A. Tier One Housing Types

- i. Tier One housing types consist of detached single-family and two-family residences characterized by a lower density and modest scale. Of the three tiers, Tier One is the most appropriate for adjacency to existing single-family neighborhoods outside of an RCD district.

ii. Tier One: Single-Family Residence-3

a. Description

Detached single-family dwelling unit.

b. Area, Yard, and Bulk Requirements

Description	Requirements
Minimum Lot Area	3,000 square feet
Maximum Units per Lot	1 unit
Minimum Lot Width	
Interior Lot	40 feet
Corner Lot	45 feet
Maximum Lot Width	65 feet
Minimum Front Yard	10 feet, except as provided in Sec. 13.500.2 and Sec. 9.1700.7
Maximum Front Yard	20 feet, except as provided in Sec. 13.500.2 and Sec. 9.1700.7
Front Yard Encroachments	Canopies, balconies, stoops, bay windows, awnings, and other building projections may extend up to 5 feet into the front yard setbacks. (ZC2022-017; Ord. No. 2023-2-6)
Minimum Side Yard	
Interior Lot	5 feet, except as provided in Sec. 13.500.3 and Sec. 9.1700.7
Corner Lot	10 feet, except as provided in Sec. 13.500.3 and Sec. 9.1700.7
Maximum Side Yard	10 feet, except as provided in Sec. 13.500.3 and Sec. 9.1700.7
Minimum Rear Yard	10 feet, except as provided in Sec. 13.500.4 and Sec. 9.1700.7
Minimum Building Separation	10 feet
Garage Setback	The distance from any garage to the property line must be 5 feet or less, or 20 feet or greater in length.
Minimum Floor Area per Dwelling Unit	800 square feet
Maximum Height	2 story, 35 feet, except as provided in Sec. 13.600 and Sec. 9.1700.7
Maximum Coverage	70%
Parking Requirements	2 parking spaces per dwelling unit located behind the front building line (See Article 16)

iii. Tier One: Single-Family Residence-2

a. Description

Detached dwelling unit that may be constructed individually or as a cluster of dwelling units organized around a shared court.

b. Area, Yard, and Bulk Requirements

Description	General Requirements for SF-2 Development
Front Yard Encroachments	Canopies, balconies, stoops, bay windows, awnings, and other building projections may extend up to 5 feet into the front yard setbacks. (ZC2022-017; Ord. No. 2023-2-6)
Minimum Building Separation	6 feet between units; 10 feet for other building types and accessory buildings
Garage Setback	The distance from any garage to the property line must be 5 feet or

Description	General Requirements for SF-2 Development
	less, or 20 feet or greater in length.
Minimum Floor Area per Dwelling Unit	800 square feet
Maximum Floor Area per Unit	1,600 square feet
Maximum Height	1.5 story, 25 feet, except as provided in Sec. 13.600 and Sec. 9.1700.7
Maximum Coverage	80%
Parking Requirements	2 parking spaces per dwelling unit located behind the front building line (See Article 16)

Description	Additional Requirements for Individually Platted Lots
Minimum Lot Area	2,000 square feet
Maximum Units per Lot	1 unit
Minimum Lot Width	
Interior Lot	25 feet
Corner Lot	30 feet
Maximum Lot Width	50 feet
Minimum Front Yard	10 feet, except as provided in Sec. 13.500.2 and Sec. 9.1700.7
Maximum Front Yard	20 feet, except as provided in Sec. 13.500.2 and Sec. 9.1700.7
Minimum Side Yard	
Interior Lot	3 feet, except as provided in Sec. 13.500.3 and Sec. 9.1700.7
Corner Lot	10 feet, except as provided in Sec. 13.500.3 and Sec. 9.1700.7
Maximum Side Yard	10 feet, except as provided in Sec. 13.500.3 and Sec. 9.1700.7
Minimum Rear Yard	5 feet, except as provided in Sec. 13.500.4 and Sec. 9.1700.7

Description	Additional Requirements for Clustered Units on a Single Lot
Minimum Lot Area	2,000 square feet per unit in addition to the required minimum shared court.
Minimum Units per Lot	4 units
Maximum Units per Lot	10 units
Minimum Lot Width	225 feet
Minimum Face-to-Face Unit Distance	40 feet
Minimum Setback from a Mews Street	5 feet, except as provided in Sec. 13.500.4 and Sec. 9.1700.7
Minimum Setback from all Other Streets	10 feet, except as provided in Sec. 13.500.2 and Sec. 9.1700.7
Minimum Side Yard	5 feet, except as provided in Sec. 13.500.3 and Sec. 9.1700.7
Minimum Rear Yard	5 feet, except as provided in Sec. 13.500.4 and Sec. 9.1700.7
Minimum Shared Court Area	10% of total lot area, including shared court

c. Shared Court

A shared court is required for clustered units on a single lot according to the following standards:

- i. A shared court must be no less than 10% of the total lot area.
- ii. A walkway at least five feet in width must be provided with access from each unit to the street.
- iii. Units must face the shared court.

iv. Tier One: Duplex

a. Description

A detached building having separate accommodations for and occupied by not more than two households. The dwelling units may be side-by-

side or one on top of another. Each unit must have an entrance on the ground floor.

b. Area, Yard, and Bulk Requirements

Description	Requirements
Minimum Lot Area	3,000 square feet
Maximum Units per Lot	2 units
Minimum Lot Width	
Interior Lot	40 feet
Corner Lot	45 feet
Maximum Lot Width	70 feet
Minimum Front Yard	10 feet, except as provided in Sec. 13.500.2 and Sec. 9.1700.7
Maximum Front Yard	20 feet, except as provided in Sec. 13.500.2 and Sec. 9.1700.7
Front Yard Encroachments	Canopies, balconies, stoops, bay windows, awnings, and other building projections may extend up to 5 feet into the front yard setback.
Minimum Side Yard	
Interior Lot	5 feet, except as provided in Sec. 13.500.3 and Sec. 9.1700.7
Corner Lot	10 feet, except as provided in Sec. 13.500.3 and Sec. 9.1700.7
Maximum Side Yard	10 feet, except as provided in Sec. 13.500.3 and Sec. 9.1700.7
Minimum Rear Yard	10 feet, except as provided in Sec. 13.500.4 and Sec. 9.1700.7
Minimum Building Separation	10 feet
Garage Setback	The distance from any garage to the property line must be 5 feet or less, or 20 feet or greater in length.
Minimum Floor Area per Dwelling Unit	800 square feet
Maximum Height	2 story, 35 feet, except as provided in Sec. 13.600 and Sec. 9.1700.7
Maximum Coverage	70%
Parking Requirements	2 parking spaces per dwelling unit located behind the front building line (See Article 16)

B. Tier Two Housing Types

- i. Tier Two housing types consist of detached and attached residences that vary in character and scale. Tier Two housing types provide an appropriate transition between Tier One and Tier Three types.

ii. Tier Two: Single-Family Residence-1.5

a. Description

Detached single-family dwelling unit with a maximum height of three stories.

b. Area, Yard, and Bulk Requirements

Description	Requirements
Minimum Lot Area	1,500 square feet
Maximum Units per Lot	1 unit
Minimum Lot Width	
Interior Lot	25 feet
Corner Lot	30 feet
Maximum Lot Width	50 feet
Minimum Front Yard	10 feet, except as provided in Sec. 13.500.2 and Sec. 9.1700.7
Maximum Front Yard	15 feet, except as provided in Sec. 13.500.2 and Sec. 9.1700.7

Description	Requirements
Front Yard Encroachments	Canopies, balconies, stoops, bay windows, awnings, and other building projections may extend up to 5 feet into the front yard setback.
Minimum Side Yard	
Interior Lot	5 feet, except as provided in Sec. 13.500.3 and Sec. 9.1700.7
Corner Lot	5 feet, except as provided in Sec. 13.500.3 and Sec. 9.1700.7
Maximum Side Yard	10 feet, except as provided in Sec. 13.500.3 and Sec. 9.1700.7
Minimum Rear Yard	None, except as provided in Sec. 13.500.4 and Sec. 9.1700.7
Minimum Building Separation	10 feet
Garage Setback	The distance from any garage to the property line must be 5 feet or less, or 20 feet or greater in length.
Minimum Floor Area per Dwelling Unit	800 square feet
Maximum Height	3 story, 50 feet, except as provided in Sec. 13.600 and Sec. 9.1700.7
Maximum Coverage	80%
Parking Requirements	2 parking spaces per dwelling unit located behind the front building line (See Article 16)

iii. Tier Two: Townhome

a. Description

A dwelling unit that is part of a structure comprised of three or more single-family dwelling units attached by a common sidewall.

b. Area, Yard, and Bulk Requirements

Description	Requirements
Minimum Lot Area	1,200 square feet
Maximum Units per Lot	1 unit
Minimum Lot Width	
Interior Lot	20 feet
Corner Lot	25 feet
Maximum Lot Width	40 feet
Minimum Front Yard	10 feet, except as provided in Sec. 13.500.2 and Sec. 9.1700.7
Maximum Front Yard	20 feet except as provided in Sec. 13.500.2 and Sec. 9.1700.7
Front Yard Encroachments	Canopies, balconies, stoops, bay windows, awnings, and other building projections may extend up to 5 feet into the front yard setback.
Minimum Side Yard	
Interior Lot	None, except as provided in Sec. 13.500.3 and Sec. 9.1700.7
Corner Lot	10 feet, except as provided in Sec. 13.500.3 and Sec. 9.1700.7
Maximum Side Yard	
Interior Lot	10 feet, except as provided in Sec. 13.500.3 and Sec. 9.1700.7
Corner Lot	20 feet, except as provided in Sec. 13.500.3 and Sec. 9.1700.7
Minimum Rear Yard	None, except as provided in Sec. 13.500.4 and Sec. 9.1700.7
Minimum Building Separation	10 feet
Garage Setback	The distance from any garage to the property line must be 5 feet or less, or 20 feet or greater in length.
Minimum Floor Area per Dwelling Unit	800 square feet
Maximum Height	3 story, 50 feet, except as provided in Sec. 13.600 and Sec. 9.1700.7
Maximum Coverage	80%
Parking Requirements	2 parking spaces per dwelling unit located behind the front building

Description	Requirements
	line (See Article 16)

iv. Tier Two: Stacked Townhome
(ZC2022-017; Ord. No. 2023-2-6)

a. Description

3-story structure comprised of two dwelling units that share a common vertical separation. Individual, ground-floor entrances are provided for each dwelling unit with a direct sidewalk connection from every entrance to the sidewalk along the street and to each parking area.

b. Use of Townhomes and Stacked Townhomes

Townhomes may be in line with Stacked Townhomes when building articulation, such as wall offsets, height variation, upper-floor step-backs, or accent lines, and ornate architectural elements, such as dormers, cornices, or arches, are provided.

c. Area, Yard, and Bulk Requirements

Description	Requirements
Minimum Lot Area	1,200 square feet
Maximum Units per Lot	2 units
Minimum Lot Width	
Interior Lot	20 feet
Corner Lot	25 feet
Maximum Lot Width	50 feet
Minimum Front Yard	10 feet, except as provided in Sec. 13.500.2 and Sec. 9.1700.7
Maximum Front Yard	20 feet, except as provided in Sec. 13.500.2 and Sec. 9.1700.7
Front Yard Encroachments	Canopies, balconies, stoops, bay windows, awnings, and other building projections may extend up to 5 feet into the front yard setback.
Minimum Side Yard	
Interior Lot	None, except as provided in Sec. 13.500.3 and Sec. 9.1700.7
Corner Lot	10 feet, except as provided in Sec. 13.500.3 and Sec. 9.1700.7
Maximum Side Yard	
Interior Lot	10 feet, except as provided in Sec. 13.500.3 and Sec. 9.1700.7
Corner Lot	20 feet, except as provided in Sec. 13.500.3 and Sec. 9.1700.7
Minimum Rear Yard	None, except as provided in Sec. 13.500.4 and Sec. 9.1700.7
Minimum Building Separation	10 feet
Garage Setback	The distance from any garage to the property line must be 5 feet or less, or 20 feet or greater in length.
Minimum Floor Area per Dwelling Unit	700 square feet
Maximum Height	3 story, 50 feet, except as provided in Sec. 13.600 and Sec. 9.1700.7
Maximum Coverage	80%
Parking Requirements	2 parking spaces per dwelling unit located behind the front building line (See Article 16)

C. Tier Three Housing Types

- i.** Tier Three housing types consist of moderate-scale and density residential buildings. These housing types are best suited within and adjacent to mixed-use areas and are not appropriate adjacent to single-family residences located outside the RCD district.

ii. Tier Three: Manor Home
(ZC2022-017; Ord. No. 2023-2-6)

a. Description

A detached building comprised of 3-6 dwelling units that share a common sidewall or ceiling. The appearance of the structure is intended to match the form and character of a single-family detached residence. The building must have only one common entrance visible from the street. A direct sidewalk connection from every entrance must be provided to the sidewalk along the street and to the building's associated parking.

b. Area, Yard, and Bulk Requirements

Description	Requirements
Minimum Lot Area	5,000 square feet for 3 units; 1,000 square feet for each additional unit
Minimum Units per Lot	3 units
Maximum Units per Lot	6 units
Minimum Lot Width	
Interior Lot	50 feet
Corner Lot	55 feet
Maximum Lot Width	110 feet
Minimum Front Yard	10 feet, except as provided in Sec. 13.500.2 and Sec. 9.1700.7
Maximum Front Yard	20 feet, except as provided in Sec. 13.500.2 and Sec. 9.1700.7
Front Yard Encroachments	Canopies, balconies, stoops, bay windows, awnings, and other building projections may extend up to 5 feet into the front yard setback.
Minimum Side Yard	10 feet, except as provided in Sec. 13.500.3 and Sec. 9.1700.7
Maximum Side Yard	20 feet, except as provided in Sec. 13.500.3 and Sec. 9.1700.7
Minimum Rear Yard	None, except as provided in Sec. 13.500.4 and Sec. 9.1700.7
Minimum Building Separation	10 feet
Garage Setback	The distance from any garage to the property line must be 5 feet or less, or 20 feet or greater in length.
Minimum Floor Area per Dwelling Unit	800 square feet
Maximum Height	2 story, 35 feet, except as provided in Sec. 13.600 and Sec. 9.1700.7
Maximum Coverage	70%
Parking Requirements	All parking must be located behind the front building line (See Article 16)
One bedroom or less	One parking space per dwelling unit
Two bedrooms	One and one-half parking spaces per dwelling unit
Three bedrooms or more	2 parking spaces per dwelling unit
Maximum Parking Requirements	2 parking spaces per dwelling unit located behind the front building line (See Article 16)

iii. Tier Three: Stacked Flat

a. Description

A 2- or 3-story, detached building comprised of 6 – 9 dwelling units that share a common horizontal or vertical separation. The appearance of the structure is intended to match the form and character of a single-family detached residence. The building must have only one common entrance visible from the street. A direct sidewalk connection from every entrance

must be provided to the sidewalk along the street and to the building's associated parking.

b. Area, Yard, and Bulk Requirements

Description	Requirements
Minimum Lot Area	8,000
Maximum Units per Lot	9 units
Minimum Lot Width	
Interior Lot	50 feet
Corner Lot	55 feet
Maximum Lot Width	150 feet
Minimum Front Yard	10 feet, except as provided in Sec. 13.500.2 and Sec. 9.1700.7
Maximum Front Yard	20 feet, except as provided in Sec. 13.500.2 and Sec. 9.1700.7
Front Yard Encroachments	Canopies, balconies, stoops, bay windows, awnings, and other building projections may extend up to 5 feet into the front yard setback.
Minimum Side Yard	10 feet, except as provided in Sec. 13.500.3 and Sec. 9.1700.7
Maximum Side Yard	20 feet, except as provided in Sec. 13.500.3 and Sec. 9.1700.7
Minimum Rear Yard	10 feet, except as provided in Sec. 13.500.4 and Sec. 9.1700.7
Minimum Building Separation	10 feet
Garage Setback	The distance from any garage to the property line must be 5 feet or less, or 20 feet or greater in length.
Minimum Floor Area per Dwelling Unit	700 square feet
Maximum Height	3 story, 50 feet, except as provided in Sec. 13.600 and Sec. 9.1700.7
Maximum Coverage	75%
Parking Requirements	All parking must be located behind the front building line (See Article 16)
One bedroom or less	One parking space per dwelling unit
Two bedrooms	One and one-half parking spaces per dwelling unit
Three bedrooms or more	2 parking spaces per dwelling unit
Maximum Parking Requirements	2 parking spaces per dwelling unit located behind the front building line (See Article 16)

.6 Nonresidential Area, Yard, and Bulk Requirements

In RCD districts, the Neighborhood Business Design District (Sec. [10.1600](#)) standards must be utilized for nonresidential uses.

.7 Residential Transition Areas

In addition to the front, side, and rear yard requirements noted in Sec. [9.1700.5](#), all buildings must be set back from the district boundary line of the nearest residential zoning district or the lot line of a residential use outside of the RCD district, as follows:

- A.** When an alley is present on the neighboring property: at least two feet for every one foot of building height.
- B.** When an alley is not present on the neighboring property: at least 15 feet plus two feet for every one foot of building height.
- C.** This minimum setback may be reduced to a setback of 20 feet when the nearest residential zoning district allows a maximum height greater than 35 feet.

.8 District Establishment and Administration

- A.** The regulations contained within this zoning district may be supplemented with additional standards and conditions to execute a specific development plan. The boundary of each RCD district must be defined on the Zoning Map and identified with the letters RCD followed by a unique number referencing the supplementary regulations. In considering the establishment of an RCD district, the Planning & Zoning Commission and City Council may amend and supplement the base RCD regulations and related development regulations in the Zoning Ordinance and Subdivision Ordinance to implement individual development plans, with the exception of:
 - i.** Requirement for an adopted development plan;
 - ii.** Requirement for a governance association;
 - iii.** Minimum and maximum residential densities, except where variations are necessary to implement the Comprehensive Plan (*ZC2022-017; Ord. No. 2023-2-6*);
 - iv.** Requirement for a mix of housing types.
- B.** An RCD district may not be used to:
 - i.** Require construction of public improvements or the dedication or reservation of land, which are not of primary benefit to development within the district or necessary to mitigate an adverse impact attributable to development within the district, unless compensation is provided as required by law.
 - ii.** Secure agreements between owners of property within the district with third parties.
 - iii.** Assign responsibility to the city for enforcement of private deed restrictions or covenants.
 - iv.** Waive or modify the requirements of ordinances other than the Zoning Ordinance, except as specifically authorized by this ordinance.

.9 Adopted Development Plan

- A.** An RCD district must not be established without the concurrent adoption of a development plan for the district. The plan must comply with Sec. [3.500](#) and must:
 - i.** Show the location and type of streets, blocks, parking areas, open space, and residential transition areas;
 - ii.** Specify the minimum and maximum number of residential units by housing type; and
 - iii.** Enumerate all standards, conditions, and performance and implementation requirements not otherwise contained in the base zoning district requirements.
- B.** The development plan must be adopted as part of the ordinance creating the RCD district. Modifications to the development plan must comply with the requirements in Sec. [3.600](#).

.10 Governance Association

Applications for building permits for development within an RCD district must not be accepted or approved until a suitable property owners' governance association is established. The association must be responsible for maintaining all common property, improvements, and amenities within the district. It must have power sufficient to assess and collect dues and charges as required to perform its responsibilities. It may have additional powers to administer other programs, including but not limited to, security, promotion and marketing and entertainment. A Municipal Management District or Public Improvement District created in conformance with the Texas Local Government Code may be created to satisfy this requirement. A Reciprocal Easement Agreement (REA) allowing shared parking arrangements, public access to sidewalks, and to other amenities must be incorporated in the governance documents, but the REA may be deferred until a plan for common areas and amenities is submitted.

.11 Streets and Sidewalks

(ZC2023-002; Ordinance No. 2023-9-13)

- A.** All streets within an RCD district must be dedicated as public streets, or if the city does not accept the dedication of some or all as public streets, the streets that have not been dedicated as public streets must be platted as private streets. All streets are to be open for public use and may not be gated or have restricted access, except as may be permitted for special events. All streets must be located in a private street lot or in public right-of-way. The width of a street lot or right-of-way is established on the adopted development plan consistent with the Street Design Standards.
- B. Sidewalks**
Awnings, canopies, and other detachable fixtures may extend into the private street lot or public right-of-way, in accordance with the Right-of-Way Management Regulations. All public sidewalks to be maintained by the governance association must be located in a private street lot or public right-of-way.
- C. Landscape Edge**
Except in a Mixed-Use context zone per the Thoroughfare Plan Map, when along Type D and above thoroughfares, a 20-foot landscape edge is required. Within the landscape edge, 6 caliper inches of shade trees or 12 caliper inches of ornamental trees must be planted per 500 square feet of landscape edge with a minimum tree size of 2-inch caliper. The number of required trees must be calculated solely on the area of the required landscape edge.
- D. Connectivity**
Connections must be made to provide direct pedestrian and bicycle access from the RCD district to adjacent sidewalks, trails, parks, transit stops, and other connections where feasible. Pedestrian access must be provided by connection to any sidewalks or walkways on adjacent properties that extend to the boundaries shared with the RCD district. In order to provide efficient pedestrian connections to adjacent properties, the city may require additional sidewalks, walkways, or trails not associated with a street.

.12 Parking Requirements

- A.** Parking for nonresidential uses must follow NBD standards ([10.1600.12](#)).

- B.** Garage or off-street parking spaces for all housing types may only be accessed from a mews street.
- C.** If detached garages are provided, a maximum of four parking spaces may be provided per detached garage.
- D.** The elimination of the garage space by enclosing the garage with a stationary wall is prohibited.
- E.** Surface parking spaces must meet the following requirements:
 - i.** Parking lots must be located behind front building facades.
 - ii.** A maximum of 20 parking spaces are allowed per parking lot.
 - iii.** 3 caliper inches of shade trees or 6 caliper inches of ornamental trees with a minimum tree size of 2-inch caliper must be provided for every 10 parking spaces.
 - iv.** A sidewalk at least seven feet in width must be provided to connect the parking lot to the street and to any adjacent buildings or open space areas. The sidewalk must meet the following requirements:
 - a.** The sidewalk must be distinguishable from areas used by vehicles using one or more of the following techniques:
 - i.** Changing paving material, patterns, and/or paving color, but not including the painting of the paving material;
 - ii.** Changing paving height;
 - iii.** Addition of decorative bollards; or
 - iv.** Constructing raised median walkways with landscaped buffers.
 - b.** Have adequate lighting for security and safety; and
 - c.** Not include barriers that limit pedestrian access between the subject property and adjacent properties.
- F.** For residential lots fronting a Type F or G thoroughfare, visitor parking demand is to be served by the required on-street parking spaces. For residential lots fronting directly on public usable open space or a paseo, 0.25 off-street parking spaces per dwelling unit must be provided within 300 feet of each lot. (*ZC2023-002; Ordinance No. 2023-9-13*)

.13 Usable Open Space

- A.** Public usable open space must be provided prior to or concurrent with construction in an amount not less than fifteen percent of the gross acreage of the development. The following requirements also apply (*ZC2022-017; Ord. No. 2023-2-6*):
 - i.** A maximum of 25% of the minimum required public usable open space may be located within a floodplain or within an overhead transmission line easement if these areas are improved for use through the addition of trails and other pedestrian amenities.

- ii. Public usable open space must be provided in the form of greens, linear parks, greenbelts, pocket parks, public art displays, and paseos that are integrated within the block pattern defined on the development plan.
 - iii. At least one public usable open space must be a minimum of 7,500 square feet with a minimum width of 30 feet and have buildings or streets directly fronting or siding the public usable open space on a minimum of three sides.
 - iv. Natural features must be designed for integration into the site. Buildings or public usable open space must front on the features, and design must permit sufficient pedestrian and vehicle access.
 - v. Rooftops and accessory buildings, except those portions of any building designed specifically for public recreational purposes, do not count toward the public usable open space requirements.
 - vi. Required landscaping does not count toward the public usable open space requirement.
 - vii. Open space that is adjacent to the rear of a building or to a service area and which does not front on a street cannot be included in the public usable open space requirement.
 - viii. Reductions in required public usable open space may be considered for RCD districts where the RCD development is within a quarter mile of an existing Neighborhood Park, Community Park, Linear Park, Special Use Facility, Open Space Preserve, or Special Area Park as designated on the city's Park Master Plan Map. This criteria does not apply in circumstances where the RCD district is separated from said existing park by a Type D or above thoroughfare.
- B. Private usable open space, including interior courtyards and patios for individual residential uses, is permitted but does not count toward the public usable open space requirement.

.14 Building Placement and Design

- A. An RCD district or a group of buildings within the district may not be walled, fenced, or restricted from general public access.
- B. Buildings in an RCD district must be designed and oriented to reinforce the street grid. The distance from building face to building face must not exceed 100 feet on major and minor streets, unless separated by public usable open space.
- C. Buildings must be oriented to directly front on a designated street, public usable open space, or shared court. (ZC2023-002; Ordinance No. 2023-9-13)
- D. Each building must include a porch or stoop at the front façade.
- E. Buildings comprised of attached housing types must not exceed 200 feet in length and must be separated by a minimum distance of 10 feet.
- F. Exterior entrances/exits are only permitted on the ground floor.

.15 Sign Regulations

- A.** Signage for nonresidential uses fronting Type D and above thoroughfares must follow the regulations, specifications, and design standards contained in [Article 22](#) (Signs).
- B.** All other signage for nonresidential uses must follow the regulations, specifications, and design standards for signs contained in Sec. [10.800](#) (BG, Downtown Business/Government).

[page intentionally blank]

Article 10 Nonresidential Districts

10.100	The Districts	10-1
10.200	O-1, Neighborhood Office District.....	10-2
10.300	O-2, General Office District.....	10-3
10.400	R, Retail District	10-4
10.500	LC, Light Commercial District	10-7
10.600	CC, Corridor Commercial District.....	10-9
10.700	UMU, Urban Mixed-Use District	10-11
10.800	BG, Downtown Business/Government District	10-19
10.900	CB-1, Central Business-1 District	10-34
10.1000	CE, Commercial Employment District	10-37
10.1100	RC, Regional Commercial District	10-40
10.1200	RE, Regional Employment District.....	10-43
10.1300	RT, Research/Technology Center District	10-47
10.1400	LI-1, Light Industrial-1 District	10-51
10.1500	LI-2, Light Industrial-2 District	10-52
10.1600	NBD, Neighborhood Business Design District	10-53

10.100 The Districts

The city's nonresidential zoning districts are listed below. When this zoning ordinance refers to "nonresidential" zoning districts it is referring to these districts.

Map Symbol/Abbreviation	District Name	Section
O-1	Neighborhood Office	10.200
O-2	General Office	10.300
R	Retail	10.400
LC	Light Commercial	10.500
CC	Corridor Commercial	10.600
UMU	Urban Mixed-Use	10.700
BG	Downtown Business/Government	10.800
CB-1	Central Business-1	10.900
CE	Commercial Employment	10.1000
RC	Regional Commercial	10.1100
RE	Regional Employment	10.1200
RT	Research/Technology Center	10.1300
LI-1	Light Industrial-1	10.1400
LI-2	Light Industrial-2	10.1500
NBD	Neighborhood Business Design	10.1600

[Remainder of page intentionally blank]

10.200 O-1, Neighborhood Office District

.1 Purpose

The O-1 district is intended to provide for low-rise, garden-type office development providing professional, medical, and other office services to residents in adjacent neighborhoods. O-1 districts shall have principal access to major thoroughfares and may serve as an area of transition between residential and high-intensity nonresidential uses.

.2 Permitted Uses

See the nonresidential districts use table in Sec. [14.200](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

The following area, yard, and bulk requirements apply to all development in the O-1 district unless otherwise expressly stated:

Description	Requirement
Minimum Lot Area	None
Minimum Lot Width	None
Minimum Lot Depth	None
Minimum Front Yard	50 feet, except as provided in Sec. 13.500.2
Minimum Side Yard	
Interior Lot	None (See Sec. 13.500.3)
Corner Lot	50 feet on street side
Minimum Rear Yard	10 feet where no alley abuts the rear property line (See Sec. 13.500.4)
Maximum Lot Coverage	30%
Maximum Height	2 story, 35 feet (See Sec. 13.600)
Maximum Floor Area Ratio	0.6:1

.4 Parking Requirements

(See [Article 16](#))

.5 Landscaping

(See [Article 17](#))

.6 Special District Requirements

(ZC2022-016; Ord. No. 2023-2-5)

Independent living facilities constructed prior to February 27, 2023 and proposed independent living facility projects vested under Chapter 245 of the Local Government Code prior to February 27, 2023 are permitted. Any remodeling, reconstruction, redevelopment, or other improvements shall not increase the floor area or number of dwelling units of a particular structure or site.

[Remainder of page intentionally blank]

10.300 O-2, General Office District

.1 Purpose

The O-2 district is intended to allow for a variety of low-, mid-, and high-rise office developments providing for professional, financial, medical, and similar services to local residents; corporate offices for regional and national operations; and major centers of employment for Plano and surrounding communities.

.2 Permitted Uses

See the nonresidential districts use table in Sec. [14.200](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

The following area, yard, and bulk requirements apply to all development in the O-2 district unless otherwise expressly stated:

Description	Requirement
Minimum Lot Area	None
Minimum Lot Width	None
Minimum Lot Depth	None
Minimum Front Yard	50 feet, except as provided in Sec. 13.500.2
Minimum Side Yard	
Interior Lot	None (See Sec. 13.500.3)
Corner Lot	50 feet on street side
Minimum Rear Yard	10 feet where no alley abuts the rear property line (See Sec. 13.500.4)
Maximum Lot Coverage	50%, including a maximum of 30% for accessory buildings and structures.
Maximum Height	None
Maximum Floor Area Ratio	1:1

.4 Parking Requirements

(See [Article 16](#))

.5 Landscaping

(See [Article 17](#))

.6 Special District Requirements

(ZC2022-016; Ord. No. 2023-2-5)

Independent living facilities constructed prior to February 27, 2023 and proposed independent living facility projects vested under Chapter 245 of the Local Government Code prior to February 27, 2023 are permitted. Any remodeling, reconstruction, redevelopment, or other improvements shall not increase the floor area or number of dwelling units of a particular structure or site.

[Remainder of page intentionally blank]

10.400 R, Retail District

(ZC2003-67; Ord. No. 2004-3-29)

.1 Purpose

The R district is primarily intended to provide areas for neighborhood, local, and regional shopping facilities for the retail sales of goods and services including convenience stores, shopping centers, and regional malls but not including wholesaling or warehousing. Limited residential uses may be considered appropriate as an extension of surrounding neighborhoods. (ZC2022-016; Ord. No. 2023-2-5)

.2 Permitted Uses

See the nonresidential districts use table in Sec. [14.200](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

The following area, yard, and bulk requirements apply to all development in the R district unless otherwise expressly stated:

Description	Requirement
Minimum Lot Area	None
Minimum Lot Width	None
Minimum Lot Depth	None
Minimum Front Yard	50 feet, except as provided in Sec. 13.500.2
Minimum Side Yard	
Interior Lot	None (See Sec. 13.500.3)
Corner Lot	50 feet on street side
Maximum Side Yard	None
Minimum Rear Yard	10 feet where no alley abuts the rear property line (See Sec. 13.500.4)
Maximum Height	2 story, 35 feet (See Sec. 13.600)
Maximum Lot Coverage	30% (See Sec. 10.400.6)
Maximum Floor Area Ratio	0.6:1

.4 Parking Requirements

(See [Article 16](#))

.5 Landscaping

(See [Article 17](#)) Residential uses allowed in the R, Retail district shall comply with Sec. [17.200.2](#) (ZC2010-01; Ordinance No. 2010-4-16)

.6 Special District Requirements

A. Vehicle Fueling Stations

For vehicle fueling stations, canopies shall be considered as an accessory structure and shall be included in all calculations of lot coverage. A maximum 30% of the lot may be covered by the primary and/or accessory structures. (ZC2017-014; Ord. No. 2017-7-9)

B. Mini-warehouse/Public Storage

For mini-warehouse/public storage developments, maximum 50% lot coverage shall be allowed.

C. Independent Living Facilities

Independent living facilities constructed prior to February 27, 2023 and proposed independent living facility projects vested under Chapter 245 of the Local

Government Code prior to February 27, 2023 are permitted. Any remodeling, reconstruction, redevelopment, or other improvements shall not increase the floor area or number of dwelling units of a particular structure or site. (ZC2022-016; Ord. No. 2023-2-5)

D. Residential Uses

(ZC2022-016; Ord. No. 2023-2-5)

- i. Patio homes, single-family attached residences, and two-family residences shall comply with the standards of Secs. ~~9.900~~, ~~9.1000~~, and ~~9.1100~~, respectively, except that single-family attached residences shall be developed on individually-platted lots only. Once any properties are developed for residential purposes, no nonresidential uses, other than home occupations shall occur. (See Sec. ~~15.700~~) Retail-zoned land proposed for residential uses shall abut residentially-zoned land that is not separated by a Type C or larger thoroughfare (per the Thoroughfare Plan Map of the Comprehensive Plan).
- ii. When a portion of any retail-zoned property is used for patio homes, single-family attached, or two-family developments, and a residual tract has been left, it shall have a minimum of 2 acres and access to a median opening when located on an existing or proposed divided thoroughfare (as noted on the city's Thoroughfare Plan Map).
- iii. Any portion of a retail-zoned tract that is developed for patio home, single-family attached, and/or two-family residences, shall have a minimum land area of 5 acres.
- iv. Any new residential uses constructed next to existing nonresidential uses must provide screening in compliance with ~~16.1400.5~~ (Off-Street Loading).

E. Light-intensity Manufacturing

(ZC2005-20; Ord. No. 2005-6-34)

i. Minimum Parking

One space for each 300 square feet of gross floor area

ii. Loading Facilities

Loading areas for light-intensity manufacturing are intended to provide for short-term pick-up and delivery. Onsite storage of delivery vehicles, including trailers and shipping containers, is prohibited. No delivery vehicles shall be parked outside of the designated loading area. Light-intensity manufacturing buildings in Retail districts shall not exceed the following ratios for loading spaces: (ZC2005-20; Ord. No. 2005-6-34)

Square Feet of Gross Floor Area in Structure	Maximum Loading Spaces or Berths
0 to 20,000	4
Over 20,000	1 for each additional 10,000 square feet up to a maximum of 12

iii. Screening and Building Orientation

The following additional requirements apply to light-intensity manufacturing uses in Retail districts:

- a.** The design and orientation of the building shall minimize the exposure of loading and trash collection areas from adjacent streets and from adjacent properties unless they are part of the same approved preliminary site plan. No loading spaces shall face streets. In addition, the Planning & Zoning Commission may require a combination of wing walls extended from a building, screening walls, landscape berms, and plant materials to further obscure the view of loading and trash collection areas. The above screening elements shall be designed and located in conformance with applicable yard and setback requirements. Screening must extend the entire length of the loading area.
- b.** Screening elements shall be a minimum of 8 feet in height at installation. Berms should not exceed a slope of 3 feet, horizontal to 1 foot, vertical. Retaining walls may be used on the interior side of the berm but should not face adjacent streets or properties. The height shall be measured from the top of the curb of adjacent streets or from the average grade of property lines with adjacent tracts of land. Depending upon the average grade of the adjacent streets and properties, the minimum height at installation may be increased to as high as 12 feet.
- c.** Plant materials used for screening shall include a combination of shade and ornamental trees (4-inch minimum caliper), conifers (8-foot minimum height) and shrubs (5-gallon minimum). The plant materials shall be arranged in a manner which significantly obscures the view from adjacent streets and properties.
- d.** Proposed screening elements shall be identified on the preliminary site plan. A detailed plan showing the angles of view and the specific placement of screening elements shall be submitted with the final site plan.

[Remainder of page intentionally blank]

10.500 LC, Light Commercial District

.1 Purpose

The LC district is intended to provide for a wide array of retail, office, and service uses to meet the needs of local residents and businesses. Some vehicle-related uses and limited assembly, which address local service and employment opportunities are also included in LC districts. (ZC2017-014 & ZC98-67; Ord. No. 2017-7-9 & Ord. No. 99-10-13)

.2 Permitted Uses

See the nonresidential districts use table in Sec. [14.200](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

The following area, yard, and bulk requirements apply to all development in the LC district unless otherwise expressly stated:

Description	Requirement
Minimum Lot Area	None
Minimum Lot Width	None
Minimum Lot Depth	None
Minimum Front Yard	50 feet, except as provided in Sec. 13.500.2
Minimum Side Yard	
Interior Lot	None, except as provided in Sec. 13.500.3
Corner Lot	50 feet on street side
Minimum Rear Yard	10 feet where no alley abuts the rear property line (See Sec. 13.500.4)
Maximum Height	2 story, 35 feet (See Sec. 13.600)
Maximum Lot Coverage	40% (See Sec. 10.500.6)
Maximum Floor Area Ratio	0.8:1

.4 Parking Requirements

(See [Article 16](#))

.5 Landscaping

(See [Article 17](#))

.6 Special District Requirements

(ZC2002-33; Ord. No. 2002-8-14)

- A. For vehicle fueling stations, canopies shall be considered as an accessory structure and shall be included in all calculations of lot coverage. A maximum 30% of the lot may be covered by the primary and/or accessory structures. (ZC2017-014; Ord. No. 2017-7-9)
- B. For mini-warehouse/public storage developments, maximum 50% lot coverage shall be allowed.

.7 Light-intensity Manufacturing

(ZC2005-20; Ord. No. 2005-6-34)

In the LC district, light-intensity manufacturing uses shall meet the following standards: (ZC98-67; Ord. No. 99-10-13)

- A. Operations should be fully enclosed with no outside storage of goods or materials.
- B. Storage and distribution facilities should be incidental to the main use.
- C. Dock areas should be screened from adjacent properties and public streets.

- D.** No noise, vibration, odor, smoke, and dust should impact adjacent properties in conformance with the performance standards in [Article 24](#).

[Remainder of page intentionally blank]

10.600 CC, Corridor Commercial District

(ZC98-68; Ord. No. 99-10-14)

.1 Purpose

The CC district is intended to provide for retail, service, office, and limited manufacturing uses within major regional transportation corridors. The regulations and standards of this district are reflective of the high traffic volumes and high visibility of these regional highways.

.2 Permitted Uses

See the nonresidential districts use table in Sec. [14.200](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

The following area, yard, and bulk requirements apply to all development in the CC district unless otherwise expressly stated:

Description	Requirement
Minimum Lot Area	None
Minimum Lot Width	None
Minimum Lot Depth	None
Minimum Front Yard	50 feet, except as specified in Sec. 13.500.2 (ZC2007-21; Ordinance No. 2007-10-16)
Minimum Side Yard	
Interior Lot	None (except as specified in Sec. 13.500.3 (ZC2007-21; Ordinance No. 2007-10-16)
Corner Lot	50 feet
Minimum Rear Yard	None, or 10 feet where no alley abuts the property line, except as specified in Sec. 13.500.4 (ZC2007-21; Ordinance No. 2007-10-16)
Maximum Height	20 story, not to exceed 325 feet in height (ZC2010-14; Ordinance No 2010-9-19)
Maximum Lot Coverage	50%, 70% if structured parking is included
Maximum Floor Area Ratio	1:1

.4 Parking Requirements

(See [Article 16](#))

.5 Landscaping

(See [Article 17](#))

.6 Special District Requirements

- A. For vehicle fueling stations, canopies shall be considered as an accessory structure and shall be included in all calculations for lot coverage. A maximum 30% of the lot may be covered by the primary and/or accessory structures for vehicle fueling stations. (ZC2017-014; Ord. No. 2017-7-9)
- B. Multifamily residences lawfully constructed prior to the institution of a CC district are permitted. Any remodeling, reconstruction, redevelopment, or other improvements shall not increase the floor area or number of dwellings of a particular structure or site.

.7 Light-intensity Manufacturing

(ZC2005-20; Ord. No. 2005-6-34)

In the CC district, light-intensity manufacturing uses shall meet the following standards:

- A. Operations should be fully enclosed with no outside storage of goods or materials.
- B. Storage and distribution facilities should be incidental to the main use.
- C. Dock areas should be screened from adjacent properties and public streets.
- D. No noise, vibration, odor, smoke, and dust should impact adjacent properties in conformance with the performance standards in [Article 24](#).

[Remainder of page intentionally blank]

10.700 UMU, Urban Mixed-Use District

(ZC2012-29, Ordinance No. 2012-11-10; ZC2014-26, Ordinance No. 2014-10-21)

.1 Purpose

The UMU district is intended to provide a planning, regulatory, and management framework for the design, development, and operation of urban mixed-use centers that promote social interaction, community identity, and efficient use of land and resources. The UMU district should also support and encourage a variety of transportation options, including transit, bicycles, and walking. The district is applicable primarily to large undeveloped properties where higher density residential and commercial uses are appropriate.

.2 Permitted Uses

See the nonresidential districts use table in Sec. [14.200](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

The following area, yard, and bulk requirements apply to all development in the UMU district unless otherwise expressly stated:

Description	Commercial and Multifamily	Single-Family Attached
Minimum Lot Area	None	700 square feet
Minimum Lot Width	None	20 feet
Minimum Lot Depth	None	35 feet
Front Yard Setbacks (ZC2023-002; Ordinance No. 2023-9-13)	75% of the building face shall be within 15 feet of the property line. If easements are present or public open space, patio dining, plaza or other public amenity is provided, 75% of the building face shall be built to the easement line, open space, or public amenity. The setback may be increased to a maximum of 100 feet if a drive aisle with double-loaded parking is installed between the building face and a public street of Type D or above	75% of the building face shall be within 10 feet of the property line. If easements are present, 75% of the building face shall be built to the easement line.
Side Yard Setbacks		
Interior Lot	None	None
Corner Lot	same as front	same as front
Minimum Rear Yard	None	None
Minimum Height	2 story	2 story
Maximum Height	15 story	3 story
Maximum Lot Coverage	None, except as limited by applicable setback requirements from Front Yard Setbacks, Side Yard Setbacks, Minimum Rear Yard, and Maximum Height above	100% including accessory buildings
Minimum Lot Coverage	60%	60%
Maximum Floor Area Ratio	6:1 except as limited by applicable setback requirements from Front Yard Setbacks, Side Yard Setbacks, Minimum Rear Yard, and Maximum Height above	None

Description	Commercial and Multifamily	Single-Family Attached
Minimum Floor Area Ratio	1:1	NA

.4 Definitions

The following terms and definitions only apply to the regulations of this district. Where they conflict with general definitions in the Zoning Ordinance, these definitions shall control. (ZC2023-002; Ordinance No. 2023-9-13)

Flex Space (Live-Work)

A dwelling unit of not less than 700 square feet in floor area that may be used completely or in part for an allowed nonresidential use.

Floor Area, Gross

The sum of floor area within the perimeter walls of a building. Gross floor area only includes air-conditioned space intended for human occupancy and excludes garages, patios, attics, balconies, roof decks and other exposed or un-air-conditioned space.

Floor Area Ratio

The ratio of a building's gross floor area to the area of the lot on which the building is located.

Linear Footage, Gross

The total length of a building as measured in a straight line along the street.

Lot Coverage

The area of a site or lot covered by a building measured from the base of the perimeter walls, excluding covered walkways, porches, and un-air-conditioned space. Tuck under parking and parking garages are included in the calculation of lot coverage.

Reciprocal Easement Agreement

A contract among property owners and tenants governing the use and operation of property, including shared common areas, usable open space, and parking.

Residential Density

The number of individual residential living units per acre of the site or lot on which they are located. Calculation of residential density shall be based on the net size of the property, exclusive of public and private street right-of-way, street easements, and park and open space accessible to the public.

Residential Density, Effective

A measure applied to a mixed-use building which calculates the total number of possible residential units to estimate the potential density if the building were used solely for residential purposes. Effective density equals per acre density based on the total number of residential units plus the gross floor area of nonresidential and/or live/work/flex space divided by the average residential unit size.

.5 District Establishment and Administration

- A.** The regulations contained within this zoning district shall be supplemented with additional standards and conditions required to execute a specific development plan. The boundary of each UMU district shall be defined on the Zoning Map and identified with the letters UMU followed by a unique number referencing the supplementary regulations. In considering the establishment of a UMU district, the Planning & Zoning Commission and City Council may amend and supplement the

base UMU regulations and related development regulations in the Zoning Ordinance and Subdivision Ordinance to implement individual development plans, with the exception of:

(ZC2019-003; Ord. No. 2019-5-8)

- i. Requirement for an adopted development plan;
- ii. Requirement for a governance association;
- iii. Minimum residential densities for multifamily development;
- iv. Requirement to maintain three or more uses; and
- v. Requirement for nonresidential uses to be constructed within the first phase of development.

B. A UMU district may not be used to:

(ZC2019-003; Ord. No. 2019-5-8)

- i. Require construction of public improvements or the dedication or reservation of land, which are not of primary benefit to development within the district or necessary to mitigate an adverse impact attributable to development within the district, unless compensation is provided as required by law.
- ii. Secure agreements between owners of property within the district with third parties.
- iii. Assign responsibility to the city for enforcement of private deed restrictions or covenants.
- iv. Waive or modify the requirements of ordinances other than the Zoning Ordinance, except as specifically authorized by this ordinance.

.6 Adopted Development Plan

A UMU district shall not be established without the concurrent adoption of a development plan for the district. The plan shall show the location and type of streets, blocks, parking areas, and open space. The plan shall specify the primary, secondary, and tertiary categories of land use, including the amount of gross floor area designated for each category of use. The plan shall specify the minimum and maximum number of residential units. The plan shall enumerate all standards, conditions, and performance and implementation requirements not otherwise contained in the base zoning district requirements. The development plan shall be adopted as part of the ordinance creating the UMU district. Major modifications to the development plan, including but not limited to, specifications of land use categories and functional roles, significant lot, block and street design changes, and increasing the number of residential units, shall only be amended by the same process by which the development plan was created. (See Sec. [3.500](#))

.7 Governance Association

Applications for building permits for development within a UMU district shall not be accepted or approved until a property owners governance association is established. The association shall be responsible for maintaining all common property, improvements, and amenities within the district. It shall have power sufficient to assess and collect dues and charges as required to perform its responsibilities. It may have

additional powers to administer other programs, including but not limited to, security, promotion and marketing and entertainment. A Municipal Management district or Public Improvement district created in conformance with the Texas Local Government Code may be created to satisfy this requirement. A Reciprocal Easement Agreement (REA) allowing shared parking arrangements, public access to sidewalks, and to other amenities shall also be required and incorporated in the governance documents, but the REA may be deferred until a plan for common areas and amenities is submitted.

.8 Mixed-Use Requirement

Each UMU district must contain three or more use categories. Each category must be designated as primary, secondary, or tertiary according to the gross floor area for each use. A primary use category must include not less than 40% or more than 70% of the gross floor area. Secondary use categories must include not less than 20% or more than 40% of the gross floor area. Tertiary uses must include not more than 20% of the gross floor area. The percentages of primary, secondary, and tertiary uses may vary as long as their functional role does not change. Use categories are designated below:

Use Category	Functional Role
Primary Residential Uses	Primary, Secondary or Tertiary
Retail Uses	Primary, Secondary or Tertiary
Educational, Institutional, Public and Special Uses	Primary, Secondary or Tertiary
Office and Professional Uses	Primary, Secondary or Tertiary
Service Uses	Tertiary
Transportation, Utility, and Communications Uses	Tertiary

.9 Additional Use Regulations

- A. If multifamily residential use is a designated use, a minimum of 250 units is required. This requirement does not apply to mid-rise residential developments.
- B. An average residential density of 40 dwelling units per acre must be maintained within a UMU district. The average shall be computed based on the actual residential density of units built and under construction (building permit issued). The reservation and allocation of residential units shall be managed by the governance association. Phased development shall have a minimum average residential density of 40 dwelling units per acre. However, no phase having less than 40 dwelling units per acre may be constructed, unless preceded by or concurrently built with a phase which maintains the minimum 40 dwelling units for the overall UMU district. No individual phase may be constructed at a residential density less than 30 dwelling units per acre, with the exception of single-family residence attached uses.
- C. No less than 20,000 square feet of nonresidential space must be built as part of the first phase of development, consisting of at least one restaurant and one retail space. Fitness centers, leasing offices, club and meeting rooms, and other uses associated with and managed by a multifamily use shall not be included to meet this minimum requirement. Freestanding nonresidential buildings may not be less than 10,000 square feet in size. There is no minimum size for individual lease spaces integrated vertically into a building.

.10 Streets and Sidewalks

(ZC2023-002; Ordinance No. 2023-9-13)

- A. All streets within a UMU district must be platted as private streets, unless the city agrees to accept dedication of some or all as public streets. All streets are to be open for public use and may not be gated or have restricted access, except as may be permitted for special events. All streets must be located in a private street lot or in public right-of-way. The width of a street lot or right-of-way is established on the adopted development plan consistent with the Street Design Standards.
- B. **Required Main Street**
All UMU districts shall have a main street, designated on the development plan, which serves as the core of the district. It shall be a Mixed-Use Type F thoroughfare with buildings of a minimum of two stories fronting onto the main street. No parking garages or surface parking lots shall directly abut the main street. A minimum 600 foot to 1,200 foot section of the street shall be the activity center of the district core. A minimum of 75% of the gross linear footage of the first floor along the activity center shall consist of retail, restaurant, entertainment, and other active uses. The maximum width of storefronts in this area shall be limited to 100 feet. The perimeter of a superstore, food/grocery store, or regional theater must be lined with individual store fronts meeting this maximum width requirement. The specific development plan must define the main street. It shall also designate the location of at least 60% of the gross floor area along the main street for primary and secondary uses. (ZC2019-003; Ord. No. 2019-5-8)
- C. **Sidewalks and Right-of-Way**
Awnings, canopies, and other detachable fixtures may extend into the street lot or public right-of-way. All common areas to be maintained by the governance association shall be located in a street lot or public right-of-way. All other areas are to be on a building lot. Walkways, other than public sidewalks, may be permitted to access open space, amenities, and services. All walkways are to be open to the public unless designated as private.
- D. Street types and cross-sections should use the Mixed-Use Local Street type in the Downtown Streets Plan of the Street Design Standards.

.11 Usable Open Space

- A. Usable public open space shall be provided in an amount not less than five percent or more than ten percent of the gross acreage of the development. A maximum of 25% of the required open space may be located within a floodplain or within an overhead transmission line easement if these areas are improved for open space use. Except for property located within a floodplain, open space shall fit into the grid street and building block plan. Unless arranged as a courtyard with buildings on three sides, public open space shall abut a street on two sides. At least one plaza or open space shall be located adjacent to the main street. Smaller usable open space areas may also be provided and shall be no larger than three acres or smaller than one-quarter acre. Usable open space must be adopted by the development plan and must be maintained by the governance association.
- B. Private open space is permitted consisting of interior courtyards and patios required for private amenities and individual business and residential use. Fencing and other enclosures may be used for building security, protection of play and pool areas, or as may be required for business and individual residential use. Exterior

yards may not be fenced, except front yards assigned to individual residential units and townhouses may be enclosed with a maximum four-foot tall vertical rail metal fence.

- C. Multifamily development in the UMU district is exempt from the Multifamily Residence regulations of Sec. [15.800](#) and from the Usable Open Space regulations of Sec. [13.800](#). (ZC2019-003; Ord. No. 2019-5-8)

.12 Parking Requirements

(ZC2023-002; Ordinance No. 2023-9-13)

- A. UMU districts shall be designed as compact, pedestrian-oriented developments. With the exception of neighborhood theaters, regional theaters, religious facilities, and assembly halls, the maximum permitted parking for nonresidential uses is capped at one space for each 250 square feet of gross leasable area. Theaters and assembly halls are capped at one space per 2.5 persons accommodated. On-street parking is included in the parking calculations for the UMU district. No more than 25% of the capped parking requirement for the entire development may be located in a surface parking lot. Parking in excess of the maximum caps may be provided only if provided in parking garages.
- B. Parking for multifamily residential uses shall be required as follows:
 - i. One bedroom or less: One parking space per unit
 - ii. Two bedrooms: 1.5 parking spaces per unit
 - iii. Three bedrooms or more: Two parking spaces per unit
- C. All surface parking lots with 100 or more spaces must be designed as future development sites. They must be located on the outside edge of the development. No surface parking lot may contain more than 300 spaces.
- D. A minimum five-foot landscape edge shall be provided between all surface parking lots and major and minor streets. Within this landscape edge, ten shrubs (five gallon minimum) shall be planted per 500 square feet. The landscape edge along major median divided streets shall comply with the requirements of [Article 17](#) (Landscaping and Tree Protection) or the overlay districts contained in [Article 11](#) (Overlay Districts) if applicable.
- E. Private garages may be located (tucked) directly under and assigned to an individual residential unit.
- F. Podium parking or grade level parking may be located under a horizontal structural concrete or steel structure separating the parking level from uses located on the podium.
- G. One full level of a multi-level parking structure at or below grade must be open for general public parking. No parking structure serving primarily residential use shall serve more than two residential buildings. A residential parking garage must directly connect to at least one residential building and each level of the garage must be directly accessible from the residential building.

.13 Building Placement and Design

- A. To reinforce the street grid, the distance from building face to building face shall not exceed 100 feet on Type F thoroughfares, unless separated by usable open space. (ZC2023-002; Ordinance No. 2023-9-13)
- B. Single-Tenant Maximum First Floor Square Footage - 30,000 square feet, with the exception of schools and hospitals.
- C. Permeability of First Floor - With the exception of parking garages, podium garages, and loading and service areas, 60% of the first floor of nonresidential buildings and live/work/flex space units must consist of windows and doors. Live/work/flex space units must have an exterior entrance.
- D. Nonresidential space must have a minimum floor-to-ceiling height of 12 feet; however, live/work/flex space must have a minimum floor-to-ceiling height of ten feet.

.14 Single-Family Attached Regulations

- A. Each dwelling unit shall be on an individually-platted lot. No more than 50% of the lots within a development may abut a mews street as the only point of street frontage and access.
- B. Maximum Density: 40 dwelling units per acre
- C. Minimum Density: 18 dwelling units per acre
- D. Minimum Floor Area per Dwelling Unit: 800 square feet
- E. Stoops and landscape areas adjacent to the building may extend a maximum distance of five feet into the area between the front facade of the building and the back of the street curb.
- F. Maximum Building Length: 200 feet
- G. Buildings must be separated by a minimum distance of ten feet.
- H. No usable open space areas are required.
- I. Each dwelling unit shall have a garage with a minimum of two parking spaces. Tandem garage spaces are allowed. Garage entrances shall be allowed only from a mews street or alley. The distance from the garage to the travel lane of the alley or mews street shall be 5 or less feet in length or shall be 20 feet or greater in length. The elimination of the garage space, by enclosing the garage with a stationary wall, shall be prohibited.

.15 Additional Requirements and Restrictions

- A. A UMU district or a group of buildings within the district may not be walled, fenced, or restricted from general public access.
- B. The second building constructed and all subsequent buildings may not be further than 150 feet from another building.
- C. The regulations, specifications, and design standards for signs contained in Sec. ~~10.800~~ (BG, Downtown Business/Government) shall apply unless otherwise

specified in this ordinance or in the adopted development plan. (ZC2014-12;
Ordinance No. 2014-7-12)

[Remainder of page intentionally blank]

10.800 BG, Downtown Business/Government District

(ZC2018-008; Ordinance No. 2018-6-11 and ZC2003-52; Ordinance No. 2003-10-32)

.1 Purpose

The BG district is intended to serve as a pedestrian-oriented center for retail, office, governmental, cultural, entertainment, and residential uses. It is designed to ensure that development, redevelopment, and renovation within the district are consistent with the historical character of Plano's original business district and the surrounding area. The standards of this district apply to specific characteristics of Plano's downtown area and are not appropriate for other locations and districts.

.2 Permitted Uses

See the nonresidential districts use table in Sec. [14.200](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

The following area, yard, and bulk requirements apply to all development in the BG district unless otherwise expressly stated:

Description	Commercial and Multifamily Requirement	Single-Family Attached Requirement
Minimum Lot Area	None	700 square feet
Minimum Lot Width	None	20 feet
Minimum Lot Depth	None	35 feet
Front Yard Setbacks (except as noted in Sec. 13.500.2 and Other Height/Setback Requirements below) (ZC2023-002; Ordinance No. 2023-9-13)	See Sec. 10.800.5A and 10.800.5B	See Sec. 10.800.5A and 10.800.5B
Side Yard Setbacks		
Interior Side Yard	None, except as provided in Sec. 13.500.3	None, except as provided in Sec. 13.500.3
Exterior Side Yard (Corner Lot)	Same as front (See Sec. 10.800.5B)	Same as front (See Sec. 10.800.5B)
Minimum Rear Yard	None except as provided in Sec. 13.500.4 and Other Height/Setback Requirements below.	None
Maximum Height (ZC2023-002; Ordinance No. 2023-9-13)	4 story (except as noted in Other Height/Setback Requirements below).	3 story, 50 feet
	Four stories of multifamily are permitted on a horizontal structural podium above a single level at grade of structured parking, and/or nonresidential uses and/or flex space units (below-grade parking is excluded). Flex space units are defined as a ground floor unit that may be occupied by a residential use, a nonresidential use, or both. Flex space units must have an individual exterior entrance and a minimum floor-to-ceiling separation of 9 feet. A flex-space unit must be constructed to accommodate nonresidential uses and may not be modified to prevent nonresidential	

Description	Commercial and Multifamily Requirement	Single-Family Attached Requirement
	occupancy. (ZC2023-019, Ord. No. 2024-2-7)	
	The maximum height for parking structures shall be 5 levels at or above grade. Parking structures shall be obscured from view of streets and/or public ways designated as Downtown Couplet or Gateway Corridor on the Thoroughfare Plan Map, plus 15th Street by buildings of equal or greater height and/or special architectural and/or landscaping treatments approved in conjunction with a preliminary site plan or site plan.	
Maximum Lot Coverage	None, except as limited by applicable setback requirements from Front Yard Setbacks, Side Yard Setbacks, Minimum Rear Yard, and Maximum Height above and Other Height/Setback Requirements below.	100% including accessory buildings
Maximum Floor Area Ratio	4:1 except as limited by applicable setback requirements from Front Yard Setbacks, Side Yard Setbacks, Minimum Rear Yard, and Maximum Height above and Other Height/Setback Requirements below.	None
Other Height/Setback Requirements (ZC2023-002; Ordinance No. 2023-9-13)	In addition to the front, side, and rear yard requirements noted above, the following minimum setbacks shall apply to all structures as measured from the district boundary line of the nearest single-family and two-family residential zoning districts:	None, except as noted below.
	50 feet for 1 or 2 story	
	200 feet for 3 or 4 story, except when separated by a street and/or public way designated as Downtown Couplet or Gateway Corridor on the Thoroughfare Plan Map and/or a railroad or transit right-of-way. In such cases, the setback shall be 50 feet.	

.4 Parking Requirements

(Except as noted below, all parking requirements of [Article 16](#) shall apply)

A. Multifamily Residence

Parking for multifamily use shall be provided as follows, except as noted in Sec. [10.800.4D](#) and Sec. [10.800.4E](#):

- i. One Bedroom or Less: One parking space per unit
- ii. Two Bedrooms: One and one-half parking spaces per unit

iii. Three Bedrooms or More: 2 parking spaces per unit

iv. The above requirements shall also apply to situations where only one or 2 units are included in a building provided that they are located on the second through fourth floors only.

B. Single-Family Attached Residence

Two parking spaces shall be provided for each dwelling unit as noted in Sec. [10.800.5F](#). (ZC2023-002; Ordinance No. 2023-9-13)

C. Other Uses

One parking space for every 300 square feet of floor area except as noted in Sec. [10.800.4D](#), Sec. [10.800.4E](#) and [Sec. 10.800.4F](#)

D. Credit for Public Parking

With preliminary site plan or site plan approval, the Planning & Zoning Commission may grant credit for available public parking that is accessible to a proposed development or redevelopment project.

E. Destruction of Conforming Structures

Any existing parking or lack of same for any conforming structure within the BG district as of December 9, 2002, shall be considered a conforming parking arrangement. In the event of destruction of a conforming structure in the BG district, the structure may be rebuilt to its pre-destruction size with no requirements for additional parking. If the structure is rebuilt to exceed its pre-destruction size, it shall comply with Sec. [10.800.4A](#), Sec. [10.800.4B](#), Sec. [10.800.4C](#) and Sec. [10.800.4D](#).

F. Additions to Existing Buildings

Any existing parking or lack of same for any conforming structure within the BG district as of December 9, 2002, shall be considered a conforming parking arrangement. Additional parking shall be provided only for additions to an existing conforming building. Existing structures designated as Heritage Resource properties may be expanded up to a total additional area of 4,500 square feet without providing additional parking.

G. Parking Space Size

Up to 50% of required off-street parking may include compact car spaces at a minimum size of 7.5 feet by 16 feet, if the compact car parking is private and unavailable to the public. In addition, off-street parking facilities shall have minimum aisle width of 22 feet, unless angle parking is used. (See [16.300](#) through [16.500](#))

H. Parking Placement

Onsite surface parking shall generally not be placed in the required front yard and shall generally be separated from public streets by the building which it serves. Exceptions to this requirement include:

i. Lots Containing Surface Parking Only

Where a lot is used entirely for offsite parking for a use on another lot, the above placement requirements shall not apply.

ii. Multiple-Fronted Lots

Surface parking on corner lots or other lots with frontage on 2 or more public streets shall comply with above placement requirements along at least one street frontage.

iii. Lots Facing Residential Districts

Where a 3- or 4-story building is constructed with an extended front yard setback in accordance with the other height/setback requirements of Sec. 10.800.3, the above placement requirements shall not apply.

iv. Additions to Existing Buildings

Where onsite surface parking is constructed to serve existing buildings or additions to existing buildings, the above placement requirements shall not apply.

I. Landscaping for Parking Areas

- i. A minimum 5-foot landscape edge shall be provided between all parking lots and public streets. Within this landscape edge, 10 shrubs (5-gallon minimum) shall be planted per 500 square feet. The number of required shrubs shall be calculated solely on the area of the required landscape edge. See [Figure 10-1](#).




Figure 10-1: Landscape Edge

- ii. A berm may be placed within the landscape edge in lieu of the required shrubs unless needed for a headlight screen. The berm must be 18 to 40 inches above the average grade of the street and parking lot curbs. The slope of the berm shall not exceed a 3 to 1 grade. Retaining walls may be used to facilitate berming if they are not visible from the street.
- iii. The following provisions shall also apply to landscape edges around parking lots:
 - a. If the parking lot is located 50 feet or more from the street right-of-way line, no shrubs or berms will be required.

- b. The applicant is also encouraged to plant a variety of ornamental trees and flowers in addition to the required plantings. Any permeable surface not occupied by trees, shrubs, planting beds, signs, or other permitted fixtures shall be planted with turf or other living groundcover.
- c. Where a row of parking spaces faces a public street, tree islands shall be provided at intervals of one per 15 spaces. The islands shall extend the full length of the parking space and shall be a minimum width of 10 feet. Trees planted in the islands shall be selected, installed and maintained in accordance with Secs. [17.400](#), [17.500](#) and [17.600](#).
- iv. No site developed prior to December 9, 2002, shall be required to conform to the landscaping requirements of this section unless the site is being redeveloped or there is a 30% or more increase in the existing square footage of building area and/or reconstruction of the existing parking lot.

J. Landscaping/Screening for Parking Lots Adjacent to Residential Areas

Where parking is within 50 feet of residentially-zoned property and is not screened from view by a wall, berm, or other screen specified in [Article 20](#), a continuous screen of shrubs (5-gallon minimum) must be placed adjacent to the parking. The required landscaping shall comply with the following regulations:

- i. The required shrubs shall create a minimum 3-foot tall screen within 2 years of planting.
- ii. Drought and freeze-resistant shrubs shall be used including, but not limited to, Photinia, Dwarf Burford Holly, Dwarf Chinese Holly, or Dwarf Yaupon Holly. Other plants may be used with staff approval.
- iii. All plant materials shall be selected, installed, and maintained in accordance with Secs. [17.400](#), [17.500](#) and [17.600](#).

.5 Special District Requirements

(ZC2023-002; Ordinance No. 2023-9-13)

A. Shy Zone Setbacks

The BG district utilizes a “Shy Zone” approach to front yard setbacks. The shy zone functions like a traditional setback, except that it allows for encroachments of certain architectural and site design elements that enhance the streetscape and provide visual interest to buildings. Shy zones are based on the planned right-of-ways in the Street Design Standards and Thoroughfare Plan Map, rather than property lines. Shy zones must conform to the following criteria:

- i. Shy zones shall be measured from the outside edge of the cross-sections listed in the Street Design Standards (See [Figure 10-2](#)). Shy zones vary by street type as follows:

Street Classification	Shy Zone
Downtown Couplet	4 feet
Gateway Corridors	4 feet
Mixed-Use Local Streets	3 feet
Residential Local Streets	10 feet
Mews Streets and Special Streets	3 feet
Unspecified Streets	4 feet




Figure 10-2: Shy Zone Example

- ii. Where the planned right-of-way varies from the standard cross-sections provided in the Street Design Standards due to the provision of angled parking; wider travel lanes, green zones, or sidewalks; fire lane requirements; or other authorized variations, the shy zone shall be measured from the outside edge of planned right-of-way inclusive of such variations. See [Figure 10-3](#).

[Remainder of page intentionally blank]




Figure 10-3: Shy Zone Examples with Variations

- iii. At least two-thirds of the front façade of the building shall fall within 10 feet of the shy zone setback unless restricted by easements. Where easements are present, at least two-thirds of the front façade of the building shall be built to the easement line.
- iv. Architectural and site design features such as sidewalks, patios, porches, stoops, balconies, awnings, outdoor seating, foundation plantings, planter boxes, ornamental trees, signs, light fixtures, leader heads and downspouts, roof overhangs, and accessibility ramps may encroach within the shy zone.
- v. For multifamily and nonresidential buildings, architectural design features used to provide building articulation may encroach up to one foot into the shy zone. These encroachments are limited to a total of no more than 50% of the front façade (where the shy zone is 3 feet, up to 1 foot is allowed in shy zone).
- vi. Enclosed habitable floor area and parking spaces may not encroach within the shy zone (with the exception for the second floor and above, if the ground floor includes a minimum 7-foot sidewalk separated from the street by a colonnade along the entire block face).

- vii. Utility connections are permitted in the shy zone where screened or camouflaged.
- viii. On corner lots, shy zone requirements also apply to the side yard adjacent to a street.

- B. A nonconforming building may be reconstructed to its original setback for any building reconstruction initiated within five years of demolition. Reconstruction projects which go dormant or are not completed are no longer qualified for this allowance.
- C. Street types and cross-sections should use the Mixed-Use Local Street type in the Downtown Streets Plan of the Street Design Standards.

D. First Floor Use

No building, excluding parking structures, in the area bounded by 14th Street on the south, the DART right-of-way on the west, 16th Street on the north, and Municipal/L Avenue on the east, shall have more than 60% of its total linear frontage on Downtown Couplet or Gateway Corridors, as defined on the Thoroughfare Plan Map, devoted to residential use. (ZC2011-30; Ordinance No. 2011-10-17; ZC2008-51; Ordinance No. 2008-5-33)

E. Special Regulations for Multifamily Residences

- i. Minimum Floor Area per Dwelling Unit:

Unit Type	Minimum Floor Area
Efficiency	400 square feet
1 bedroom	475 square feet
2 bedroom	625 square feet
Each additional bedroom	150 square feet

- ii. In buildings greater than 100 units, the following regulations apply:
 - a. A minimum of 20% of units must be 2 bedrooms or more; and
 - b. The average unit size will be a minimum of 700 square feet.
- iii. Minimum Density: 40 dwelling units per acre. (ZC2014-36; Ordinance No. 2015-1-9)
- iv. No more than 300 dwelling units may be located within any block bounded by streets, public ways, and/or railroad or transit rights-of-way. (ZC2011-30; Ordinance No. 2011-10-17; ZC2008-51; Ordinance No. 2008-5-33)
- v. Usable open space requirements as specified in Sec. [13.800](#) shall not apply.
- vi. The above requirements shall also apply to situations where only one or 2 units are included in a building.

F. Special Regulations for Single-Family Attached Residences (townhouses)

- i. Each dwelling unit shall be on an individually-platted lot. No more than 50% of the lots within a development may abut a mews street as the only point of street frontage and access.
- ii. Maximum Density: 40 dwelling units per acre

- iii. Minimum Floor Area per Dwelling Unit: 800 square feet
- iv. Maximum Building Length: 200 feet
- v. Buildings must be separated by a minimum distance of 10 feet.
- vi. No usable open space areas are required.
- vii. Each dwelling unit shall have a garage with a minimum of 2 parking spaces. Garage entrances shall be allowed only from a mews street or alley. The distance from the garage to the travel lane of the alley or mews street shall be 5 or less feet in length or shall be 20 feet or greater in length. The elimination of the garage space, by enclosing the garage with a stationary wall, shall be prohibited.
- viii. Fencing is allowed in the front yard setback up to 8 feet in height. Fencing is restricted to wrought iron, tubular steel, tubular aluminum, or masonry. Fencing must be 50% open in construction for each unit. Each unit with a fence in the front yard must have an operable gate that opens to the street.

.6 Sign Regulations

(ZC2014-12; Ordinance No. 2014-7-12)

A. Purpose

The purpose of this section is to regulate the construction of new signs and alterations made to existing signs to ensure consistency with the historic, urban, pedestrian-oriented nature of this district, and the dense, compact development absent in other areas of the city. The objective of this section is to ensure (1) that new signage is appropriate to the architectural design of the building and the district and (2) that signs do not visually obscure significant architectural features of a building or the district in general.

B. General Provisions

i. Issuance of Sign Permit and Certificate of Appropriateness

Signs shall conform to the criteria in this section and to appropriate city codes, including obtaining a Certificate of Appropriateness if located in a Heritage Resource Overlay District, prior to issuance of a sign permit. *(ZC2016-025; Ordinance No. 2016-8-6)*

ii. Compatibility with Building Architecture

Signs should generally be designed to be compatible with the architectural composition of the building and the district and not obscure any architectural accent, pattern, or object on the original structure.

iii. Sign Materials

Sign finish materials shall be one of the following:

- a. Metal, painted or enameled.
- b. Cold cathode tube (neon).
- c. Carved relief in stone or cast stone.
- d. Wood or carved wood which is painted or sealed.

- e. The use of plastic on the exterior of a sign is prohibited, except on a marquee and institution signs.

iv. Lighting of Signs

- a. All electrical shall comply with the currently adopted version of the National Electrical Code.
- b. Buildings and signs may be illuminated by remote light sources provided that these light sources are shielded to protect adjacent properties.
- c. No illuminated sign may contain flashing or moving elements or change its brightness. (Exception: historic signs.)
- d. No sign, except a marquee and institution signs, may be illuminated by fluorescent or back lighting. Institution signs with a reader board/electronic message center shall be illuminated in accordance with Sec. ~~22.300.6~~ (Exception: historic signs.)

v. Historic Signs

Historic signs shall not be calculated in the number or area of allowed signs for the purposes of this ordinance. They shall not be considered nonconforming unless deemed noncontributing through the Certificate of Appropriateness process.

vi. Pedestrian Clearance

A minimum clearance of seven feet shall be maintained below signs that are located over a walkway area measured from the walkway surface to the lowest part of the sign. (Exception: projecting signs that extend no more than 20 inches from a wall.)

vii. Community Special Events

City Council or the City Manager may authorize signs to advertise patriotic, special events, or special projects of general public interest.

viii. Encroachment onto Public Right-of-Way

Any sign that is located upon or overhangs a public right-of-way shall be governed by a franchise agreement with the City of Plano.

ix. Special Event Signage

Special event signage shall be reviewed as part of the overall Special Event Permit as set out in the Code of Ordinances, City of Plano.

C. Signs Exempt

Signs with a sign area under four square feet and used in the operation of a business, such as hours of operation, credit cards accepted , and parking information shall not require a sign permit.

D. Signs Allowed/Prohibited

i. Allowed Signs

The following signs shall be allowed:

- a. All signs specifically permitted in this section.
- b. Development or construction signs.

- c. Real estate signs.

- ii. **Prohibited Signs**

The following signs are prohibited:

- a. Any sign not specifically permitted by this section is prohibited.
- b. Any sign that flashes, blinks, revolves, or is put into motion by the atmosphere will not be permitted unless otherwise allowed in this section.
- c. Portable signs, except for a-frame or sandwich board signs, will not be permitted.

- E. **Permitted Signs**

- i. A-frame/Sandwich Board Sign
- ii. Armature Sign
- iii. Awning Sign
- iv. Banner Sign
- v. Directory Sign
- vi. Hanging Sign
- vii. Institution Sign
- viii. Marquee Sign
- ix. Municipally-owned Sign
- x. Mural Sign
- xi. Onsite Directional Sign
- xii. Projecting Sign
- xiii. Wall Sign - Attached
- xiv. Window Sign

- F. **Sign Standards**

- i. **General**

- a. Each business with direct first floor access is permitted one hanging, awning, or wall sign and one armature sign per street frontage.
- b. Each building is permitted one building identification sign.

- ii. **A-frame/Sandwich Board Signs**

- a. **General**

No more than one a-frame or sandwich board sign per business shall be allowed, and a minimum of four feet of clear sidewalk shall be maintained at all times. The sign shall be sufficiently weighted or anchored to prevent movement by wind or other elements.

b. Sign Area and Size

No a-frame or sandwich board sign shall exceed eight square feet per face or four feet in height. The entire sign structure shall be calculated as the total of sign area.

iii. Armature Signs

a. Sign Area

The sign area of any one face shall not exceed 16 square feet in area. The sign area of an armature sign shall not comprise more than 70% of the entire sign structure.

b. Sign Size

The maximum height of an armature sign structure shall be six feet. The maximum width shall be four feet.

c. Location

An armature sign may be placed adjacent to the public right-of-way provided it does not encroach on the sight visibility triangle and is a minimum of six feet from the outside curb line.

iv. Awning Signs

a. Sign Location

The awning sign shall be located within the center 75% of the frontage of the awning, the tenancy, or the building face, whichever is least. Awning signs must maintain a minimum border of one inch between the letters or logo and the edge or a change of plane.

b. Sign Size

The maximum size of letters shall be eight inches. A logo may extend up to 12 inches tall provided the appropriate border is maintained.

v. Banner Signs

a. General

Each business shall be allowed two banner permits per calendar year, and each permit shall be good for a maximum of 30 days. A minimum of 30 days shall be required between each banner permit. Banners shall be kept in good repair and remain firmly anchored or secured.

b. Location and Content

No more than one banner sign shall be permitted across the facade of a building or business or in any other location on a single property. The city, or an agent of the city, may mount banners on street light standards and/or across the street for special events, subject to installation policy and the following regulations:

- i. A banner must display artwork or a message that pertains to the district, a holiday, a welcome, or a special event.
- ii. Up to ten percent of the effective area of a banner may contain the words or logos that identify a sponsor of a cultural event or activity.

- iii. No more than two banner signs shall be permitted across any one street between two intersecting streets.

vi. Building Identification Signs

Building identification signs shall be considered as projecting signs or wall signs, attached or painted, for purposes of this section, except when historic.

vii. Directory Signs

a. General

On multi-tenant buildings where there are two or more tenants without direct outside access to a public street, a directory sign may be allowed. One directory sign per street, alley, or mews face is permitted. (ZC2016-025; Ordinance No. 2016-8-6)

b. Type

A directory sign may take the form of an armature sign, projecting sign on ground floor of a building, or wall sign on ground floor of a building and must follow the regulations for each.

c. Sign Area

A directory sign may contain four square feet, with an additional one-and-a-half square feet, for each tenant having a separate lease space, up to a maximum area of ten square feet.

viii. Hanging Signs

a. Location

Hanging signs must maintain a minimum clearance of seven feet above the sidewalk and one foot from the curb.

b. Sign Area

No hanging sign area shall exceed six square feet in area per face.

ix. Marquee Signs

a. General

Marquee signs shall be permitted only on a theater or performance hall. Only one marquee sign shall be allowed for each building containing a theater or performance hall.

b. Lighting

A marquee sign may have backlighting, exposed incandescent bulbs, or neon lighting.

c. Sign Area

The sign area of a marquee sign on a facility with a seating capacity of 750 or less may not exceed 100 square feet in area, including all sign faces. The sign area of a marquee sign on a facility with a seating capacity of more than 750 may not exceed 200 square feet.

d. Sign Size

Marquee signs must not exceed six feet in height and must maintain a minimum clearance of eight feet above the sidewalk.

x. Municipally-owned Signs

Municipally-owned signs shall be regulated by Sec. [22.300](#).

xi. Mural Signs

Mural signs shall be regulated by Sec. [22.300](#). (ZC2016-025; Ordinance No. 2016-8-6)

xii. Onsite Directional Signs

Onsite directional signs shall not exceed eight square feet or 30 inches in height and shall not contain advertising.

xiii. Projecting Signs

a. General

Projecting signs greater than 20 inches in width must maintain a minimum clearance of seven feet above the ground or sidewalk and two feet from the curb. A projecting sign must not extend above the wall to which it is attached.

b. Sign Area and Structure Size

A projecting sign located within seven feet of the ground or sidewalk shall not exceed five square feet in area per face. The area per face of a projecting sign located over seven feet above the ground or sidewalk shall be calculated based on the total height of the wall to which the sign is attached at one square foot per one foot of wall height. The maximum height of the total sign structure shall not exceed one-third of the total height of the wall to which it is attached and shall not project more than six feet.

xiv. Wall Signs - Attached

a. General

An attached wall sign must be mounted parallel to the wall surface and may not extend above the wall to which it is attached. Attached wall signs may not project more than six inches from the wall surface.

b. Sign Area and Structure Size

The maximum permitted sign area for a single business or single storefront shall be one square foot per linear foot of business frontage along a public street, alley, or mews. The width of the sign structure shall not exceed half the width of the business's linear frontage. The maximum height of the sign structure shall not exceed one-third of the total height of the wall to which it is attached. (ZC2016-025; Ordinance No. 2016-8-6)

c. Wall Signs Used for Building Identification Purposes

The sign area for an attached wall sign used for building identification purposes shall be calculated based on the width of the building's facade to which the sign is attached. The width of the sign structure shall not exceed half the width of the building's linear frontage. The maximum height of the sign structure shall not exceed one-third of the total height of the wall to which it is attached.

xv. Wall Signs - Painted

a. Sign Area

The maximum permitted sign area for a single business or single storefront shall be one square foot per linear foot of business frontage along a public street, alley, or mews. The width of the sign shall not exceed half the width of the business's linear frontage. The maximum height of the sign shall not exceed one-third of the total height of the wall to which it is attached. *(ZC2016-025; Ordinance No. 2016-8-6)*

b. Wall Signs Used for Building Identification Purposes

The sign area for a painted wall sign used for building identification purposes shall be calculated based on the width of the building's facade to which the sign is attached. The width of the sign shall not exceed half the width of the building's linear frontage. The maximum height of the sign shall not exceed one-third of the total height of the wall to which it is attached.

xvi. Window Signs

a. General

Window signs shall only be permitted on the ground floor of a building.

b. Sign Area

- i. No window sign or signs shall cover more than 25% of any individual window.
 - ii. Window signs that exceed 15% of an individual window shall obtain a permit, unless the sign is a noncommercial temporary sign. All window signs located in a Heritage Resource Overlay District, except for Incidental Signs, require a Certificate of Appropriateness. *(ZC2016-025; Ordinance No. 2016-8-6)*
 - iii. Window sign area shall not exceed 40 square feet on any facade.
- c.** Signs may be applied to, attached to, or located within 12 inches of a window on the interior of the establishment.

xvii. Institution Signs

Institution signs shall not exceed 32 square feet with a maximum height of six feet, and shall be monument-type signs. Required setback shall be eight feet from the front property line (or any property line adjacent to a street) and 30 feet from any adjoining property line. Institution signs are limited to one per street front along major streets only as defined by Sec. [10.800.5A.i](#)

10.900 CB-1, Central Business-1 District

.1 Purpose

The CB-1 district is intended for use in conjunction with the CE district to permit a highly concentrated business center similar to traditional downtown areas of major cities.

.2 Permitted Uses

See the nonresidential districts use table in Sec. [14.200](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

The following area, yard, and bulk requirements apply to all development in the CB-1 district unless otherwise expressly stated:

Description	Residential Requirement	Nonresidential Requirement
Maximum Residential Density	21.5 units per acre; 174 units per acre if over 3 story	N/A
Minimum Lot Area	8,400 square feet	None
Minimum Lot Width	70 feet	None
Minimum Lot Depth	120 feet, 1–3 story; 200 feet, 4+ story	None
Minimum Front Yard	None, except as provided in Sec. 15.800 and Sec. 13.500.2	None, except as provided in Sec. 13.500.2
Minimum Side Yard	None, except as provided in Sec. 15.800 and Sec. 13.500.3	None, except as provided in Sec. 13.500.3
Maximum Side Yard	None	None
Minimum Rear Yard	None (See Sec. 15.800 and Sec. 13.500.4) (ZC98-15)	10 feet, where no alley abuts the rear property line (See Sec. 13.500.4)
Minimum Floor Area per Dwelling Unit	400 square feet, with no more than 10% of the units less than 550 square feet (ZC98-15)	N/A
Maximum Lot Coverage	None	None (See Sec. 10.900.5A.vii)
Maximum Height	None	None
Minimum Open Space	100 square feet per unit (ZC2023-012; Ord. No. 2023-8-16, ZC2019-011; Ord. No. 2019-8-8)	None

.4 Parking Regulations

In addition to the requirements in [Article 16](#), the following requirements shall apply:

- A. Off-street parking for any residential use permitted in the district shall be 1.5 spaces for each dwelling unit. The minimum parking requirements for any other use requiring the approval of a site plan shall be as established on the site plan. (ZC98-15)
- B. Any off-street parking requirements may be provided offsite even if such sites are nonadjacent or noncontiguous or within a different zoning district, provided that binding agreements exist which will ensure the availability of such off-street parking for the reasonable useful life of the building or project to be built on the site. Such off-street parking shall be located within 600 feet of the site, measured as the shortest possible distance in a straight line from the closest property line of the site to the closest point on the parking structure or lot.

- C. Up to 50% of the off-street parking requirements for any general office and/or manufacturing, processing, or repair use may be satisfied without site plan approval by utilizing compact car parking spaces, as defined in [Article 16](#).

.5 Special District Requirements

A. Miscellaneous

- i. District requires a minimum contiguous area of 100 acres.
- ii. The City Council, at the time of granting CB-1 district zoning to any tract of land, will have the authority to modify the district requirements and may require additional standards deemed necessary to create a reasonable transition to, and protection of, adjacent property and public areas including, but not limited to, light and air orientation, type and manner of construction, setbacks, lighting, landscaping, management associations, open space, and screening.
- iii. The City Council, at the time of granting CB-1 district zoning to any tract of land, will have the authority to limit multifamily uses to certain designated locations within such tract and to limit the number of multifamily units to be built on such designated locations.
- iv. A general phasing plan for the total development of the property will be approved at the time of concept plan approval. (*ZC2009-03; Ordinance No. 2009-5-31*)
- v. The general allocation of permitted density levels of development on the various sections of the property will be approved at the time of concept plan approval. (*ZC2009-03; Ordinance No. 2009-5-31*)
- vi. Site plan approval in accordance with [Article 3](#) will be required for development of property.
- vii. For vehicle fueling stations, canopies must be considered as an accessory structure and should be included in all calculations of lot coverage. (A maximum 30% of the lot may be covered by the primary and/or accessory structures) (*ZC2017-014; Ord. No. 2017-7-9*)
- viii. Sites for fire stations, police stations, schools, water towers, and reservoirs shall be provided at such time, if ever, as such sites are determined to be necessary. (*ZC2023-012; Ord. No. 2023-8-16; ZC2022-016, Ord. No. 2023-2-5*)

B. Overall Density Restriction

The City Council, at the time of granting CB-1 district zoning to any tract of land, may impose an overall density requirement on such tract.

C. Location of Uses

- i. No radio, television, or microwave tower shall be located within a distance from any residential structure equal to at least the height of such tower. No residential structure shall be located within a distance from any radio, television, or microwave tower equal to at least the height of such tower. Such distance shall be measured as the shortest possible distance in a straight line

from the closest point of the tower to the closest point of the residential structure.

- ii. No radio, television, or microwave tower shall be located within a distance equal to at least the height of such tower from any area zoned residential by the City of Plano or shown as residential on the then existing Land Use Plan of the City of Plano. Such distance shall be measured as the shortest possible distance in a straight line from the closest point of the tower to the closest point of such area.
- iii. Notwithstanding the foregoing such uses may be located in closer proximity by specific use permit.

[Remainder of page intentionally blank]

10.1000 CE, Commercial Employment District

(ZC2022-016; Ord. No. 2023-2-5)

.1 Purpose

The CE district is intended to provide the flexibility for an integrated development that may include retail, office, commercial, and light manufacturing. The major focus of the CE district is to be corporate headquarters and research facilities arranged in a campus-like setting.

.2 Permitted Uses

See the nonresidential districts use table in Sec. [14.200](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

The following area, yard, and bulk requirements apply to all development in the CE district unless otherwise expressly stated:

Description	Requirement
Minimum Lot Area	None
Minimum Lot Width	None
Minimum Lot Depth	None
Minimum Front Yard	50 feet, except as provided below and in Sec. 13.500.2 .
Minimum Side Yard	
Interior Lot	None, except as provided in Sec. 13.500.3 .
Corner Lot	50 feet on street side
Maximum Side Yard	None
Minimum Rear Yard	10 feet where no alley abuts the rear property line (See Sec. 13.500.4)
Maximum Lot Coverage	50% retail; 40% all other uses (See Sec. 10.1000.6A.ix)
Maximum Height	
Where adjacent to existing or planned residential zoning	
0 - 400 feet setback	2 story
401 - 600 feet setback	4 story
601 - 800 feet setback	6 story
More than 800 feet setback	No restriction, except as provided for under Sec. 13.500.2 .
Where adjacent to existing or planned residential zoning but separated by a Type B or higher thoroughfare	
0 - 600 feet setback	4 story
601 - 800 feet setback	6 story
More than 800 feet setback	No restriction, except as provided for under Sec. 13.500.2 .

.4 Landscaping

[Article 17](#) shall apply, except as amended to require 7% of the lot area to be used for landscaping for retail and requiring 15% of the lot area to be used for landscaping for all other types of use and development.

.5 Parking Regulations

In addition to the requirements in [Article 16](#), the following requirements shall apply:

- A. Any off-street parking requirements may be provided offsite even if such sites are nonadjacent or noncontiguous or in a different zoning district, provided that binding agreements exist which will ensure the availability of such off-street parking for the reasonable useful life of the building or project to be built on the

site. Such off-street parking shall be located within 600 feet of the site, measured as the shortest possible distance in a straight line from the closest property line of the site to the closest point on the parking structure or lot.

- B. Up to 50% of the off-street parking requirements for any general office and/or manufacturing, processing, or repair use may be satisfied without site plan approval by utilizing compact car parking spaces, as defined in [Article 16](#).

.6 Special District Requirements
(ZC2002-33; Ord. No. 2002-8-14)

A. Miscellaneous

- i. District requires a minimum contiguous area of 200 acres.
- ii. Parking structures or surface parking facilities shall be excluded in computing lot coverage.
- iii. A minimum front yard of 50 feet shall be required; provided, however, none of the off-street parking requirements set forth in [Article 16](#) shall be met utilizing the first 20 feet of such front yard.
- iv. The City Council, at the time of granting CE district zoning to any tract of land, shall have the authority to modify the district requirements, and may require additional standards deemed necessary to create a reasonable transition to, and protection of, adjacent property and public areas including, but not limited to, light and air orientation, type and manner of construction, setbacks, lighting, landscaping, management associations, open space, and screening.
- v. Sites for fire stations, police stations, schools, water towers, and reservoirs shall be provided at such time, if ever, as such sites are determined to be necessary.
- vi. A general phasing plan for the total development of the property shall be approved at the time of concept plan approval. (ZC2009-03; Ordinance No. 2009-5-31)
- vii. The general allocation of permitted density levels of development on the various sections of the property shall be approved at the time of concept plan approval. (ZC2009-03; Ordinance No. 2009-5-31)
- viii. Site plan approval in accordance with [Article 3](#) shall be required.
- ix. For vehicle fueling stations, canopies shall be considered as an accessory structure and should be included in all calculations of lot coverage. (A maximum 30% of the lot may be covered by the primary and/or accessory structures) (ZC2017-014; Ord. No. 2017-7-9)
- x. For mini-warehouse/public storage developments, a maximum 50% lot coverage shall be allowed.

B. Location of Uses

- i. **Radio, Television, or Microwave Tower**
No radio, television, or microwave tower shall be located within a distance from any residential structure equal to at least the height of such tower. Such

distance shall be measured as the shortest possible distance in a straight line from the closest point of the tower to the closest point of the residential structure.

No radio, television, or microwave tower shall be located within a distance equal to at least the height of such tower from any area zoned residential by the City of Plano or shown as Neighborhoods on the then-existing Future Land Use Map of the City of Plano. Such distance shall be measured as the shortest possible distance in a straight line from the closest point of the tower to the closest point of such area. Notwithstanding the foregoing, such uses may be located in closer proximity by specific use permit.

ii. Heliport or Helistop

No heliport or helistop shall be located within 1,000 feet of any lot, tract, or parcel upon which a residence or dwelling is located or within 1,000 feet of any area zoned residential or shown as Neighborhoods on the then-existing Future Land Use Map. The measurement of the 1,000 feet is to be made in a straight, horizontal line from the edge of the heliport landing or helistop pad to the closest prohibited property line, provided that this provision shall not apply to those hospitals which maintain a helistop or heliport for medical emergency flight purposes. Notwithstanding the foregoing, such uses may be located in closer proximity by specific use permit. (See [15.600](#) for other provisions)

iii. Vehicle Fueling Station

(ZC2017-014; Ord. No. 2017-7-9)

- a. No vehicle fueling station shall be located within 400 feet of any residential structure.
- b. No vehicle fueling station shall be located within 400 feet of any area zoned residential by the City of Plano or shown as Neighborhoods on the then-existing Future Land Use Map of the City of Plano.
- c. Such distances shall be measured as the shortest possible distance in a straight line from the closest point of the vehicle fueling station to the closest point of the residential structure or area, as the case may be. Notwithstanding the foregoing, such uses may be located in closer proximity by specific use permit.

iv. Multifamily Residences and Independent Living Facilities

Independent living facility, mid-rise residential, and multifamily residence developments constructed prior to February 27, 2023 and proposed independent living facility, mid-rise residential, and multifamily residence projects vested under Chapter 245 of the Local Government Code prior to February 27, 2023 are permitted. Any remodeling, reconstruction, redevelopment, or other improvements shall not increase the floor area or number of dwelling units of a particular structure or site.

[Remainder of page intentionally blank]

10.1100 RC, Regional Commercial District

(ZC2000-68; Ord. No. 2000-10-11)

.1 Purpose

The RC district is a cultural district intended for use in conjunction with an RE district in high visibility locations which are of regional cultural importance to the community due to its significance for generating economic investment. It provides for retail and service uses at appropriate nodes within the corridor of specified tollways and expressways serving Plano and surrounding communities, in addition to office and limited manufacturing uses. The district's standards are designed to ensure compatibility between various uses within a corridor and surrounding residential neighborhoods. (ZC2023-012; Ord. No. 2023-8-16, ZC2019-011; Ord. No. 2019-8-8)

.2 Permitted Uses

See the nonresidential districts use table in Sec. [14.200](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

Building placement and bulk are subject to compliance with building and fire codes.

Description	Requirement
Minimum Lot Area	None
Minimum Lot Width	None
Minimum Lot Depth	None
Minimum Front Yard (ZC2023-002; Ordinance No. 2023-9-13)	50 feet except as specified in Sec. 13.500.2
Minimum Side Yard	
Interior Lot	None
Corner Lot	50 feet on street side
Minimum Rear Yard	None
Other Setback Requirements (ZC2001-08; Ord. No. 2001-5-28)	<p>In addition to the front yard, side yard, rear yard, and maximum height requirements noted above, the following minimum residential setback slope requirements from residential zoning districts shall apply to all main buildings, parking structures, and accessory buildings as measured from the district boundary line of the nearest residential district:</p> <p>A minimum setback of 50 feet as measured from the property line or 3 times the height, minus 30 feet, as measured from the nearest residential district boundary line is required, whichever is more restrictive. Conversely, the allowed height of a main building, parking structure, or accessory building, at a certain setback, would be equal to one-third the setback plus 10 feet.</p> <p>A maximum height of 8 stories or 140 feet, whichever is more restrictive, shall extend for a distance of 1,000 feet from the nearest residential district boundary line.</p> <p>Beyond 1,000 feet, the setback shall be increased at a rate of one time the height of that portion above 140 feet or 8 stories, whichever is more restrictive, up to 325 feet in height or 20 stories, whichever is more restrictive.</p> <p>See 10.1100.6D for an illustration of these residential setback slope requirements.</p>
Maximum Height (ZC2001-08; Ord. No. 2001-5-28)	<p>20 story, not to exceed 325 feet in height</p> <p>Structured parking is limited to 3 levels total at or above grade and may be further restricted by applicable yard and setback requirements. Grade level parking counts as one of the 3 total levels. Below grade parking may</p>

Description	Requirement
	be constructed in addition to the 3 levels of at or above-grade parking, provided that at least one-half of the height of the level is below the average elevation of the ground, prior to berming, using measurements taken at each corner of the parking structure.
Maximum Lot Coverage	50%, 70% if structured parking facilities are included
Maximum Floor Area Ratio	1:1

.4 Parking Requirements

(See [Article 16](#))

.5 Landscaping

(See [Article 17](#) and Sec. [10.1100.6](#))

.6 Special District Requirements

The design and orientation of buildings and related elements shall be in accordance with the following:

- A. Loading docks or spaces, trash collection facilities (dumpsters, compactors, and related devices), and vehicle or truck service bays shall be located a minimum of 100 feet from rights-of-way of Type C and above thoroughfares that form a boundary between an RC district and adjacent zoning districts. The Planning & Zoning Commission may require wing walls or other techniques to visually screen loading docks or spaces, trash collection facilities and service bays from surrounding streets. In addition to the requirements for placement and screening of these facilities as outlined above and in [Article 16](#) and [Article 20](#), any loading docks or spaces, trash collection facilities, or service bays which face toward the parallel Type C and above thoroughfares and which are not blocked from view by a building or other structure shall be screened by increased landscaping requirements. In such instances, a 50-foot landscape edge will be required for the full length of the lot or parcel under development. Earthen berms of at least 4 feet in height, as measured from the finished grade of the lot, shall be placed within the landscape edge. The berms shall have a maximum slope of 4 to 1, requiring at least 4 feet of horizontal width for every one foot in vertical height. The berms may be placed within the required front yard only when used to screen loading spaces, trash collection facilities, and service bays. The landscape edge shall include one 3-inch caliper shade tree and one ornamental tree (7-foot planted height) per 25 feet of frontage on specified thoroughfares. Driveways may extend through the landscape edge if they meet the city's requirements for location, design, and traffic visibility. (ZC2017-014; Ord. No. 2017-7-9)
- B. [Reserved] (ZC2023-019, Ord. No. 2024-2-7)
- C. Roof-mounted mechanical units shall be screened in accordance with Sec. [20.300](#). Ground-mounted mechanical units shall be screened from view by walls constructed of the same materials and finishes as the building or by a solid landscape screen. These screens shall be a minimum of 6 feet in height. Plants must be placed so as to create a 6-foot tall solid screen within 2 years of installation. All landscaping must be irrigated and must be replaced if damaged.
- D. Cross-access easements shall be provided in accordance with Section 5.2, Lot Design and Improvements, of the City of Plano Subdivision Ord. No. 95-4-25 and its

subsequent amendments. In addition to requiring cross access to median openings, cross-access easements may be required to provide access to at least 2 public thoroughfares. The Planning & Zoning Commission may determine that cross access is not appropriate for reasons of security, safety, or circulation.

- E. The special residential setback slope requirements described in Sec. [10.1100.3](#) are illustrated in [Figure 10-4](#). (ZC2023-002; Ordinance No. 2023-9-13)

[Remainder of page intentionally blank]

10.1200 RE, Regional Employment District
(ZC2000-68; Ord. No. 2000-10-11)

.1 Purpose

The RE district is a cultural district intended to provide for office and limited manufacturing uses in high visibility locations which are of regional cultural importance to the community due to its significance for generating economic investment that are consistent with the regional status of certain tollways and expressways serving Plano and surrounding communities. Some retail uses are also appropriate when developed in conjunction with the primary uses. The district's standards are designed to ensure compatibility between the various uses within a corridor and surrounding residential neighborhoods. (ZC2023-012; Ord. No. 2023-8-16, ZC2019-011; Ord. No. 2019-8-8)

.2 Permitted Uses

See the nonresidential districts use table in Sec. [14.200](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

Building placement and bulk are subject to compliance with building and fire codes.

Description	Requirement
Minimum Lot Area	None
Minimum Lot Width	None
Minimum Lot Depth	None
Minimum Front Yard (ZC2023-002; Ordinance No. 2023-9-13)	50 feet except as specified in Sec. 13.500.2
Minimum Side Yard	
Interior Lot	None
Corner Lot	50 feet on street side
Minimum Rear Yard	None
Other Setback Requirements (ZC2001-08; Ord. No. 2001-5-28)	<p>In addition to the front yard, side yard, rear yard, and maximum height requirements noted above, the following minimum residential setback slope requirements from residential zoning districts shall apply to all main buildings, parking structures, and accessory buildings as measured from the district boundary line of the nearest residential district:</p> <p>A minimum setback of 50 feet as measured from the property line or 3 times the height, minus 30 feet as measured from the nearest residential district boundary line is required, whichever is more restrictive.</p> <p>Conversely, the allowed height of a main building, parking structure or accessory building, at a certain setback, would be equal to one-third the setback plus 10 feet.</p> <p>A maximum height of 8 stories or 140 feet, whichever is more restrictive, shall extend for a distance of 1,000 feet from the nearest residential district boundary line.</p> <p>Beyond 1,000 feet, the setback shall be increased at a rate of one time the height of that portion above 140 feet or 8 stories, whichever is more restrictive, up to 325 feet in height or 20 stories, whichever is more restrictive.</p> <p>See 10.1200.6D for an illustration of these residential setback slope requirements.</p>
Maximum Height (ZC2001-08; Ord. No. 2001-5-28)	<p>20 stories, not to exceed 325 feet in height</p> <p>Structured parking is limited to 3 levels total at or above-grade and may be further restricted by applicable yard and setback requirements. Grade level parking counts as one of the 3 total levels. Below grade parking may</p>

Description	Requirement
	be constructed in addition to the 3 levels of at or above-grade parking, provided that at least one-half of the height of the level is below the average elevation of the ground, prior to berming, using measurements taken at each corner of the parking structure.
Maximum Lot Coverage	50%, 70% if structured parking facilities are included
Maximum Floor Area Ratio	1:1

.4 Parking Requirements

(See [Article 16](#))

.5 Landscaping

(See [Article 17](#), and Secs. [11.300](#) and [10.1200.6](#))

.6 Special District Requirements

A. The design and orientation of buildings and related elements shall be in accordance with the following:

i. Loading docks or spaces, trash collection facilities (dumpsters, compactors, and related devices), and vehicle or truck service bays shall be located a minimum of 100 feet from rights-of-way of Type C and above thoroughfares that form a boundary between an RE district and adjacent zoning districts. The Planning & Zoning Commission may require wing walls or other techniques to visually screen loading docks or spaces, trash collection facilities, and service bays from surrounding streets. In addition to the requirements for placement and screening of these facilities as outlined above and in [Article 16](#) and [Article 20](#), any loading docks or spaces, trash collection facilities, or service bays which face toward the parallel Type C and above thoroughfares and which are not blocked from view by a building or other structure shall be screened by increased landscaping requirements. In such instances, a 50-foot landscape edge will be required for the full length of the lot or parcel under development. Earthen berms of at least 4 feet in height, as measured from the finished grade of the lot, shall be placed within the landscape edge. The berms shall have a maximum slope of 4 to 1, requiring at least 4 feet of horizontal width for every one foot in vertical height. The berms may be placed within the required front yard only when used to screen loading spaces, trash collection facilities, and service bays. The landscape edge shall include one 3-inch caliper shade tree and one ornamental tree (7-foot planted height) per 25 feet of frontage on the specified thoroughfare. Driveways may extend through the landscape edge if they meet the city's requirements for location, design, and traffic visibility. (ZC2017-014; Ord. No. 2017-7-9)

ii. [Reserved] (ZC2023-019, Ord. No. 2024-2-7)

iii. Roof-mounted mechanical units shall be screened in accordance with Sec. [20.300](#). Ground-mounted mechanical units shall be screened from view by walls constructed of the same materials and finishes as the building or by a solid landscape screen. These screens shall be a minimum of 6 feet in height. Plants must be placed so as to create a 6-foot tall solid screen within 2 years of installation. All landscaping must be irrigated and must be replaced if damaged.

- iv. Cross-access easements shall be provided in accordance with Section 5.2, Lot Design and Improvements, of the City of Plano Subdivision Ord. No. 95-4-25 and its subsequent amendments. In addition to requiring cross access to median openings, cross-access easements may be required to provide access to at least 2 public thoroughfares. The Planning & Zoning Commission may determine that cross access is not appropriate for reasons of security, safety, or circulation.
- B. Retail and service uses with the accompanying note “44” in the use tables Sec. [14.100](#) or Sec. [14.200](#) may not occupy more than 10% of the gross floor area of a building unless the building and the designated location and amount of such uses are part of an approved site plan for more than one building, and the amount of space for these uses does not exceed 10% of the combined floor area of all constructed buildings. The space for these uses may be redistributed within and among the buildings with the approval of a revised site plan. If a site plan includes multiple lots, all property owners must authorize the application. These uses may not be distributed among noncontiguous parcels of land.
- C. A freestanding (sole use and occupant) restaurant/cafeteria is permitted in an RE if it has a minimum of 5,000 square feet of gross floor area and no drive-in window. For the purpose of this provision, “Gross Floor Area” means the total floor area of a building from the exterior face of a building or from the centerline of a wall separating 2 buildings, but shall exclude any space where the floor-to-ceiling height is less than 6 feet and all patios, balconies, and parking facilities. (*Ordinance No. 2009-11-8, ZC2009-18*)
- D. The special residential setback slope requirements described in Sec. [10.1200.3](#) are illustrated in the following [Figure 10-4](#): (*ZC2023-002; Ordinance No. 2023-9-13*)

----- SETBACK

- 50' for height of 45' or less (as measured from right-of-way line)
- For buildings in excess of 45' in height-3 times the height minus 30' as measured from the residential district boundary line (centerline of street)
- Maximum height of 8 stories or 140' whichever is greater up to 1,000' from residential district boundary




Figure 10-4: Residential Setback Slope

[Remainder of page intentionally blank]

10.1300 RT, Research/Technology Center District

(ZC98-69; Ord. No. 98-10-10)

.1 Purpose

The RT district is intended to create a low density, employment center consisting of office, research and development facilities, and limited assembly operations. RT districts should generally accommodate several users in a campus environment.

.2 Permitted Uses

See the nonresidential districts use table in Sec. [14.200](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

The following area, yard, and bulk requirements apply to all development in the RT district unless otherwise expressly stated:

Description	Requirement
Minimum Lot Area	None
Minimum Lot Width	None
Minimum Lot Depth	None
Minimum Front Yard	50 feet, except as provided in Sec. 13.500.2
Minimum Side Yard	30 feet, except as provided in Sec. 13.500.3
Minimum Rear Yard	30 feet, except as provided in Sec. 13.500.4
Other Setback Requirements	In addition to the above yard requirements, the following additional setbacks shall apply (as measured from nearest residential district boundary line): A minimum setback of 3 times the height up to a maximum height of 8 stories or 140 feet, whichever is more restrictive, for a minimum distance of 1,000 feet. Beyond 1,000 feet, the setback shall be increased at one time the height above 8 stories or 140 feet, whichever is more restrictive, up to 12 stories or 200 feet in height, whichever is more restrictive.
Maximum Height	20 story, not to exceed 325 feet in height. One story buildings shall not exceed 28 feet, inside clear height (exclusive of interior support structures)
Maximum Lot Coverage	45%, 60% with structured parking
Maximum Floor Area Ratio	1:1
Minimum District Size	25 contiguous acres

.4 Off-Street Parking and Loading Requirements

(See [Article 16](#)) (ZC2011-06; 2002-48; Ordinance No. 2011-5-7; 2002-10-41)

A. Maximum Loading Facilities

Buildings in RT districts shall not exceed the following ratios for loading spaces:

Square Feet of Gross Floor Area in Structure	Maximum Loading Spaces or Berths
Zero to 20,000	4
Over 20,000	1 for each additional 10,000 square feet up to a maximum of 12

- B.** The design and orientation of the building(s) shall minimize the exposure of loading and trash collection areas from adjacent streets and from adjacent properties unless they are part of the same approved preliminary site plan. No

loading spaces shall face streets. No loading spaces or areas shall be located within 100 feet of the boundary line of a residential district. In addition, the Planning & Zoning Commission may require a combination of wing walls extended from a building, screening walls, landscape berms, and plant materials to further obscure the view of loading and trash collection areas. The above screening elements shall be designed and located in conformance with applicable yard and setback requirements. Screening must extend the entire length of the loading area.

- i. Screening elements should be a minimum of eight feet in height at installation. Berms should not exceed a slope of three feet, horizontal to one foot, vertical. Retaining walls may be used on the interior side of the berm but should not face adjacent streets or properties. The height shall be measured from the top of the curb of adjacent streets or from the average grade of property lines with adjacent tracts of land. Depending upon the average grade of the adjacent streets and properties, the minimum height at installation may be increased to as high as 12 feet.
 - ii. Plant materials used for screening shall include a combination of shade and ornamental trees (4-inch minimum caliper), conifers (8-foot minimum height), and shrubs (5 gallon minimum). The plant materials shall be arranged in a manner which significantly obscures the view from adjacent streets and properties. Proposed screening elements shall be identified on the preliminary site plan. A detailed plan showing the angles of view and the specific placement of screening elements shall be submitted with the final site plan.
 - iii. Proposed screening elements shall be identified on the preliminary site plan. A detailed plan showing the angles of view and the specific placement of screening elements shall be submitted with the final site plan.
- C. Loading areas in RT districts are intended to provide for short-term pick-up and delivery. Onsite storage of delivery vehicles, including trailers and shipping containers, is prohibited. No delivery vehicles shall be parked outside of the designated loading areas.
- D. In order to accommodate future changes in use, approved site plans shall include adequate land area to increase parking to the minimum requirements for office development (one space per 300 square feet) for 75% of the gross floor area of any building.
- .5 Landscaping**
See [Article 17](#). (ZC2011-06; Ordinance No. 2011-5-7)
- .6 Signage Standards**
(ZC2009-04; Ordinance No. 2009-6-15)
- A. All freestanding general business, identification, institution, and multipurpose signs, as defined in the Sign Ordinance (No. 91-4-12) and its subsequent updates and revisions, shall be monument type. An additional allowance of up to 3 feet in height may be permitted for earthen berms, stone mounds, or other landscape features if part of an approved landscape plan. Except for those signs located within 150 feet of a residential zoning district, the following standards shall apply:

General Business/Institution Signs

Maximum Height	12 feet
Maximum Size	90 square feet

Identification Signs

Maximum Height	12 feet
Maximum Size	125 square feet

Multipurpose Signs

Maximum Height	15 feet
Maximum Size	225 square feet
Maximum Size of Copy Area	Identification - 50 square feet
	Directory* - 70 square feet
	Reader Board* - 30 square feet

* Any combination of directory and reader board is permitted if it does not exceed 100 square feet

- B. For freestanding signs located within 150 feet of a residential zoning district, the following standards shall apply:

General Business/Institution Signs

Maximum Height	6 feet
Maximum Size	50 square feet

Identification Signs

Maximum Height	6 feet
Maximum Size	70 square feet

Multipurpose Signs

Maximum Height	6 feet
Maximum Size	125 square feet
Maximum Size of Copy Area	Identification - 25 square feet
	Directory* - 35 square feet
	Reader Board* - 20 square feet

* Any combination of directory and reader board is permitted if it does not exceed 55 square feet.

- C. All other provisions of Ord. No. 91-4-12 and its subsequent updates and provisions shall apply. Where conflicts exist, the provisions of this ordinance shall apply.

.7 Special District Requirements

- A. In the RT district, permitted uses shall meet the following standards:
- Operations should be fully enclosed with no outside storage of goods or materials.
 - No noise, vibration, odor, smoke, and dust should impact adjacent properties in conformance with the performance standards in [Article 24](#).
- B. Retail and service uses with the accompanying note “44” in the use tables Sec. [14.100](#) or Sec. [14.200](#) may not occupy more than 10% of the gross floor area of a building unless the building and the designated location and amount of such uses

are part of an approved site plan for more than one building, and the amount of space for these uses does not exceed 10% of the combined floor area of all constructed buildings. The space for these uses may be redistributed within and among the buildings with the approval of a revised site plan. If a site plan includes multiple lots, all property owners must authorize the application. These uses may not be distributed among noncontiguous parcels of land. A freestanding (sole use and occupant) restaurant/cafeteria is permitted in an RT district as part of the 10% allowance described above if it has a minimum of 5,000 square feet of gross floor area and no drive-in window. For the purpose of interpreting this provision, "Gross Floor Area" means the total floor area of a building from the exterior face of a building or from the centerline of a wall separating 2 buildings, but shall exclude any space where the floor-to-ceiling height is less than 6 feet and all patios, balconies, and parking facilities. (ZC2011-06; Ordinance No. 2011-5-7)

- C. An office - showroom/warehouse use is permitted in an RT district only when the first floor of the building housing the use does not exceed 100,000 square feet of gross floor area. In addition, any office - showroom/warehouse use shall not have more than 70% of its gross floor area devoted to warehousing. Existing office - showroom/warehouse and/or storage or wholesale warehouse developments and properties with a valid preliminary site plan or site plan for the uses, approved prior to the initial zoning of property as RT, are exempt from the above requirements for maximum building size and percentage of space devoted to warehousing. If a valid, approved preliminary site plan expires before approval of a site plan or if a valid, approved site plan expires before issuance of a building permit, the above exemptions shall no longer apply. The above exemption does not apply to uses other than office - showroom/warehouse and/or storage or wholesale warehouse. Existing uses other than those permitted by right in an RT district or preliminary site plan or site plan proposing uses other than those permitted by right in an RT district, except storage or wholesale warehouse, are not exempted from the above requirements. Notwithstanding Sec. [7.500.2](#), if such a development is destroyed or partially destroyed, it may be reconstructed but not expanded. For a use within a development as described above in which more than 70% of its gross floor area is devoted to warehousing, the period of time that the structure is vacant between tenants shall not be deemed an intentional abandonment of the nonconforming use as described in Sec. [7.500.1](#). (ZC2000-36; Ord. No. 2000-6-26)
- D. Any existing development or properties with a valid preliminary site plan or site plan approved prior to the zoning of a property as RT shall be exempted from the Area, Yard, and Bulk, Off-Street Parking and Loading, and Landscaping requirements specified for RT districts, and the preceding standards shall apply except for Sec. [10.1300.4C](#) regarding loading areas. Notwithstanding Sec. [7.500.2](#), if such a development is destroyed or partially destroyed, it may be reconstructed but not expanded. (ZC2002-48; Ord. No. 2002-10-41)
- E. Warehousing is allowed as an accessory use to light-intensity manufacturing use and is not subject to the maximum percentage requirements in paragraph [10.1300.7C](#), above. (ZC2005-20; Ord. No. 2005-6-34)

10.1400 LI-1, Light Industrial-1 District

.1 Purpose

The LI-1 district is intended to provide areas for light manufacturing firms engaged in processing, assembling, warehousing, research and development, and incidental services that are developed in accordance with the same performance standards applicable to all other zoning districts.

.2 Permitted Uses

See the nonresidential districts use table in Sec. [14.200](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

The following area, yard, and bulk requirements apply to all development in the LI-1 district unless otherwise expressly stated:

Description	Requirement
Minimum Lot Area	None
Minimum Lot Width	None
Minimum Lot Depth	None
Minimum Front Yard	50 feet but may be reduced to 30 feet on a Type F or smaller thoroughfare provided: Parking and drives are prohibited between the building face and the street. Building height is limited to 1 story within 50 feet of the front property line.
Minimum Side Yard	
Interior Lot	None, except as provided in Sec. 13.500.3
Corner Lot	50 feet
Maximum Side Yard	None
Minimum Rear Yard	10 feet where no alley abuts rear lot line (See Sec. 13.500.4)
Maximum Lot Coverage	50%
Maximum Height	None
Maximum Floor Area Ratio	1:1

.4 Parking Requirements

(See [Article 16](#))

.5 Landscaping

(See [Article 17](#))

.6 Special District Requirements

For vehicle fueling stations, canopies must be considered as an accessory structure and should be included in all calculations of lot coverage. (A maximum 30% of the lot may be covered by the primary and/or accessory structures for vehicle fueling stations) (ZC2017-014; Ord. No. 2017-7-9 & ZC2019-011; Ord. No. 2019-8-8)

[Remainder of page intentionally blank]

10.1500 LI-2, Light Industrial-2 District

.1 Purpose

The LI-2 district is intended to provide areas for manufacturing firms engaged in processing, assembling, warehousing, research and development, and incidental services that are developed in accordance with the same performance standards applicable to all other zoning districts.

.2 Permitted Uses

See the nonresidential districts use table in Sec. [14.200](#) for a complete listing.

.3 Area, Yard, and Bulk Requirements

The following area, yard, and bulk requirements apply to all development in the LI-2 district unless otherwise expressly stated:

Description	Requirement
Minimum Lot Area	None
Minimum Lot Width	None
Minimum Lot Depth	None
Minimum Front Yard	50 feet but may be reduced to 30 feet on a Type F or smaller thoroughfare provided: Parking and drives are prohibited between the building face and the street. Building height is limited to 1 story within 50 feet of the front property line.
Minimum Side Yard	
Interior Lot	None, except as provided in Sec. 13.500.3
Corner Lot	50 feet
Maximum Side Yard	None
Minimum Rear Yard	10 feet where no alley abuts rear lot line (See Sec. 13.500.4)
Maximum Lot Coverage	50%
Maximum Height	None
Maximum Floor Area Ratio	2:1

.4 Parking Requirements

(See [Article 16](#))

.5 Landscaping

((See [Article 17](#))

.6 Special District Requirements

For vehicle fueling stations, canopies must be considered as an accessory structure and should be included in all calculations of lot coverage. (A maximum 30% of the lot may be covered by the primary and/or accessory structures for vehicle fueling stations) (*ZC2017-014; Ord. No. 2017-7-9 & ZC2019-011; Ord. No. 2019-8-8*)

10.1600 NBD, Neighborhood Business Design District
(ZC2020-012; Ord. No. 2021-1-13)

.1 Purpose

The NBD district is intended to provide a planning, regulatory, and management framework for the design, development, and operation of development in neighborhood-scale commercial areas. The district is designed to reinforce surrounding neighborhood character, provide appropriate transitions in use and building scale, ensure appropriate allocation and design of open space, and achieve a well-connected street and pedestrian network. The zoning district is applicable primarily to both development and redevelopment of commercial properties adjacent to existing neighborhoods where residential and commercial uses are appropriate. The NBD standards are designed to ensure compatibility between various uses and surrounding residential neighborhoods. (ZC2022-017; Ord. No. 2023-2-6)

.2 Option for Residential Standards

The district may be entirely commercial or may include residential land uses. If residential land uses besides Live-Work (Business Loft) are incorporated into the development plan, these uses must fully utilize the Residential Community Design District (RCD) (Sec. [9.1700](#)) standards, including usable open space, parking, and all other requirements. (ZC2022-017; Ord. No. 2023-2-6)

.3 Minimum District Size

No NBD district may be established smaller than 10 acres unless a specific finding is made by the City Council that the establishment of the district is required to implement the Comprehensive Plan or related study.

.4 Permitted Uses

See the nonresidential districts use table in Sec. [14.200](#) for a complete listing.

.5 Area, Yard, and Bulk Requirements

- A. The following area, yard, and bulk requirements apply to all nonresidential development in the NBD district unless otherwise expressly stated:

Description	Requirement
Minimum Lot Area	None
Minimum Lot Width	None
Minimum Lot Depth	None
Front Yard Setbacks	
Front yard along Type D and above thoroughfares	Minimum: 20 feet, except as provided in Sec. 13.500.2 and Sec. 10.1600.6 75% of the building face must be within 25 feet of the property line (consistent with Sec. 10.1600.14B , Building Placement and Design.) If easements, a landscape edge, public usable open space, patio dining, public plaza, or other similar amenity prohibit conformance with this standard, a minimum of 75% of the building face must be built to the easement line, landscape edge, usable open space, or public amenity. The setback may be increased to a maximum of 80 feet if a drive aisle with single-loaded parking is installed

Description	Requirement
	between the building face and a public street.
Front yard along Type E and below thoroughfares	Minimum: 10 feet, except as provided in Sec. 13.500.2 and Sec. 10.1600.6 75% of the building face must be within 15 feet of the property line (consistent with Sec. 10.1600.14B , Building Placement and Design.) If easements, a landscape edge, public usable open space, patio dining, public plaza or other similar amenity prohibit conformance with this standard, a minimum of 75% of the building face must be built to the easement line, landscape edge, usable open space, or public amenity.
Front yard along major and minor streets	Minimum: none, except as provided in Sec. 13.500.2 and Sec. 10.1600.6 75% of the building face must be within 15 feet of the property line (consistent with Sec. 10.1600.14B , Building Placement and Design.) If easements, public usable open space, patio dining, public plaza or other similar amenity prohibit conformance with this standard, a minimum of 75% of the building face must be built to the easement line, usable open space, or public amenity.
Front yard along paseos	Minimum: none, except as provided in Sec. 13.500.2 and Sec. 10.1600.6 75% of the building face must be within 5 feet of the property line (consistent with Sec. 10.1600.14B , Building Placement and Design.) If easements, public usable open space, patio dining, public plaza or other similar amenity prohibit conformance with this standard, a minimum of 75% of the building face must be built to the easement line, usable open space, or public amenity.
Side Yard Setbacks	
Interior Lot	None, except as provided in Sec. 13.500.3 and Sec. 10.1600.6
Corner Lot	Same as front yard setback, except as provided in Sec. 13.500.3 and Sec. 10.1600.6
Rear Yard Setback	10 feet where no alley abuts the rear property line, except as provided in Sec. 13.500.4 and Sec. 10.1600.6
Maximum Height	3 story, 50 feet, except as provided in Sec. 13.600 and Sec. 10.1600.6
Maximum Lot Coverage	75%, 90% if structured parking is included
Minimum Lot Coverage	None
Maximum Floor Area Ratio	None
Minimum Floor Area Ratio	None
Minimum Usable Open Space	10% in accordance with Sec. 10.1600.13

B. Additional Standards for Live-Work (Business Loft):

- i. Live-Work (Business Loft) units must be located within 600 feet of an existing residential neighborhood.
- ii. No more than 10 Live-Work (Business Loft) units per block.
- iii. The residential space must have an exterior entrance on the ground floor.

- iv. The ground floor must have a minimum floor-to-ceiling height of twelve feet.
- v. The following area, yard, and bulk requirements apply in addition to those in Sec. [10.1600.5A](#):

Description	Requirements
Minimum Lot Area	1,500 square feet
Maximum Units per Lot	1 unit
Minimum Front Yard	5 feet, except as provided in Sec. 13.500.2
Maximum Front Yard	20 feet, except as provided in Sec. 13.500.2
Front Yard Encroachments	Canopies, balconies, stoops, bay windows, awnings, and other building projections may extend up to 5 feet into the front yard setback.
Minimum Building Separation	10 feet
Garage Setback	The distance from any garage to the property line must be 5 feet or less, or 20 feet or greater in length.
Minimum Floor Area per Dwelling Unit	400 square feet
Maximum Nonresidential Floor Area	5,000 square feet
Parking Requirements	2 parking spaces per dwelling unit located behind the front building line (See Article 16). See Article 16 for nonresidential parking requirements.

.6 Residential Transition Areas

In addition to the front, side, and rear yard requirements noted in Sec. [10.1600.5](#), all buildings must be set back from the district boundary line of the nearest residential zoning district or the lot line of a residential use outside of the NBD district, as follows:

- A. When an alley is present on the neighboring property: at least two feet for every one foot of building height.
- B. When an alley is not present on the neighboring property: at least 15 feet plus two feet for every one foot of building height.
- C. This minimum setback may be reduced to a setback of 20 feet when the nearest residential zoning district allows a maximum height greater than 35 feet.

.7 District Establishment and Administration

- A. The regulations contained within this zoning district may be supplemented with additional standards and conditions to execute a specific development plan. The boundary of each NBD district must be defined on the Zoning Map and identified with the letters NBD followed by a unique number referencing the supplementary regulations. In considering the establishment of an NBD district, the Planning & Zoning Commission and City Council may amend and supplement the base NBD regulations and related development regulations in the Zoning Ordinance and Subdivision Ordinance to implement individual development plans, with the exception of:
 - i. Requirement for an adopted development plan;
 - ii. Requirement for a governance association;

- iii. Minimum and maximum residential densities, except where variations are necessary to implement the Comprehensive Plan (*ZC2022-017; Ord. No. 2023-2-6*);
- iv. Requirement to maintain three or more uses; and
- v. Requirement for nonresidential uses to be constructed within the first phase of development.

B. An NBD district may not be used to:

- i. Require construction of public improvements or the dedication or reservation of land, which are not of primary benefit to development within the district or necessary to mitigate an adverse impact attributable to development within the district, unless compensation is provided as required by law.
- ii. Secure agreements between owners of property within the district with third parties.
- iii. Assign responsibility to the city for enforcement of private deed restrictions or covenants.
- iv. Waive or modify the requirements of ordinances other than the Zoning Ordinance, except as specifically authorized by this ordinance.

.8 Adopted Development Plan

- A.** An NBD district must not be established without the concurrent adoption of a development plan for the district. The plan must comply with Sec. [3.500](#) and must:
 - i. Show the location and type of streets, blocks, parking areas, open space, and residential transition areas;
 - ii. Specify the minimum and maximum number of residential units by housing type; and
 - iii. Enumerate all standards, conditions, and performance and implementation requirements not otherwise contained in the base zoning district requirements.
- B.** The development plan must be adopted as part of the ordinance creating the NBD district. Modifications to the development plan must comply with the requirements in Sec. [3.600](#).

.9 Governance Association

Applications for building permits for development within an NBD district must not be accepted or approved until a suitable property owners' governance association is established. The association must be responsible for maintaining all common property, improvements, and amenities within the district. It must have power sufficient to assess and collect dues and charges as required to perform its responsibilities. It may have additional powers to administer other programs, including but not limited to security, promotion and marketing, and entertainment. A Municipal Management District or Public Improvement District created in conformance with the Texas Local Government Code may be created to satisfy this requirement. A Reciprocal Easement Agreement (REA) allowing shared parking arrangements, public access to sidewalks, and access to

other amenities must be incorporated in the governance documents, but the REA may be deferred until a plan for common areas and amenities is submitted.

.10 Additional Requirements and Restrictions

(ZC2022-017; Ord. No. 2023-2-6)

A. Each NBD district must contain three or more different uses as listed in [Article 14](#).

B. Residential Requirements

- i. Once a property is developed for residential purposes within the NBD district, with the exception of live-work (business loft) units and home occupations, nonresidential uses are not permitted within that property. *(ZC2024-008; Ord. No. 2024-4-13)*
- ii. Residential square footage, including live-work (business loft) units, fitness centers, leasing offices, club and meeting rooms, and other associated uses, must be no more than 50% of the total square footage within the district.

C. Phasing Requirements

- i. At least 10,000 square feet of nonresidential space must be built as part of the first phase of development.
- ii. A 2:1 ratio of residential to nonresidential square footage must be maintained throughout the district. Prior to approval of a plat for any residential units, the nonresidential square footage must be constructed (finalized).
- iii. Key design features must be provided prior to or concurrent with the construction of any residential uses. Key design features include elements of the development supporting the long-term value to the overall community, and specifically any new residents, such as open/green space, amenities, street enhancements, and trails.
- iv. The second building constructed and all subsequent buildings may not be more than 150 feet from another building.

.11 Streets and Sidewalks

(ZC2023-002; Ordinance No. 2023-9-13)

A. All streets within an NBD district must be dedicated as public streets, or if the city does not accept the dedication of some or all as public streets, the streets that have not been dedicated as public streets must be platted as private streets. All streets are to be open for public use and may not be gated or have restricted access, except as may be permitted for special events. All streets must be located in a private street lot or in public right-of-way. The width of a street lot or right-of-way is established on the adopted development plan consistent with the Street Design Standards.

B. Sidewalks

Awnings, canopies, and other detachable fixtures may extend into the private street lot or public right-of-way, in accordance with the Right-of-Way Management Regulations. All public sidewalks to be maintained by the governance association must be located in a private street lot or public right-of-way.

C. Landscape Edge

Except in a Mixed-Use context zone per the Thoroughfare Plan Map, when along Type D and above thoroughfares, a 20-foot landscape edge is required. Within the landscape edge, 6 caliper inches of shade trees or 12 caliper inches of ornamental trees must be planted per 500 square feet of landscape edge, with a minimum tree size of 2-inch caliper. The number of required trees must be calculated based solely on the area of the required landscape edge.

D. Connectivity

Connections must be made to provide direct pedestrian and bicycle access from the NBD district to adjacent sidewalks, trails, parks, transit stops, and other connections where feasible. Pedestrian access must be provided by connection to any sidewalks or walkways on adjacent properties that extend to the boundaries shared with the NBD district. In order to provide efficient pedestrian connections to adjacent properties, the city may require additional sidewalks, walkways, or trails not associated with a street.

.12 Parking Requirements

A. Parking for residential uses must follow RCD standards (Sec. [9.1700.12](#)).

B. All required off-street parking in NBD districts must be accommodated in accordance with Sec. [16.700](#) (Off-Street Parking Schedule) of [Article 16](#) (Parking and Loading), except that on-street parking spaces adjacent to a lot may be included in the parking calculations for nonresidential uses on that lot.

C. The maximum permitted parking for nonresidential uses is capped at 110% of the minimum required parking. Parking in excess of the maximum caps may only be provided in parking garages.

D. Surface parking lots for nonresidential uses must meet the following requirements:

i. Parking lots must be located behind front building facades.

ii. A minimum five-foot landscape edge must be provided between all surface parking lots and major and minor streets. Within the landscape edge, 3 caliper inches of shade trees or 6 caliper inches of ornamental trees must be planted per 500 square feet of landscape edge with a minimum tree size of 2-inch caliper. The number of required trees must be calculated solely on the area of the required landscape edge.

iii. Surface parking lots must not exceed 200 spaces per parking lot.

iv. A sidewalk at least seven feet in width must be provided to connect the parking lot to the street and to any adjacent buildings or open space areas. The sidewalk must meet the following requirements:

a. The sidewalk must be distinguished from areas used by vehicles with one or more of the following techniques:

i. Changing paving material, pattern, and/or paving color, but not including the painting of the paving material;

ii. Changing paving height;

- iii. Addition of decorative bollards; or
 - iv. Constructing raised median walkways with landscaped buffers.
 - b. Have adequate lighting for security and safety; and
 - c. Not include barriers that limit pedestrian access between the subject property and adjacent properties.
- E. Vehicle parking garages for nonresidential uses must meet the following requirements:
 - i. The building footprint of a parking garage must not exceed 60,000 square feet.
 - ii. Parking garages must not have direct vehicle access to Type D and above thoroughfares.
 - iii. Parking garages must be set back a minimum of 150 feet from existing residential zoning districts or residential uses outside of the NBD district.
 - iv. Parking garages must have architecturally integrated facades compatible with the buildings they serve. The design of the structure must reflect the massing, fenestration and detailing of adjacent and abutting buildings.
 - v. Garages must be screened so that no vehicles, headlights or light fixtures from within the structure are visible from surrounding properties or streets.
 - vi. External elevator towers and stairwells must be open to public view, or enclosed with transparent glazing
 - vii. Parking garages must not exceed the height of surrounding buildings and must not be visually predominant when viewed from the street or public usable open space
 - viii. If a parking garage is multi-level, one full level at or below grade must be provided for public parking
 - ix. A pedestrian path at least four feet wide with clear signage and lighting must be provided within the parking garage. The pedestrian path must connect to adjacent sidewalks. Electric vehicle charging stations must not impede a minimum of four feet of clearance on any path, walkway, or sidewalk.

.13 Usable Open Space

- A. Public usable open space must be provided in an amount not less than ten percent of the gross acreage of the development. The following requirements also apply:
 - i. A maximum of 25% of the minimum required public usable open space may be located within a floodplain or within an overhead transmission line easement if these areas are improved for use through the addition of trails and other pedestrian amenities.
 - ii. Public usable open space must be provided in the form of greens, linear parks, greenbelts, pocket parks, public art displays, and paseos that are integrated within the block pattern defined on the development plan.

- iii. At least one public usable open space must be a minimum of 7,500 square feet with a minimum width of 30 feet, and have buildings or streets directly fronting or siding the public usable open space on a minimum of three sides.
 - iv. Natural features must be designed to be integrated into the site with buildings or public usable open space fronting on them and sufficient pedestrian and vehicle access.
 - v. Rooftops and accessory buildings, except those portions of any building designed specifically for public recreational purposes, do not count toward the public usable open space requirements.
 - vi. Required landscaping does not count toward the usable open space requirement.
 - vii. Open space that is adjacent to the rear of a building or to a service area and which does not front on a street cannot be included in the public usable open space requirement.
- B. Private usable open space, including interior courtyards and patios for individual business and residential uses, is permitted but does not count toward the public usable open space requirement.

.14 Building Placement and Design

- A. An NBD district or a group of buildings within the district cannot be walled, fenced, or restricted from general public access.
- B. Buildings in an NBD district must be designed and oriented to reinforce the street grid. The distance from building face to building face must not exceed 100 feet on major and minor streets, unless separated by usable open space and/or patio dining.
- C. Buildings must be oriented to directly front on a designated street or usable open space defined on a development plan. (*ZC2023-002; Ordinance No. 2023-9-13*)
- D. No single tenant may occupy more than 30,000 square feet of the ground floor of a building.
- E. With the exception of parking garages, podium garages, and loading and service areas, 60% of the ground floor of nonresidential buildings and live/work-units must consist of windows and doors.
- F. Nonresidential spaces must have a minimum floor-to-ceiling height of 12 feet.

.15 Sign Regulations

- A. For signage for uses fronting Type D and above thoroughfares, the regulations, specifications, and design standards contained in [Article 22](#) (Signs) apply.
- B. For all other signage, the regulations, specifications, and design standards for signs contained in Sec. [10.800](#) (BG, Downtown Business/Government) apply.

Article 11 Overlay Districts

11.100 General..... 11-1

11.200 Preston Road Overlay District..... 11-2

11.300 Dallas North Tollway Overlay District..... 11-3

11.400 190 Tollway/Plano Parkway Overlay District 11-4

11.500 State Highway 121 Overlay District 11-5

11.600 Parkway Overlay District 11-6

11.700 Heritage Resource Overlay Districts 11-7

11.800 Redevelopment District..... 11-9

11.900 Planned Residential Development (PRD).....11-10

11.1000 Neighborhood Conservation Overlay Districts.....11-11

11.100 General

.1 Interpretation

Overlay zoning district regulations apply in combination with underlying (base) zoning district regulations and all other applicable standards of this zoning ordinance. All applicable regulations of the underlying base zoning district apply to property in an overlay zoning district unless otherwise expressly stated. When overlay district standards conflict with standards that otherwise apply in the underlying, base zoning district, the regulations of the overlay zoning district govern.

.2 Establishment

Overlay zoning districts may be established, amended or removed only in accordance with the zoning map amendment procedures of [Article 4](#).

[Remainder of page intentionally blank]

11.200 Preston Road Overlay District

(ZC98-29; Ordinance No. 98-9-12)

.1 Purpose

To provide appropriate design standards for the use of properties fronting on Preston Road and intersecting thoroughfares. These standards recognize the area's unique development character and provide for coordination between its various districts and categories of use.

.2 Boundaries

The area encompassed by these standards shall include all those properties within 300 feet of the existing centerline of Preston Road and all those properties within 300 feet of the centerlines of intersecting major thoroughfares (Type C and above), except State Highways 190 and 121. The district shall extend along those major thoroughfares to the centerlines of Ohio Drive, Ventura Drive, Bay Water Drive, and Silver Creek Drive. In other cases, the district shall extend 1,000 feet east and west along Type C and above thoroughfares, as measured from the centerline of Preston Road. The provisions of the Preston Road Overlay district shall apply to all properties fully or partially within the defined area, except as noted in Sec. [11.200.3](#).

.3 Applicability

The base zoning districts of properties fully or partially within the area, defined by Sec. [11.200.2](#), shall not be affected except as noted below. All applicable regulations for use, yard, area, lot dimensions, utility placement, and landscaping shall be those specified for each district, including planned development stipulations. Where any of the above conflict with those of the overlay district, the more restrictive shall apply. Except as noted, the requirements below shall apply to all lots or tracts located fully or partially within the limits described in Sec. [11.200.2](#).

.4 Landscaping Requirements

See Sec. [17.300.2](#).

.5 Sign Regulations

See Sec. [22.600](#).

[Remainder of page intentionally blank]

11.300 Dallas North Tollway Overlay District

(Ordinance No. 96-4-27)

.1 Purpose

To provide appropriate design standards for the development of properties within the Dallas North Tollway corridor. These standards recognize the significance of the tollway as a regional traffic artery and as a primary entry for the city of Plano. These standards provide for coordination between the various zoning districts and categories of uses within the corridor.

.2 Boundaries

The area encompassed by these standards shall include all those properties located between the existing and/or planned centerlines of Communications Parkway, north/south segments of Plano Parkway, Chapel Hill Drive on the west, and Parkwood Boulevard on the east. The centerline of S.H. 121 will be the northern boundary and the northern right-of-way line of the Santa Fe Railroad will be the southern boundary. Where the city's Thoroughfare Plan Map does not provide for the connection of above noted north/south roadways to the northern or southern overlay district boundary, the district shall be defined by the extension of a line from the point of discontinuance to the appropriate boundary. The point of discontinuance shall include a termination or a change in direction of the applicable roadway. For future roadways or existing roadways planned for improvement, the centerline shall be determined by the city's Director of Planning. The provisions of the Dallas North Tollway Overlay district shall apply to all properties fully or partially within the defined area, except as noted in Sec. [11.300.3](#). (ZC2023-002; Ordinance No. 2023-9-13, ZC99-28; Ordinance No. 99-7-9)

.3 Applicability

The base zoning districts of properties within the area, defined by Sec. [11.300.2](#), shall not be affected except as noted below. All applicable regulations for use, yard, area, lot dimensions, utility placement, and landscaping shall be those specified for each district, including planned development stipulations. Where any of the above conflict with those of the overlay district, the overlay district's standards shall apply. Except as noted, the requirements below shall apply to all lots or tracts located fully or partially within the limits described in Sec. [11.300.2](#).

.4 Landscaping Requirements

See Sec. [17.300.3](#).

.5 Sign Regulations

See Sec. [22.600](#).

[Remainder of page intentionally blank]

11.400 190 Tollway/Plano Parkway Overlay District

(ZC98-59; Ordinance No. 98-9-9)

.1 Purpose

To provide appropriate design standards for the development of properties within the 190 Tollway corridor. These standards recognize the significance of 190 Tollway as a regional traffic artery and major entrance to the city of Plano. These standards also recognize the importance of Plano Parkway as a major cross-town route and business center.

.2 Boundaries

The area encompassed by these standards shall include all those properties located between the southern city limits and the nearest residential or agricultural district boundary north of Plano Parkway or a distance of 500 feet north of Plano Parkway, whichever is less. The eastern boundary shall be the centerline of Shiloh Road and the western boundary shall be Preston Road. The provisions of the 190 Tollway/Plano Parkway Overlay district shall apply to all properties fully or partially within the defined area, except as noted in Sec. [11.400.3](#). However, areas within 50 feet of the right-of-way of U.S. 75 shall be exempt from the provisions of this overlay district.

.3 Applicability

The base zoning districts of properties within the area, defined by Sec. [11.400.2](#), shall not be affected except as noted below. All applicable regulations for use, yard, area, lot dimensions, utility placement, and landscaping shall be those specified for each district, including planned development stipulations. Where any of the above conflict with those of the overlay district, the more restrictive standards shall apply. Except as noted, the requirements below shall apply to all lots or tracts located fully or partially within the limits described in Sec. [11.400.2](#).

.4 Landscaping Requirements

See Sec. [17.300.4](#).

.5 Sign Regulations

See Sec. [22.600](#).

[Remainder of page intentionally blank]

11.500 State Highway 121 Overlay District

(ZC98-45; Ordinance No. 98-9-13)

.1 Purpose

To provide appropriate design standards for the development of properties within the State Highway 121 corridor. These standards recognize the significance of State Highway 121 as a regional traffic artery. State Highway 121 is planned as a future freeway connecting U.S. 75 to the Dallas/Fort Worth Airport.

.2 Boundaries

The area encompassed by these standards shall include all those properties that extend from the centerline of State Highway 121 to a point 1,200 feet south of the centerline. This district will span the range from Custer Road to the Dallas North Tollway. The provisions of the State Highway 121 Overlay district shall apply to all properties fully or partially within the defined area, except as noted in Sec. [11.500.3](#).

.3 Applicability

The base zoning districts of properties within the area, defined by Sec. [11.500.2](#), shall not be affected except as noted below. All applicable regulations for use, yard, area, lot dimensions, utility placement, and landscaping shall be those specified for each district, including planned development stipulations. Where any of the above conflict with those of the overlay district, the more restrictive standards shall apply. Except as noted, the requirements below shall apply to all lots or tracts located fully or partially within the limits described in Sec. [11.500.2](#).

.4 Landscaping Requirements

See Sec. [17.300.5](#).

.5 Sign Regulations

See Sec. [22.600](#).

[Remainder of page intentionally blank]

11.600 Parkway Overlay District

(ZC98-91; Ordinance No. 98-11-43)

.1 Purpose

To provide appropriate design standards for properties located in proximity to major city parks, nature preserves, and open areas. These standards recognize the importance of providing visual transitions between these natural areas and surrounding development.

.2 Applicability

The base zoning districts of properties fully or partially within a designated Parkway Overlay district shall not be affected except as noted below. All applicable regulations for use, yard, area, lot dimensions, utility placement, and landscaping shall be those specified for each district, including planned development stipulations. Where any of the above conflict with those of the overlay district, the more restrictive shall apply. Except as noted, the requirements below shall apply to all lots or tracts located fully or partially within the boundaries established for a Parkway Overlay district.

.3 Landscaping Requirements

See Sec. ~~17.300.6~~.

.4 Sign Regulations

See Sec. ~~22.600~~.

[Remainder of page intentionally blank]

11.700 Heritage Resource Overlay Districts

(ZC2018-008; Ordinance No. 2018-6-11 and ZC97-75)

.1 Purpose

To provide for the preservation of those areas, places, buildings, structures, works of art, and other objects having significant historical, archaeological, or cultural interests and values which reflect the heritage of the city of Plano, portions of certain districts are designated with the letters "H" or "HD." Areas designated on the zoning district map by an "H" will indicate an individual heritage landmark and "HD" will indicate a heritage district. *(ZC2019-011; Ord. No. 2019-8-8)*

.2 Uses

- A. Uses permitted shall be those uses permitted by the base zoning of the district (i.e., the uses permitted on a tract zoned Retail-H would be those uses permitted in a Retail zoning district).
- B. Additional uses may be permitted where deemed appropriate by the City Council, upon recommendation by the Planning & Zoning Commission.

.3 Criteria for Designation

Criteria used by the Heritage Commission, the Planning & Zoning Commission, and the City Council for the original designation, amendment, or removal of a heritage resource designation are located in Section 16-110 of the City Code of Ordinances, as amended.

.4 Procedure

- A. Procedures used by the Heritage Commission, Planning & Zoning Commission, and the City Council for the original designation, amendment, or removal of a heritage resource designation are located in Section 16-111 of the City Code of Ordinances, as amended.
- B. In making the H or HD Designation, the Planning & Zoning Commission and City Council may modify the requirements of the building code and may reduce, increase, or revise the height, yard, area, coverage, parking, and any other developmental standards, if such action is determined to be necessary for the preservation or protection of the H or HD designated property.

.5 Certificate of Appropriateness Review

- A. No person or entity shall carry out any construction, reconstruction, alteration, restoration, rehabilitation, stabilization, repair, site improvements, demolition, or relocation of any H or HD designated property which affects the exterior appearance of any structure without obtaining a Certificate of Appropriateness by the Heritage Commission or Heritage Preservation Officer, or other designee of the Director of Planning, as appropriate, for the types of work described in Section 16-112 of the City Code of Ordinances, as amended.
- B. No person or entity shall carry out any construction, installation, or erection of a network node in or within 300 feet of an H or HD designated property without obtaining a Certificate of Appropriateness from the Heritage Preservation Officer, or other designee of the Planning Director. The Heritage Preservation Officer or designee will review the application for such network node for consistency with

associated published heritage district design guidelines or standards, as amended.
(ZC2018-032; Ord. No. 2019-1-8)

- C. Certificate of Appropriateness review procedures, criteria, exemptions, and other associated requirements are located in Article VI, Chapter 16, of the City Code of Ordinances, as amended.

[Remainder of page intentionally blank]

11.800 Redevelopment District

- .1** In areas where existing development has deteriorated substantially and does not meet reasonable standards of health, safety, and general welfare, or in areas where existing streets and utilities do not meet current standards of development for proposed new land uses, the City Council may authorize the creation of redevelopment districts on tracts of 2 or more acres.
- .2** In establishing any redevelopment district, a redevelopment plan shall be required to be approved by the Planning & Zoning Commission and the City Council. Redevelopment plans for nonresidential projects shall set forth proposed points of ingress and egress, streets and drives, parking layout, building location, height of buildings, maximum lot coverage, topography, and other development and protective requirements considered necessary to create a reasonable transition to and protection of the adjacent property. Redevelopment plans for residential projects shall set forth existing streets or other public ways, proposed streets and drives, topography, and other development and protective requirements considered necessary to create a reasonable transition to and protection of the adjacent property.
- .3** In any redevelopment district where substandard streets or utilities are in existence, the property owner or developer shall install, rebuild, or improve all necessary streets and utilities at his sole expense, including offsite streets and utilities which are determined by the City Council to be necessary to serve the redevelopment, subject to the standard cost sharing policies and ordinances which determine the additional development costs which the City of Plano shall pay, and subject to any agreements for cost sharing which are mutually agreed upon by the property owner and the City of Plano.
- .4** Installation, rebuilding, or improvement of necessary streets and utilities shall be required when new buildings are constructed within the redevelopment district. Uses conducted in existing buildings shall not require the construction of streets and utilities unless additional construction, such as additional paved parking, must be done on the site; unless a change or expansion in use would require increased utility service; or unless the City Council finds that such construction is necessary at the time the redevelopment district is approved.
- .5** Before a building permit may be issued for any portion of a redevelopment district, the Planning & Zoning Commission shall approve a comprehensive site plan which shall conform to the requirements of [Article 3](#).
- .6** Every redevelopment district approved under the provisions of this ordinance shall be considered as an amendment to the ordinance as applicable to the property involved. Permitted uses and development criteria shall be those listed in this ordinance for the base zoning applied to the redevelopment district (i.e., a redevelopment Retail district would be developed and occupied in accordance with the requirements of the Retail district). In approving a redevelopment district, additional uses may be permitted; permitted uses may be prohibited; and conditions relative to the standards of development may be imposed. Such conditions shall be complied with before a Certificate of Occupancy is issued for the use of the land or for any structure which is part of the redevelopment district. All redevelopment districts approved in accordance with the provisions of this ordinance shall be referenced on the zoning district map.

11.900 Planned Residential Development (PRD)

This section was deleted in its entirety in 1992. Certain properties retain the PRD designation, as noted on the zoning map. (ZC92-04; Ordinance No. 92-4-29)

[Remainder of page intentionally blank]

11.1000 Neighborhood Conservation Overlay Districts

(ZC2020-003; Ord. No. 2020-8-9)

.1 Purpose

The purpose of a neighborhood conservation district is to protect established neighborhoods that have a distinct scale, design, character, unique physical features, or importance to the community; and to protect an area's overall historic, architectural, or cultural identity from incompatible development. Designation of these districts should be driven by owners and residents to protect the individual characteristics of the neighborhood deemed important to them. Areas designated on the zoning map by an "NCD" will indicate a neighborhood conservation district.

.2 Types

A. Planning Model

The planning model is intended to protect the scale, rhythm, streetscape, and general form and character of established neighborhoods by providing enhanced development standards customized to the unique characteristics of the district. Standards should include clear, measurable, and non-discretionary development regulations applied to new construction, additions, and exterior alterations only. Standards for specific architectural styles are not permitted.

i. Enhanced Development Standards

Examples of enhanced development standards that may be customized for the district include, but are not limited to, the following:

- a.** Area, Yard, and Bulk Requirements;
- b.** Parking and Loading;
- c.** Screening, Fencing, and Wall Regulations;
- d.** Exterior Wall Construction Standards;
- e.** Landscaping and Tree Preservation;
- f.** Building Additions and Accessory Structures;
- g.** Roof Profile; and
- h.** Driveway Location and Materials

ii. Review Required

All new construction, additions, and exterior alterations regulated by a designated Neighborhood Conservation District shall require a building permit issued by the Building Official or his/her designee.

B. Architectural Model

The architectural model is intended to protect architectural or historic style as well as overall scale, rhythm, streetscape, and general form and character of an established neighborhood.

i. Enhanced Development Standards

In addition to the enhanced development standards of the Planning Model, this model may regulate architectural style through the Certificate of Compliance review process.

ii. Review Required

All new construction, additions, exterior alterations, or other ancillary site improvements regulated by an adopted neighborhood conservation plan within a designated Neighborhood Conservation District shall require a Certificate of Compliance from the City of Plano. Certificates of Compliance for new construction or additions must be submitted in association with, or in addition to, a required building permit. Certificates of Compliance shall be submitted in the form prescribed by the Director of Planning or designee.

.3 Neighborhood Conservation Plan

Adoption of a neighborhood conservation plan is required prior to, or concurrent with, designation of a Neighborhood Conservation District. The plan may be as general or as detailed as desired by the neighborhood, but shall contain, at a minimum, the enhanced architectural and development standards unique to the district.

A. Components

Recommended components of a neighborhood conservation plan include:

i. Introduction

This section should include items such as a description of the neighborhood initiative, timeline of events, and summary of the district.

ii. Neighborhood Profile

This section should contain a brief history of the neighborhood, demographics, setting, existing conditions, map of the proposed district boundaries, a list of addresses within the district, and a survey and description of architectural styles and features located within the district.

iii. Goals and Objectives

This section should describe the intent of creating the district, what features or character are unique or significant to the district, and may include the neighborhood's goals and objectives related to land use, housing, community identity, traffic, or congestion.

iv. Design Standards

This section should include the enhanced architectural and development standards that are unique to the district.

v. Administration

This section should describe what types of new construction, exterior alterations, additions, and ancillary improvements are subject to review/permitting and the process for approval. If there are any specific incentives, they should also be listed here.

vi. Appendices

This section should include any information relevant to the creation of the plan, such as a list of events and neighborhood meetings held, a copy of the petition, inventory and basic survey information (age, style, lot size, setbacks, use, materials) for properties in the district, and glossary of terms.

B. Effective Date

An approved neighborhood conservation plan shall become effective upon designation of the associated district.

.4 Restrictions

A. Uses

Uses permitted within the district shall only be those uses allowed by the base zoning district.

B. Routine Maintenance and Minor In-kind Repair and Replacements

A neighborhood conservation district may not regulate routine maintenance or minor in-kind repair or replacement, as defined by the Heritage Preservation Ordinance, of any exterior architectural feature of a structure located in a neighborhood conservation district.

C. Demolitions

A neighborhood conservation district may not regulate demolition of structures within the district.

D. Emergency Repair

If a property within a neighborhood conservation district is unexpectedly and involuntarily damaged and additional deterioration is likely to occur without immediate repair, the Director of Planning, or designee, may authorize the property owner, or agent on behalf of the property owner, to take temporary measures to stabilize and protect the structure. In such cases, the property owner, or agent on behalf of the property owner, shall apply for a Certificate of Compliance, if required, within ten (10) calendar days of completion of the emergency corrective measures.

E. Building Permit and Site Plan Approval

Unless otherwise excepted by this article, a Certificate of Compliance must be approved prior to, or concurrent with, issuance of required building permits and site plan approvals. Issuance of any necessary permits and approval of any plans from the Building Inspections, Planning, Public Works, or Environmental Health Departments are required with an approved Certificate of Compliance before work can commence.

.5 Designation Process

A. Petition

Any person or corporation having a proprietary interest in any property within a proposed district may initiate proceedings to adopt a neighborhood conservation plan or designate a neighborhood conservation district by submitting a written petition that includes the property owner signatures of at least sixty (60) percent of either the land area or the total number of lots or tracts of land within the proposed district. Land area for the purposes of this calculation shall exclude public property, streets, alley, and other public rights-of-way. Petitions shall be submitted to the Planning Department in the form required by the Director of Planning or designee. The associated neighborhood conservation plan shall be submitted as part of the petition application.

B. Validation

Upon receipt of a written petition, the Director of Planning or designee shall review the petition to confirm the required signatures have been provided and make a final determination as to which type of neighborhood conservation district shall

apply. In all cases where a petition has been submitted pursuant to this section, the city shall presume that the persons whose signature appear on the petition are valid. The city may rely upon information posted on central appraisal district websites to determine ownership of property.

C. Procedure

i. Planning Model

Petitions for designation of a neighborhood conservation district shall proceed in the same manner as a petition for amendments of the Zoning Ordinance.

ii. Architectural Model

Petitions for designation of a neighborhood conservation district shall proceed in the same manner as a petition for amendments of the Zoning Ordinance, except that petitions for designation of an architectural model type neighborhood conservation district shall also require a public hearing and consideration by the Heritage Commission prior to consideration by the Planning & Zoning Commission. The Heritage Commission shall review the proposed neighborhood conservation district to determine whether the proposed standards are compatible with the architectural character of the neighborhood and are sufficiently clear to allow administrative review. A written courtesy notice shall be sent to all owners of real property within 500 feet of the proposed district at least ten (10) calendar days prior to the Heritage Commission meeting.

D. Amendments/Removal

The boundaries of the district or architectural and development standards may be amended or removed following the same procedures as initial designation. An adopted neighborhood conservation plan shall become null and void upon removal of its associated neighborhood conservation district designation.

.6 Criteria for Designation – Generally

To qualify as a Neighborhood Conservation District, the area should generally meet all of the following criteria:

- A.** The proposed district contains a minimum of four contiguous properties within a block or proximate properties abutting either side of the same street.
- B.** At least seventy-five (75) percent of the land area, excluding right-of-way, in the proposed neighborhood is developed with primary habitable structures at least thirty-five (35) years or older.
- C.** The proposed district possesses one (1) or more of the following distinctive architectural, physical, or visual characteristics that create a unified and recognizable setting, character or association:
 - i.** Scale, size, type of construction or unique building materials;
 - ii.** Setbacks, lot layouts, street layouts, sidewalks or alleys;
 - iii.** Natural or streetscape characteristics, such as parks, greenbelts, creeks, or street landscaping;
 - iv.** Abuts or links to designated heritage resources.

- D. The boundaries and number of properties in the proposed district are adequate to protect the distinctive architectural, physical, or visual characteristics identified as key to the district's character in the associated neighborhood conservation plan. Gaps, holes, or other irregular shapes in the boundaries of a proposed district are discouraged.

.7 Relationship to State Law

Neighborhood conservation districts are not local historic districts under Texas Local Government Code Section 211.0165, as amended. (ZC2021-013; Ordinance No. 2021-8-5)

[Remainder of page intentionally blank]

[page intentionally blank]

Article 12 Planned Development District

ZC93-02; Ordinance No. 93-5-6)

12.100 Purpose 12-1

12.200 Establishment 12-1

12.300 Standard of Approval 12-2

12.400 Minimum District Size 12-2

12.500 PD District Types 12-2

12.600 Permitted Areas of Regulation..... 12-2

12.700 Prohibited Areas of Regulation 12-3

12.800 Regulations Affected 12-3

12.900 Site Plan and Plat Required 12-3

12.1000 Initial Plan Review..... 12-3

12.1100 Plan Approval 12-4

12.1200 Amendment of Administratively Approved Plans 12-4

12.1300 Expiration of Administratively Approved Plans 12-4

12.1400 Minor Amendments for Plan Adopted by Ordinance 12-4

12.1500 Administration..... 12-5

12.1600 Partial Rezoning 12-5

12.1700 Review of Zoning..... 12-5

12.100 Purpose

These regulations are adopted for the following purposes:

- .1 To protect and provide for the public health, safety, and general welfare of the city.
- .2 To guide the future development of the city in accordance with the Comprehensive Plan.
- .3 To accommodate innovation by modifying regulations to better accomplish the city’s development goals.
- .4 To mitigate developmental impacts, especially those related to the environment, traffic, public services and facilities, and adjacent and area land uses.
- .5 To protect and enhance the aesthetic and visual quality of development by creating architectural and cultural districts intended to provide for unique locations which are of architectural and cultural importance to the community. (ZC2023-012; Ord. No. 2023-8-16)

12.200 Establishment

The City Council may approve, approve with conditions, or deny the establishment or amendment of PD districts in accordance with the procedures contained within [Article 4](#) of the Zoning Ordinance and as further described within this article. The boundary of each PD district shall be defined on the zoning map and identified with the letters PD followed by a unique number referencing the adopting ordinance and regulations.

12.300 Standard of Approval

The approval, approval with conditions, or denial of PD districts shall be at the sole discretion of the City Council based upon its judgment of the merit of the proposed district as related to the stated purposes in Sec. [12.100](#).

12.400 Minimum District Size

Following the effective date of this ordinance, no PD district may be established smaller than 5 acres unless a specific finding is made by the City Council that the establishment of the district is required to implement the Comprehensive Plan or related study.

12.500 PD District Types

A PD district may be created as an overlay district or as a freestanding district as described below:

.1 Overlay PD Districts

An overlay PD district superimposes regulations onto a standard zoning district defined in [Article 9](#) and [Article 10](#). A PD overlay may modify, supplement, and/or delete the regulations of a standard zoning district (referred to as the base district). Except as specified by the terms of the ordinance establishing a PD overlay, the regulations of the base district shall apply, and any subsequent general amendment to the base district shall apply. A PD district established as an overlay district shall be designated by letters PD followed by a unique number and the initials of the base district (i.e., PD-000-R).

.2 Freestanding PD Districts

A freestanding PD district is a unique zoning classification. The zoning regulations affecting development within the district are limited to those specifically defined within the ordinance establishing the district (which may include by reference other regulations) and may only be changed by amending the district. A freestanding PD district may only be established where the use of the overlay method cannot reasonably achieve the purposes of this ordinance and the PD district is in accordance with the Comprehensive Plan. A PD district established as a freestanding district shall be designated by the letters PD followed by a unique number (i.e., PD-000).

12.600 Permitted Areas of Regulation

PD zoning may be used to:

- .1** Define and condition land uses permitted within each district, including expanding or restricting uses permitted by right or by specific use permit within a base zoning district. PD zoning may specify the location of land uses and define standards for operation and performance of land uses.
- .2** Specify development standards and actions required to protect the environment and to preserve natural features and vegetation within the district.
- .3** Define development standards pertaining to the size, height, bulk, coverage, placement, setback, configuration, and number of buildings; set residential unit density; regulate the design and exterior appearance of buildings; define standards for lot size, dimensions, and street frontage; and specify the location, extent, and design standards for open space, landscaping, screening and buffers, appurtenances, signage, and amenities. PD zoning may modify, delete, or add to those standards provided in a base zoning district. The standards may be more or less restrictive than those in a base zoning district.

- .4 Specify the location and design of streets, drives, parking, and pedestrian and bicycle facilities. PD districts may be used to modify the standards of the Street Design Standards and the Subdivision Ordinance related to design of public and private facilities, but only where a specific finding is made by the City Council that the alternative standard does not decrease public safety, impair traffic movement, or result in a higher maintenance cost. (ZC2023-002; Ordinance No. 2023-9-13)
- .5 Specify the timing, sequencing, and phasing of development, including coordinating the type, location, and intensity of development permitted with the construction and availability of public facilities and services.
- .6 Provide for the construction of public improvements and facilities onsite or within public easements and rights-of-way abutting the site as required to serve and benefit development within the district or as may be required to mitigate impacts resulting from the development on other properties and uses outside of the district. Standards within the Subdivision Ordinance pertaining to the design, performance, and cost participation for public improvements may be amended by a PD district.

12.700 Prohibited Areas of Regulation

A PD district may not be used to:

- .1 Require construction of public improvements or the dedication or reservation of land which are not of primary benefit to development within the district or necessary to mitigate an adverse impact attributable to development within the district, unless compensation is provided as required by law.
- .2 Secure agreements between owners of property within the district with third parties.
- .3 Assign responsibility to the city for enforcement of private deed restrictions or covenants.
- .4 Waive or modify the requirements of ordinances other than the Zoning Ordinance, except as specifically authorized by this ordinance.

12.800 Regulations Affected

PD districts may be used, in accordance with Sec. [12.600](#) and Sec. [12.700](#), to modify and supplement the regulations contained within the following ordinances:

- .1 Zoning Ordinance
- .2 Subdivision Ordinance
- .3 Street Design Standards (ZC2023-002; Ordinance No. 2023-9-13)

12.900 Site Plan and Plat Required

[Article 3](#) of the Zoning Ordinance, Site Plan Review, shall apply to the development of land for uses within any PD district as required in [3.100.3](#). Article III of the Subdivision Ordinance, Platting, shall apply to any development or subdivision of land with a PD district. (ZC2022-016; Ord. No. 2023-2-5)

12.1000 Initial Plan Review

A concept plan shall be normally required as part of an application for establishing or amending a PD district. Additional information, studies, and plans may be required by the Planning & Zoning Commission or the City Council to determine the merit of establishing a PD district and as required to develop regulations to be incorporated in the ordinance establishing or amending a PD district. The

requirement for submitting a concept plan may be waived by the Planning & Zoning Commission or the City Council if they determine sufficient information exists to evaluate the proposed establishment or amendment of a PD district. Where this requirement is waived at the time of establishing a PD, approval of a concept plan shall be required prior to the approval of any plan, plat, or permit related to development of the property. (See Sec. [3.200](#) for concept plan requirements.) (ZC2009-03; Ordinance No. 2009-5-31)

12.1100 Plan Approval

Plans and land studies submitted in conjunction with establishing or amending a PD district may be approved by City Council either by separate administrative action, or by reference as part of the ordinance establishing the PD district. All subsequent plans prepared for the development of property within a PD district must substantially conform to the approved plan in accordance with the standards and procedures of [Article 3](#) of the Zoning Ordinance and Article III of the Subdivision Ordinance.

12.1200 Amendment of Administratively Approved Plans

Plans which are administratively approved may be revised and re-approved by the Planning & Zoning Commission by administrative action in accordance with the provisions of [Article 3](#) of the Zoning Ordinance and Article III of the Subdivision Ordinance and provided that the amended plan conforms to the regulations set forth within the PD ordinance.

12.1300 Expiration of Administratively Approved Plans

Plans which are approved by administrative action shall expire in accordance with the provisions of [Article 3](#) of the Zoning Ordinance. Land studies which are approved by administrative action shall expire in accordance with the provisions of Article III of the Subdivision Ordinance. Where the plan has expired and no extension is approved, the property owners of the PD must receive approval of a new plan prior to applying for development permits. Any new plan or study must conform to the regulations existing at the time of application.

12.1400 Minor Amendments for Plan Adopted by Ordinance

Except as permitted as a minor amendment, plans adopted by ordinance shall not expire and may only be revised through the rezoning process. The Planning & Zoning Commission may approve minor amendments to plans adopted by ordinance provided the amendment conforms to the following standards:

- .1 The amendment does not increase the density or intensity of development.
- .2 The amendment does not substantially alter the arrangement of buildings, increase the number of buildings, or change the use of building space designated on the original plan.
- .3 The amendment does not substantially alter the configuration of streets or lots.
- .4 The amendment does not increase the height of buildings.
- .5 The amendment does not substantially alter vehicular circulation or placement of parking areas.
- .6 The amendment does not reduce or lessen the effectiveness of open space, landscaped buffers, and edges.
- .7 The amendment does not conflict with other regulations specified within the ordinance establishing the district.

12.1500 Administration

It is the responsibility of the Director of Planning and the Planning & Zoning Commission to administer the regulations governing PD districts.

.1 Interpretation

It is the responsibility of the Director of Planning to interpret the regulations affecting development within each PD district. The Director of Planning's rulings may be appealed to the Planning & Zoning Commission for further consideration.

.2 Conflicting Regulation

Where regulations set forth within a PD district directly and specifically conflict with those of another ordinance, the regulations of the PD district shall prevail.

.3 Location of Land Use and Development Intensity

Approved, valid plans for a PD adopted by ordinance or administrative action shall control the location of land use and development intensity. No subsequent plan for a portion of a PD may be approved if it alters the type or exceeds the intensity of uses set forth for that area on the plan for the entire PD.

.4 Multiple Ownership

Where the land within a PD is divided among multiple owners, all owners must authorize the submittal of petitions to amend the PD ordinance or plans applying to the entire district.

12.1600 Partial Rezoning

Owners of property within a PD district may request rezoning of the portion of the district they own to separate it from the remaining property within the PD district. In considering the request, the Planning & Zoning Commission and City Council shall evaluate the effect of the rezoning on the remaining property and may require adjustments to terms and conditions of the original PD resulting from a change in boundary.

12.1700 Review of Zoning

The Planning & Zoning Commission or the City Council may at its discretion call a public hearing to evaluate any PD district to determine appropriate zoning for the area. The following are some of the reasons for initiating a review of zoning. The reasons listed are examples and shall in no way be construed as a limitation upon the Planning & Zoning Commission's and City Council's authority to review and evaluate a PD district at any time the Commission or Council deem appropriate.

.1 Change of Conditions

An unanticipated change in conditions, including adoption of new plans and development policies which affect the appropriateness of existing zoning.

.2 Error or Ambiguity

A provision of the zoning incorrectly recorded or sufficiently ambiguous to prevent reasonable administration of the district.

.3 Nonperformance

A condition where ownership of the property is divided among multiple parties and the owners are unable to cooperate in implementing the terms of the district, or a period greater than 5 years following the approval of the PD or the date of the last amendment or administrative approval in which no action related to development of the property occurs.

[page intentionally blank]

Article 13 Lot and Building Standards

13.100	Number of Buildings per Lot	13-1
13.200	Street Frontage and Access.....	13-1
13.300	Lot Area and Dimensions.....	13-2
13.400	Floor Area Ratio	13-2
13.500	Yard Regulations	13-2
13.600	Height Regulations	13-10
13.700	Lot Coverage	13-11
13.800	Usable Open Space.....	13-11
13.900	Accessory Building Regulations.....	13-13
13.1000	Mid-Rise Residential Development	13-14

13.100 Number of Buildings per Lot

.1 Single-family and Two-family Uses

Only one main building for single-family or two-family use with permitted accessory buildings may be located upon a lot or platted tract.

.2 Multifamily and Nonresidential Uses

Where a lot is used for multifamily, retail, office, commercial, or industrial purposes, or a combination of same, or for a combination of retail and dwelling purposes, more than one main building may be located upon the lot, but only when such buildings conform to all the open space, parking, and density requirements applicable to the uses and districts. No storage area or required open space for one building shall be computed as being the open space, yard, or area requirements for any other dwelling or other use.

13.200 Street Frontage and Access

.1 Single-family and Two-family Uses

Every dwelling shall face or front upon a public street or approved place other than an alley, which street or approved place shall have a minimum width of 22 feet.

.2 Multifamily and Nonresidential Uses

Whenever 2 or more main buildings or portions thereof, are placed upon a single lot or tract and such buildings will not face upon a public street, the same may be permitted when the site plan for such development is approved by the Planning & Zoning Commission.

.3 Religious facilities, assisted living facilities, long-term care facilities, continuing care facilities, community centers, hospitals, colleges, universities, trade schools, and public, private, and parochial schools located in any residential district shall have access to a street with a minimum pavement width of 36 feet. (ZC2022-016; Ord. No. 2023-2-5, ZC2010-06; Ordinance No. 2010-8-7)

.4 Through lots are hereby prohibited.

- .5 Where residential lots have frontage on streets at opposite ends of the lot, a screening wall or other permanent barrier shall be constructed on the property line so that access is denied to one of the adjacent streets.

13.300 Lot Area and Dimensions

.1 General

Regulations governing lot dimensions, as specified in [Article 9](#) and [Article 10](#), shall apply to all lots except that a lot having less area, width, or depth than herein required which was an official “lot of record” prior to the adoption of this ordinance may be used for a single-family dwelling, and no lot existing at the time of passage of this ordinance shall be reduced in area, width, or depth below the minimum requirements set forth herein. (ZC2010-06; Ordinance No. 2010-8-7)

- .2 Assisted living facilities, long-term care facilities, continuing care facilities, community centers, hospitals, colleges, universities, trade schools, and public, private, and parochial schools located in any residential district shall have a minimum site area of 2 acres. (ZC2022-016; Ord. No. 2023-2-5, ZC2000-83; Ordinance No. 2000-11-30)

13.400 Floor Area Ratio

- .1 The maximum floor area ratio of a lot or tract on which a building is located shall not exceed any applicable requirements of [Article 9](#) and [Article 10](#), except where an existing building at the effective date of this ordinance may have a higher floor area ratio than herein prescribed, such building shall be considered a conforming use.
- .2 In the case where excess right-of-way is dedicated by plat for the purpose of construction of an overpass and where such right-of-way exceeds the normal right-of-way required by the Thoroughfare Plan Map for the adjacent street, development which occurs on the property from which the excess right-of-way was dedicated may utilize the dedicated excess right-of-way in computing floor area ratio and lot coverage. (ZC2023-002; Ordinance No. 2023-9-13)

13.500 Yard Regulations

.1 General

Regulations governing yard requirements, as specified in [Article 9](#) and [Article 10](#), shall apply to all lots unless otherwise specified in the ordinance.

.2 Front Yard Regulations

- A. Where the frontage on one side of a street between 2 intersecting streets is divided by 2 or more zoning districts, the front yard shall comply with the requirements of the most restrictive district for the entire frontage. See [Figure 13-1](#).




Figure 13-1: Front Yards on Split-Zoned Blocks

- B. Where a building line has been established by plat approved by the Planning & Zoning Commission and such line requires a greater or lesser front yard setback than is prescribed by this ordinance for the district in which the building line is located, the required front yard shall comply with the building line so established by such plat.
- C. Except as herein provided, the front yard shall be open and unobstructed from a point 40 inches above the general ground level of the graded lot to the sky. Eaves and roof extensions or a porch without posts or columns may project into the required front yard for a distance not to exceed 4 feet and subsurface structures, platforms, or slabs may not project into the front yard to a height greater than 40 inches above the average grade of the yard. See [Figure 13-2](#).




Figure 13-2: Front Yard Measurement

- D. Porch and patio covers that extend greater than 4 feet, with or without posts or columns, that were erected in the front yard setback of single-family dwellings before April 12, 2004, are considered to be existing nonconforming structures subject to [Article 7](#).
- E. For nonresidential or multifamily developments, screening walls or fences required under the provisions of Sec. [20.100](#) shall be constructed to the full 6 to 8-foot height along the entire property line, except where visibility triangles or easements are needed. For public and parochial schools, private primary and secondary schools, and day care centers, fences and berms may be a combined

maximum height of 60 inches above grade provided that the fence material is wrought iron or chain link. (ZC2004-22; Ordinance No. 2004-6-31)

- F. For existing through lots, a required front yard shall be provided on both streets unless a building line for accessory buildings has been established along one frontage on the plat or by ordinance, in which event only an accessory building may be built on the line thus established. The main building must observe the front yard requirements for both streets. See [Figure 13-3](#).
- G. In the case of existing through lots which are bounded on 3 sides by streets, all yards between the main building and a street shall be regulated as front yards unless a front, side, and rear building line have been established by plat.




Figure 13-3: Front Yards on Through Lots

- H. If buildings along the frontage of any street between 2 intersecting streets in any residential district have observed an average setback which is greater or lesser in dimension than the minimum front yard or setback established for the district in which the street frontage is located, and if no front building line has been established by plat, then the average setback of all buildings fronting upon such street between 2 intersecting streets shall establish the minimum front yard requirement. All vacant lots shall be assumed to have a minimum front yard specified for the district in computing the average front yard. These provisions shall not be interpreted as requiring a setback or front yard of more than 10 feet greater than the front setback observed by any building on a contiguous lot. The provisions shall be superseded on any lot where a minimum building line has been established by plat or ordinance and the front yard or setback provisions of such plat or ordinance shall be observed. See [Figure 13-4](#).





Figure 13-4: Front Setback Averaging

- I. In all districts except BG, CB-1, UMU, NBD, and RCD the distance as measured from the front lot line to the face of the building shall in no case be less than one-half the height of the building. In cases where a lot is across the street from or adjacent to a residential zoning district, see Sec. [13.500.2N](#). (ZC2020-012; Ord. No. 2021-1-13)
- J. Vehicle fueling station pump islands shall not be located closer than 39 feet to the front property line. Canopies for pump islands shall have a minimum setback of 20 feet from the front property line when the canopy thickness is 3 feet or less. An increased setback of 10 feet will be required for each additional foot or portion of a foot in excess of 3 feet. (ZC2017-014; Ord. No. 2017-7-9)
- K. Except in the BG, CB-1, UMU, NBD, and RCD districts, on any corner lot, no fence, wall, screen, billboard, sign, structure, or foliage of hedges, trees, bushes, or shrubs shall be erected, planted, or maintained in such a manner as to obstruct or interfere with a clear line of sight for the drivers of approaching motor vehicles within a triangular area formed by extending the 2 curb lines a distance of 45 feet from their point of intersection, and connecting these points with an imaginary line, thereby making a triangle. If there are no curbs existing, the triangular area shall be formed by extending the property lines a distance of 30 feet from their point of intersection, and connecting these points with an imaginary line, thereby making a triangle. In cases where streets do not intersect at approximately right angles, the Traffic Engineer shall have the authority to vary these requirements as deemed necessary to provide safety for both vehicular and pedestrian traffic; however, the Traffic Engineer shall not require site distance in excess of 275 feet. Within this triangle, vision must be clear at elevations between 30 inches and 9 feet above the average grade of the street. (ZC2020-012; Ord. No. 2021-1-13)
- L. For corner lots with a curved corner lot line, the building line shall be established as provided in [Figure 13-5](#).



DETERMINATION OF BUILDING LINE RADIUS OF LOTS
WITH CURVED CORNER

RL = RADIUS OF LOT LINE
SBL = SIDE BUILDING LINE
FBL = FRONT BUILDING LINE
RBL = RADIUS OF BUILDING LINE

Figure 13-5: Building Line on Corner Lot

- M. In residential developments except those in the PH and UR districts, minimum required front yards may be reduced by a maximum of 5 feet when such yards front on the bulb portion of a cul-de-sac. In no case shall the required front yard be reduced to less than 25 feet under this provision. See [Figure 13-6](#).




Figure 13-6: Front Yard Reduction on Cul-de-Sac

- N. In all districts, except BG, UMU, NBD, RCD, RE, RC, and RT, where buildings or structures are erected or altered to exceed 2 stories in height, such buildings or structures must not be located closer to any residential district boundary line than a distance equal to the sum of the required yard specified for the zoning district in which such building or structure is located, plus 25 feet, plus twice the height of the portion of the building above 25 feet. (*ZC2020-012; Ord. No. 2021-1-13*)
- O. Except where staggered setbacks are permitted and used, residential building lines shall be uniform for all contiguous lots along a block face. Uniform residential building lines may be altered on a block face where there is a separation of 15 feet or more between residential lots created by intersecting alleys, creeks, and public or private open space. The building line may be staggered for lots fronting on an eyebrow or bulb portion of a cul-de-sac in the SF-9, SF-7, SF-6, and 2F districts. When these setbacks are staggered, the maximum setback shall be 35 feet in the SF-9, SF-7, and 2F districts and 30 feet in the SF-6 district. A minimum lot depth of 70 feet, as measured from the front building line to the rear lot line, shall be maintained.
- P. Attached front accessory buildings, including garages and carports, shall have a front setback from the street or access way not less than that of the main building or 20 feet, whichever is greater. Detached accessory buildings shall be located behind the main building.
- Q. In all nonresidential zoning districts, except BG, UMU, NBD, and CB-1, the front building setback may be reduced to 30 feet for one-story buildings along Type D or smaller thoroughfares if parking and driveways are prohibited between the building face and the street with the reduced setback. (*ZC2020-012; Ord. No. 2021-1-13*)
- R. Exterior balconies or individual room entrances for hotels and motels shall be a minimum of 200 feet from residential districts, unless they are located in an interior courtyard or physically separated from the residential district by a portion of the building or another building. (*ZC2014-37 and 96-29; Ordinance No. 2015-1-10 and 96-11-29*)
- S. A below-grade, open parking structure is allowed in the front yard setback for all nonresidentially zoned properties. No portion of the below-grade parking structure shall extend above the general ground level of the graded lot, as stated in Sec. ~~13.500.2C~~. Surface parking may be constructed on top of the below-grade parking. Additional landscaping shall be provided per Sec. ~~17.100.5~~. (*ZC96-68; Ordinance No. 97-2-15*)

.3 Side Yard Regulations

- A. On a corner lot used for single-family or two-family dwellings, both street exposures shall be treated as front yards on all lots platted after the effective date of this ordinance, except that where one street exposure is designated as a side yard by a platted building line which provides a side yard of 15 feet or more, the building line provisions on the plat shall be observed. On lots which were official lots of record prior to the effective date of this ordinance, the minimum side yard

adjacent to a side street shall comply with the side yard requirements of the subject zoning district. (See also Sec. [13.500.20.](#))

- B. On a corner lot used for nonresidential or multifamily purposes, both street exposures shall be treated as front yards on all lots platted after the effective date of this ordinance. On such lots which were official lots of record prior to the effective date of this ordinance and which did not provide a platted building line, the minimum side yard adjacent to a side street shall comply with the side yard requirements of the subject zoning district.
- C. The side setback shall be increased 10 feet for lots siding to an arterial thoroughfare (Type D or above) as shown on the Thoroughfare Plan Map, if not separated by an alley. The lot width shall be increased 10 feet to correspond to the increased setback. The increased setback and lot width shall not be required if a minimum of 10 feet of right-of-way is dedicated for landscaping. The increased setback shall not apply to existing lots and valid Phase II land studies submitted and approved by April 10, 1995. (*ZC2023-002; Ordinance No. 2023-9-13, ZC94-122; Ordinance No. 95-4-30*)
- D. The minimum interior side yard requirements in a nonresidential planned development district shall be established on the site plan.
- E. Nonresidential uses in residential districts shall comply with the side yards requirements of the subject zoning district.
- F. Every part of a required side yard shall be open and unobstructed except for the ordinary projections of window sills, belt courses, cornices, and other architectural features projecting not to exceed 12 inches into the required side yard and roof eaves projecting not to exceed 36 inches into the required side yard. A fence may be constructed on the property line adjacent to a side yard.
- G. Mechanical equipment such as air-conditioning compressors, swimming pool pumps and filters, and similar devices may be installed in the side yard at a maximum height of 60 inches above the ground level of the graded lot to the sky.
- H. Where a side property line divides a nonresidential district from a residential district, a minimum 10-foot side yard shall be provided on the nonresidential lot side adjacent to such residential district.
- I. In all districts, except BG, UMU, NBD, RCD, RE, RC, and RT, where buildings or structures are erected or altered to exceed 2 stories in height, such buildings or structures shall not be located closer to any residential district boundary line than a distance equal to the sum of the required yard specified for the zoning district in which such building or structure is located, plus 25 feet, plus twice the height of the portion of the building above 25 feet. (*ZC2020-012; Ord. No. 2021-1-13*)
- J. In single-family residential districts, one side yard may be reduced down to zero if the other side yard is increased by at least the same amount. A minimum 3-foot maintenance easement may be required on the lot adjacent to the reduced side yard. In any case where a side yard is reduced according to this paragraph, side yards shall be shown on the subdivision plat.

- K. Where residential lots are platted such that the side of one lot abuts the rear of another lot, the side building line adjacent to the street shall be platted at the same depth as the adjacent front building line, unless an alley is constructed between the 2 lots so as to provide a minimum 15-foot separation between the building lines.
- L. For LI-1 and LI-2 districts in proximity to districts permitting residential uses by right, the side yard shall be a minimum of 50 feet, as measured from the boundary line of the nearest district permitting residential uses by right (except CB-1 and CE districts).
- M. Vehicle fueling station pump islands shall not be located closer than 39 feet to any side property line. Canopies for pump islands shall have a minimum setback of 20 feet from the side property line when the canopy thickness is 3 feet or less. An increased setback of 10 feet will be required for each additional foot or a portion of a foot in excess of 3 feet. *(ZC2017-014; Ord. No. 2017-7-9)*
- N. Car washes shall be set back a minimum of 50 feet from any side yard adjacent to a residential district.
- O. Where a single-family or duplex residential structure is legally constructed within the allowable building area of a lot and a subsequent change to the building setback standards results in the structure extending into the setback area, the structure shall be classified as nonconforming. Additions and alterations may be made to these structures provided that the addition or alteration does not extend beyond a line tangent to the existing structure and parallel with the setback line. *(ZC92-79; Ordinance No. 93-5-43)*
- P. A lot that is used for single-family and two-family dwellings that sides to a street shall have the same side building line along the street as required for a corner lot in that district. *(Ordinance No. 93-9-7)*
- Q. Exterior balconies or individual room entrances for hotels and motels shall be a minimum of 200 feet from residential districts, unless they are located in an interior courtyard or physically separated from the residential district by a portion of the building or another building. *(ZC2014-37 and 96-29; Ordinance No. 2015-1-10 and 96-11-29)*

.4 Rear Yard Regulations

- A. In all districts permitting residential structures, except PH, SF-A, MF-1, MF-2, MF-3, BG, CB-1, UMU, NBD, and RCD, main residential buildings must be constructed at least 10 feet away from the rear property line, and the main residential building and all accessory buildings must not cover more than 50% of that portion of the lot lying to the rear of a line erected, joining the midpoint on one side lot line with the midpoint of the opposite side lot line. *(ZC2020-012; Ord. No. 2021-1-13)*
- B. Every part of a required rear yard shall be open and unobstructed to the sky from a point 40 inches above the ground level of the graded lot, except for permitted accessory buildings and the ordinary projections of window sills, belt courses, cornices, roof overhangs, and other architectural features projecting not to exceed 4 feet into the required rear yard. A fence may be constructed on the property line adjacent to a rear yard.

- C. The minimum rear yard requirement in a nonresidential planned development district shall be established on the site plan.
- D. In all districts, except BG, UMU, NBD, RCD, RE, RC, and RT, where buildings or structures are erected or altered to exceed 2 stories in height, such buildings or structures must not be located closer to any residential district boundary line than a distance equal to the sum of the required yard specified for the zoning district in which such building or structure is located, plus 25 feet, plus twice the height of the portion of the building above 25 feet. (*ZC2020-012; Ord. No. 2021-1-13*)
- E. In LI-1 or LI-2 districts, a rear yard is not specified except where the boundary line of an LI-1 and LI-2 district is in proximity to a residential district, the rear yard shall be a minimum of 50 feet as measured from the boundary line of the nearest district permitting residential uses by right (except CB-1 and CE districts).
- F. Car washes shall be set back a minimum of 50 feet from any rear yard adjacent to a residential district.
- G. Where a single-family or duplex residential structure is legally constructed within the allowable building area of a lot and a subsequent change to the building setback standards results in the structure extending into the setback area, the structure shall be classified as nonconforming. Additions and alterations may be made to these structures provided that the addition or alteration does not extend beyond a line tangent to the existing structure and parallel with the setback line. (*ZC92-79; Ordinance No. 93-5-43*)
- H. The rear setback shall be increased 15 feet for lots backing to an arterial thoroughfare (Type D or above) as shown on the Thoroughfare Plan Map, if not separated by an alley. Lot depth shall be increased 10 feet to correspond to the increased setback. The increased setback and lot depth shall be reduced proportionally if a minimum of 10 feet of right-of-way is dedicated for landscaping. The increased setback shall not apply to existing lots and valid Phase II land studies submitted and approved by April 10, 1995. (*ZC2023-002; Ordinance No. 2023-9-13, ZC94-122; Ordinance No. 95-4-30*)
- I. Exterior balconies or individual room entrances for hotels and motels shall be a minimum of 200 feet from residential districts, unless they are located in an interior courtyard or physically separated from the residential district by a portion of the building or another building. (*ZC2014-37 and ZC2011-37 and 96-29; Ordinance No. 2015-1-10 and 96-11-29*)

13.600 Height Regulations

The height regulations herein specified shall apply to all buildings and structures unless otherwise specified in the ordinance. When height requirements are stated in stories and feet, the more restrictive requirement shall apply. (*Ordinance No. 95-4-27*)

- .1 In all zoning districts and planned developments, water standpipes and tanks; religious facility architectural features; bell towers; domes and spires on government facilities, school buildings, and institutional buildings; the roofs of auditoriums and sanctuaries of one story construction; and public safety structures may be erected to exceed the district's maximum height. Side and rear yards shall be increased by 2 additional feet,

and the front yard shall be increased by one additional foot, for each foot that such structures exceed the district's maximum height where adjacent to residential districts. The increase in the required yard shall apply only to the portion of the structure that causes the increased yard requirements. See Sec. [13.500.3](#) and [13.500.4](#) for additional side and rear yard setbacks in nonresidential zoning districts. (ZC2021-011; Ord. No. 2021-7-6; ZC2010-06; Ordinance 2010-8-7; ZC2001-49; Ordinance No. 2002-1-25)

- .2 Publicly-owned sports lighting, communication antennas or communication structures, utility poles and towers, and water tanks are exempt from height restrictions.

13.700 Lot Coverage

The maximum percentage of any lot which may hereafter be covered by the main building and all accessory buildings shall not exceed the lot coverage requirements herein specified, except where an existing building at the effective date of this ordinance may have a greater percentage of a lot covered than herein prescribed, such building shall be considered a conforming use.

13.800 Usable Open Space

(ZC2006-02; Ord. No. 2006-4-24)

.1 Intent

The intent of usable open space is to provide for outdoor living and/or recreation in an open area or recreational facility. Where required by this ordinance, usable open space shall comply with the standards of this section:

.2 Area Required

- A. The minimum required area of usable open space for a development shall be according to the area, yard, and bulk standards of the respective zoning district.
- B. At the time of site plan and/or subdivision plat approval, the Planning & Zoning Commission and/or City Council may give full or partial credit to the minimum required area of usable open space as follows:
 - i. The required usable open space area may be reduced up to one-third for offsite dedicated open space that meets the development's needs in terms of adjacency, accessibility, usability, and design integration. The credit for the offsite usable open space is a discretionary decision of the Planning & Zoning Commission and/or City Council based generally upon the following:
 - a. 15% or more of the site's boundary is adjacent to park land.
 - b. The park land is suitable, as defined by the intent for usable open space, for use by residents.
 - c. There are defined pedestrian connections between the development and the park land.
 - d. The design of the development provides a significant visual connection to the park land.
 - ii. For multifamily residential development in the Multifamily Residence-1 (MF-1), Multifamily Residence-2 (MF-2), and Multifamily Residence-3 (MF-3) zoning districts only, the required usable open space may be reduced through the use of credits for certain improvements. A credit of 3 square feet may be

applied for each square foot utilized for swimming pools and adjacent decks, patios, or lounge areas within 10 feet of a pool, developed and equipped children's play areas, and usable portions of recreational buildings. No credit may be applied for tennis courts.

- iii. For multifamily residential development in the MF-1, MF-2, and MF-3 zoning districts only, the combined credit for areas calculated at a 3-to-one basis and for public parks shall not exceed 50% of the total usable open space for an individual lot or parcel of land.

.3 General Standards

- A. Usable open space may include landscaping, walks, patios, pools, tennis courts and other recreational facilities, water features, and decorative objects such as art work or fountains.
- B. Usable open space shall not include rooftops; accessory buildings, except those portions of any building designed specifically for recreational purposes; parking areas; driveways; turnaround areas; or rights-of-way or easements for streets or alleys, drainage or floodway facilities or electrical transmission lines.
- C. Usable open space shall not have a slope exceeding 10%. (*ZC2017-026; Ord. No. 2017-11-3*)
- D. At that time of site plan and/or subdivision plat approval, the Planning & Zoning Commission and/or City Council may give full or partial credit for usable open space that exceeds the maximum 10% slope if it is determined that such areas are environmentally or aesthetically significant and their preservation would enhance the development.

.4 Dimensional Standards

- A. Multifamily residential development in the MF-1, MF-2, and MF-3 zoning districts shall have no usable open space dimension less than 15 feet.
- B. Patio home and single-family attached development in the Patio Home (PH), Single-Family Residence Attached (SF-A), MF-1, MF-2, and MF-3 zoning districts, and patio home or single-family development in the Retail zoning district shall comply with the following dimensional standards: (*ZC2022-016; Ord. No. 2023-2-5*)
 - i. All residential lots must be located within 600 feet of usable open space as measured along a street. The Planning & Zoning Commission may increase this distance to 1,200 feet if the shape of the subdivision is irregular or if existing vegetation on the site will be preserved by an increase in the distance.
 - ii. A primary usable open space area 20,000 square feet or larger shall be provided. This primary usable open space must be a minimum of 50 feet wide and must abut a street on a minimum of 25% of the area's perimeter.
 - iii. If additional open space is needed to meet the minimum area of required usable open space, secondary usable open space areas must be provided. The minimum area for a secondary usable open space shall be 7,500 square feet or larger. This secondary usable open space must be a minimum of 25 feet wide and must abut a street for a minimum frontage distance of 25 feet. Secondary

usable open space areas greater than 15,000 square feet shall have a minimum of 2 access points to public streets. Each access point must abut a street for a minimum frontage distance of 25 feet.

.5 Exhibit Required

Where usable open space is required by this ordinance, a usable open space plan shall be submitted as part of any preliminary site plan or site plan application. The usable open space plan shall contain the following:

- A. A table with calculations that indicate compliance with minimum required area of usable open space.
- B. Graphic representation of compliance to general and dimensional standards for usable open space.
- C. If requesting usable open space credits, a statement with graphic depiction of the credits is requested.

13.900 Accessory Building Regulations

.1 General

A. Use of Accessory Building

In a residential zoning district, an accessory building may not be used for commercial purposes, with the exception of coops for backyard hens kept in accordance with the Code of Ordinances, and may not be rented. (*ZC2021-020; Ord. No. 2021-9-25*)

B. Height and Yard Requirements

- i. Where the accessory building is attached to a main building, it shall be subject to, and must conform to, all regulations applicable to the main building except as provided within this section.
- ii. Accessory buildings shall not be erected in any required front yard.
- iii. Carports and detached accessory buildings, except garages, shall not be located closer than 3 feet to any side or rear lot line.
- iv. Detached accessory buildings enclosed on 3 or more sides shall not be located closer than 10 feet to the main building.
- v. Garages entered from an alley shall be set back from the lot line adjacent to the alley a minimum of 20 feet.
- vi. Accessory buildings may not be placed in the required side yard setback if the side yard lot line abuts a street.
- vii. In no instance shall an accessory building be located within an easement or right-of-way.
- viii. Detached accessory buildings located in a required rear or side yard shall not exceed 10 feet in height. If the detached accessory building is located less than 10 feet from the rear or side lot line, a 6-foot solid fence or wall shall be built on the rear or side lot line to screen the building. No screening shall be required at the point of entry for a carport.

.2 Accessory Building Regulations for Shopping Centers

In shopping centers, the maximum number of kiosks to be permitted shall be limited to one per 50,000 square feet or portion thereof of floor area. In no case shall more than 10 kiosks be permitted in one shopping center.

.3 Carports

(ZC2004-22; Ordinance No. 2004-6-31)

- A. In single-family and two-family developments, a carport shall shelter not more than 3 vehicles and shall not exceed 24 feet on its longest dimension.
- B. Carports must meet all height and yard setback requirements in Sec. [13.900.1B](#) and are prohibited within the front yard setback. However, carports erected in the front yard setback of single-family dwellings before April 12, 2004, are considered to be existing nonconforming structures subject to [Article 7](#). These carports may not be replaced if they are removed for any reason, destroyed, or become dilapidated.

.4 Donation Containers

(ZC2017-014; Ord. No. 2017-7-9)

- A. The use of donation containers for storage purposes is restricted per the following:
 - i. Containers must not be located within any residential lot, required parking space, easement, or within building setbacks.
 - ii. Containers must be stored on a paved surface.
 - iii. The number of containers must not exceed two per lot or cover more than a maximum of 360 square feet, whichever is more restrictive.
 - iv. Containers must not exceed a maximum height of 6 feet unless part of an enclosed vehicular trailer, which may be a maximum of 14 feet.
 - v. All goods and materials must be screened from view within the containers.

13.1000 Mid-Rise Residential Development

(ZC2013-13; Ordinance 2013-10-33)

.1 Purpose

Mid-rise residential development is intended as a complementary use to large-scale commercial districts and corridors. It should be used to diversify land use, increase pedestrian activity, and reduce auto dependency. Mid-rise residential development should be integrated with other land uses and amenities conducive to a residential environment.

.2 Lot Coverage

Maximum 100%

.3 Minimum Density

Mid-rise residential development is exempt from the minimum densities for multifamily development in the Urban Mixed-Use District. *(ZC2014-36, Ordinance No. 2015-1-9)*

[Remainder of page intentionally blank]

DIVISION 3 | USES

Article 14 Allowed Uses and Use Classifications.....14-1

Article 15 Use-specific Regulations15-1

[page intentionally blank]

Article 14 Allowed Uses and Use Classifications

BG District (ZC99-10); LC District (ZC98-67); RE District (ZC00-68); RC District (ZC00-68); RT District (ZC98-69); CC District (ZC98-68)

14.100	Residential Districts Use Table	14-1
14.200	Nonresidential Districts Use Table	14-9
14.300	Use Table Notes	14-17
14.400	Classification of New and Unlisted Uses	14-18
14.500	Prohibited Uses.....	14-19
14.600	Government Facilities	14-19
14.700	Agricultural Operations	14-19

14.100 Residential Districts Use Table

(ZC2017-014; Ord. No. 2017-7-9)

- .1 The following symbols are applicable to the interpretation of the residential districts use table of this section.

Symbol or Designation	Meaning
"P"	Use is permitted in district indicated
"S"	Use may be approved in district indicated upon approval of a specific use permit (See Sec. 6.100)
"R"	Use is permitted in district indicated subject to compliance with Residential Adjacency Standards of Article 21 . If also designated by an "S," use may be approved in district indicated upon approval of a specific use permit (See Sec. 6.100), subject to compliance with Residential Adjacency Standards of Article 21
Blank	Use is prohibited in district indicated
Numbers	Indicate that additional conditions/restrictions apply. See the Table Notes in Sec. 14.300

- .2 The first column of the residential districts use table contains an alphabetical listing of use types. The second column of the use table assigns use types to broader "use categories." The use categories are as follows:

Use Category	Abbreviation
Accessory and Incidental Uses	Accessory & Incidental
Commercial, Manufacturing, and Industrial Uses	Comm., Mfg. & Ind.
Educational, Institutional, Public, and Special Uses	EIPS
Office and Professional Uses	Office & Prof.
Primary Residential Uses	Primary Res.
Retail Uses	Retail
Service Uses	Service
Transportation, Utility, and Communications Uses	Trans., Utility, & Comm.
Wholesale Uses	Wholesale
Vehicle and Related Uses	Vehicle & Related

- .3 Land and buildings in each of the residential zoning districts may be used for any of the uses identified as allowed in the following use table, but no land shall hereafter be used, and no building or structure shall hereafter be erected, altered, or converted which is arranged or designed or used for other than those uses specified for the district in which it is located.

Article 14: Allowed Uses and Use Classifications

14.100: Residential Districts Use Table

Use Type	Use Category	RESIDENTIAL DISTRICTS															
		A -Agricultural	ED-Estate Development	SF-20-Single-Family-20	SF-9-Single-Family-9	SF-7-Single-Family-7	SF-6-Single-Family-6	UR-Urban Residential	PH-Patio Home	SFA-Single-Family Attached	2F-Two-Family (Duplex)	GR-General Residential	MF-1-Multifamily-1	MF-2-Multifamily-2	MF-3-Multifamily-3	MH-Mobile Home	RCD-Residential Community Design (ZC2020-013; Ord. No. 2021-1-12)
Accessory Building or Use (8)	Accessory & Incidental	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P 8
Accessory Housing Shelter (Temporary) (ZC11-13)	EIPS	P 45	P 45	P 45	P 45	P 45	P 45	P 45	P 45	P 45	P 45	P 45	P 45	P 45	P 45	P 45	P 45
Airport/Heliport (4)	EIPS	S															
Amusement, Commercial (Indoor)	Service																
Amusement, Commercial (Outdoor) (ZC97-51) (15)	Service																
Animal Exhibition (ZC04-55)	EIPS	S															
Antenna	Trans., Utility, & Comm.	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34
Antenna Support Structure (Commercial and Amateur) (ZC99-43)	Trans., Utility, & Comm.	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34
Artisan's Workshop	Service																
Asphalt/Concrete Batching Plant (Permanent)	Comm., Mfg. & Ind.																
Asphalt/Concrete Batching Plant (Temporary)	Comm., Mfg. & Ind.	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36
Assembly Hall (ZC03-21, ZC97-80)	EIPS																
Assisted Living Facility (ZC2022-016, ZC2019-009, ZC03-21, ZC00-83)	EIPS												P 21 52	P 21 52	P 21 52		
Backyard Cottage (ZC2018-033)	Accessory & Incidental			P 51	P 51	P 51	P 51	P 51	P 51	P 51	P 51	P 51	P 51	P 51	P 51	P 51	P 51
Bank, Savings and Loan, or Credit Union	Service																
Boarding/Rooming House	Primary Res.																
Body Piercing (ZC01-19)	Service																
Building Material Sales (ZC96-29)	Retail																
Bus/Truck Leasing (ZC99-46)	Vehicle & Related																
Bus/Truck Repair (ZC99-46)	Vehicle & Related																
Business Service	Service																
Cabinet/Upholstery Shop	Service																
Cafeteria/Restaurant	Service																
Car Wash (ZC99-46)	Vehicle & Related																
Caretaker's/Guard's Residence	Accessory & Incidental	S	S	S	S	S	S	P	S	S	S	S	P	P	P	S	S
Cemetery/Mausoleum	EIPS	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
College/University (5)	EIPS	S	S	S	S	S	S		S	S	S	S	S	S	S		S 5
Commercial Drone Delivery Hub (Large) (ZC2023-014)	EIPS																

Article 14: Allowed Uses and Use Classifications

14.100: Residential Districts Use Table

Use Type	Use Category	RESIDENTIAL DISTRICTS															
		A -Agricultural	ED-Estate Development	SF-20-Single-Family-20	SF-9-Single-Family-9	SF-7-Single-Family-7	SF-6-Single-Family-6	UR-Urban Residential	PH-Patio Home	SFA-Single-Family Attached	2F-Two-Family (Duplex)	GR-General Residential	MF-1-Multifamily-1	MF-2-Multifamily-2	MF-3-Multifamily-3	MH-Mobile Home	RCD-Residential Community Design (ZC2020-013; Ord. No. 2021-1-12)
Commercial Drone Delivery Hub (Small) (ZC2023-014)	EIPS																
Commissary (ZC13-33)	Wholesale																
Community Center (ZC98-101)	EIPS	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Compact Construction & Transportation Equipment Sales & Service (ZC2017-014)	Retail																
Concrete/Asphalt Batching Plant (Permanent)	Comm., Mfg. & Ind.																
Concrete/Asphalt Batching Plant (Temporary)	Comm., Mfg. & Ind.	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36	36
Construction Yard (Temporary) (9)	Accessory & Incidental	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	9 35
Continuing Care Facility (ZC2022-016, ZC2019-009, ZC03-21, ZC00-83)	EIPS												P 21 52	P 21 52	P 21 52		
Convenience Store (ZC99-46, ZC98-69)	Retail								S	S	S	S	S	S	S	S	S
Country Club or Golf Course	EIPS	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S
Crematory (ZC2023-022)	Comm., Mfg. & Ind.																
Data Center (ZC10-05)	Service																
Day Care Center (ZC2019-009, ZC01-51, ZC96-32, ZC93-45) (13)	Service	S 52	S 52	S 52	S 52	S 52	S 52	S 52	S 52	S 52	S 52	S 52	P 52	P 52	P 52	P 52	S 13 52
Day Care Center (Accessory) (ZC2019-009, ZC-08-74)	Service												P 52	P 52	P 52		
Day Care Center (Adult)	Service																
Day Care (In-home) (ZC12-21, ZC08-74) (16)	Service	P 42	P 42	P 42	P 42	P 42	P 42	P 42	P 42	P 42	P 42	P 42	P 42	P 42	P 42	P 42	P 42 16
Distribution Center/Warehouse (ZC96-29)	Wholesale																
Dry Cleaning Plant	Service																
Electrical Power Generating Plant	Trans., Utility, & Comm.	S															
Electrical Substation	Trans., Utility, & Comm.	P	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Engine Repair Shop (Small) (ZC99-46)	Service																
Exhibition Area (ZC99-46)	Service	S															
Fairgrounds (ZC99-46)	Service	S															
Farm, Ranch, Garden, or Orchard (ZC2023-019)	EIPS	P 56	P 56	P 56	P 56	P 56	P 56	56	P 56	P 56	P 56	P 56	P 56	P 56	P 56	P 56	P 56
Farmers Market (ZC2019-001)	Retail	S															
Feed Store	Retail																
Fire Station/Public Safety Building	EIPS	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P
Fitness/Health Center (ZC95-29)	Service																

Article 14: Allowed Uses and Use Classifications

14.100: Residential Districts Use Table

Use Type	Use Category	RESIDENTIAL DISTRICTS																
		A -Agricultural	ED-Estate Development	SF-20-Single-Family-20	SF-9-Single-Family-9	SF-7-Single-Family-7	SF-6-Single-Family-6	UR-Urban Residential	PH-Patio Home	SFA-Single-Family Attached	2F-Two-Family (Duplex)	GR-General Residential	MF-1-Multifamily-1	MF-2-Multifamily-2	MF-3-Multifamily-3	MH-Mobile Home	RCD-Residential Community Design (ZC2020-013; Ord. No. 2021-1-12)	
Flea Market (Inside) (ZC02-37)	Retail	S																
Flea Market (Outside)	Retail	S																
Flex Space (Live-Work)	Service																	
Food/Grocery Store (ZC96-29a)	Retail																	
Food Truck Park (ZC-13-33)	Service																	
Fraternal Organization, Lodge, or Civic Club	EIPS	S																
Funeral Parlor/Mortuary (ZC02-37)	Service																	
Furniture and Appliances, Storage/Repair of (Inside) (ZC98-69)	Service																	
Furniture and Appliances, Storage/Repair of (Outside)	Service																	
Furniture, Home Furnishings, and Equipment Store	Retail																	
Garden Center (ZC99-46)	Retail																	
Golf Course or Country Club	EIPS	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Grocery/Food Store (ZC96-29a)	Retail																	
Guard’s/Caretaker’s Residence (ZC2022-017)	Accessory & Incidental	S	S	S	S	S	S	P	S	S	S	S	P	P	P	S	S	
Gun Range (Indoor)	Service																	
Hardware Store	Retail																	
Health/Fitness Center (ZC96-29)	Service																	
Heliport/Airport (4)	EIPS	S																
Helistop (4)	EIPS																	
Home Occupation (11)	Accessory & Incidental	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P 11	
Hospital (5)	EIPS																	
Hotel/Motel	Service																	
Household Care Facility (ZC09-09, ZC04-15, ZC91-07, ZC90-57)	EIPS	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	
Household Care Institution (ZC2019-009, ZC04-15)	EIPS												S 52	S 52	S 52			
Independent Living Facility (ZC2022-016, ZC2019-009, ZC03-21, ZC00-03)	Primary Residential												P 21 52	P 21 52	P 21 52			
Industrial Use (Hazardous or Nuisance)	Comm., Mfg. & Ind.																	
Kennel (Indoor Pens)/Commercial Pet Sitting (ZC2023-019)	Service	S 22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	
Kennel (Outdoor Pens) (ZC2023-019)	Service	P 22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	
Live-in Management STR (ZC2024-008)	Primary Res.	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	
Live-Work (Business Loft) (ZC2020-013)	Primary Res.																	

Article 14: Allowed Uses and Use Classifications

14.100: Residential Districts Use Table

Use Type	Use Category	RESIDENTIAL DISTRICTS															
		A -Agricultural	ED-Estate Development	SF-20-Single-Family-20	SF-9-Single-Family-9	SF-7-Single-Family-7	SF-6-Single-Family-6	UR-Urban Residential	PH-Patio Home	SFA-Single-Family Attached	2F-Two-Family (Duplex)	GR-General Residential	MF-1-Multifamily-1	MF-2-Multifamily-2	MF-3-Multifamily-3	MH-Mobile Home	RCD-Residential Community Design (ZC2020-013; Ord. No. 2021-1-12)
Long-term Care Facility (ZC2022-016, ZC2019-009, ZC03-21, ZC00-83)	EIPS												P 21 52	P 21 52	P 21 52		
Machinery Sales & Storage, Heavy (ZC2017-014)	Retail																
Manufacturing (Heavy-intensity) (ZC05-20)	Comm., Mfg. & Ind.																
Manufacturing (Light-intensity) (ZC05-20)	Comm., Mfg. & Ind.																
Manufacturing (Moderate-intensity) (ZC05-20)	Comm., Mfg. & Ind.																
Massage Therapy, Licensed	Service																
Mausoleum/Cemetery	EIPS	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Mid-Rise Residential (ZC13-33)	Primary Residential																
Mini-Warehouse/Public Storage (ZC01-51, ZC96-29)	Wholesale																
Mobile Home/Trailer Display and Sales	Service																
Mobile Home/Trailer Park	Primary Res.															P	
Mortuary/Funeral Parlor (ZC02-37)	Service																
Motel/Hotel	Service																
Motorcycle Sales & Service (ZC2017-014, ZC99-46)	Vehicle & Related																
Multifamily Residence (ZC2019-009) (1)	Primary Res.												P 52	P 52	P 52		P 52 53
Nursery (ZC96-50)	Retail	S															
Office (Field) (9)	Accessory & Incidental	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	9 35
Office (Medical)	Office & Prof.																
Office (Professional/General Administrative)	Office & Prof.																
Office (Showroom/Warehouse)	Wholesale																
Paint Shop	Retail																
Park/Playground (ZC2019-009)	EIPS	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52
Pawn Shop (ZC02-37)	Retail																
Personal Service Shop	Service																
Pet Sitting, Commercial/Kennel (Indoor Pens) (ZC2023-019)	Service	S 22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22
Playground/Park (ZC2019-009)	EIPS	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52
Portable Building Sales (ZC99-46)	Retail																
Post Office (Government and Private)	EIPS																

Article 14: Allowed Uses and Use Classifications

14.100: Residential Districts Use Table

Use Type	Use Category	RESIDENTIAL DISTRICTS															RCD-Residential Community Design (ZC2020-013; Ord. No. 2021-1-12)
		A -Agricultural	ED-Estate Development	SF-20-Single-Family-20	SF-9-Single-Family-9	SF-7-Single-Family-7	SF-6-Single-Family-6	UR-Urban Residential	PH-Patio Home	SFA-Single-Family Attached	2F-Two-Family (Duplex)	GR-General Residential	MF-1-Multifamily-1	MF-2-Multifamily-2	MF-3-Multifamily-3	MH-Mobile Home	
Print Shop (Major) (ZC02-48)	Service																
Print Shop (Minor)	Service																
Private Club (19)	Service																
Private Recreation Facility	EIPS	S	S	S	S	S	S	S	P	P	S	P	P	P	P	P	S
Public Safety Building/Fire Station	EIPS	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P
Public Storage/Mini-Warehouse (ZC01-51, ZC96-29)	Wholesale																
Railroad Freight Depot or Dock	Trans., Utility, & Comm.																
Recreational Vehicle Parking Lot/Garage (ZC2017-014, ZC99-46, ZC95-53)	Vehicle & Related																
Recreational Vehicle Sales & Service (ZC2017-014, ZC99-46, ZC95-53)	Vehicle & Related																
Rehabilitation Care Facility	EIPS	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S
Rehabilitation Care Institution	EIPS																
Religious Facility (ZC10-06) (5)	EIPS	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P
Repair/Storage of Furniture and Appliances (Inside) (ZC98-69)	Service																
Repair/Storage of Furniture and Appliances (Outside)	Service																
Research and Development Center	Office & Prof.																
Restaurant (Drive-in) (ZC01-51)	Service																
Restaurant/Cafeteria	Service																
Retail/Service (Incidental) (ZC96-29)	Retail																
Retail Store	Retail																
Rooming/Boarding House	Primary Res.																
Salvage or Reclamation of Products	Comm., Mfg. & Ind.																
Sand, Gravel, Stone, or Petroleum Extraction	Comm., Mfg. & Ind.																
School, (Private) (ZC2019-009) (5)	EIPS	S 52	S 52	S 52	S 52	S 52	S 52	S 52	S 52	S 52	S 52	S 52	S 52	S 52	S 52		S 52
School, (Public or Parochial) (5)	EIPS	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P
Service Contractor (ZC2017-014, ZC05-13)	Service																
Service Yard (Public or Utility) (ZC16-015)	Trans., Utility, & Comm.	S 50	S 50	S 50	S 50	S 50	S 50	S 50	S 50	S 50	S 50	S 50	S 50	S 50	S 50	S 50	S 50
Service/Retail (Incidental) (ZC96-29)	Retail																
Sewage Treatment Plant	Trans., Utility, & Comm.	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Shopping Center (ZC02-37)	Retail																
Short-term Rental (STR) (ZC2024-008)	Primary Res.	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57

Article 14: Allowed Uses and Use Classifications

14.100: Residential Districts Use Table

Use Type	Use Category	RESIDENTIAL DISTRICTS															
		A -Agricultural	ED-Estate Development	SF-20-Single-Family-20	SF-9-Single-Family-9	SF-7-Single-Family-7	SF-6-Single-Family-6	UR-Urban Residential	PH-Patio Home	SFA-Single-Family Attached	2F-Two-Family (Duplex)	GR-General Residential	MF-1-Multifamily-1	MF-2-Multifamily-2	MF-3-Multifamily-3	MH-Mobile Home	RCD-Residential Community Design (ZC2020-013; Ord. No. 2021-1-12)
Single-Family Residence (Attached) (ZC02-47, ZC02-37)	Primary Res.									P 48			P	P	P	P	P 53
Single-Family Residence (Detached)	Primary Res.	P	P 48	P 48	P 48	P 48	P 48	P	P 48	P 48	P	P	P	P	P	P	P 53
Stable (ZC2004-55)	EIPS	S															
Storage, Open (ZC2017-014)	EIPS																
Studio (Dance, Gymnastics and/or Martial Arts)	Service																
Studio (Photographer, Musician, Artist, Radio, and/or TV)	Service																
Studio Residence	Primary Res.							P									P 53
Superstore (ZC00-48)	Retail																
Tattooing and Permanent Cosmetics (ZC00-98)	Service																
Temporary Accessory Housing Shelter (ZC2022-017, ZC11-13)	EIPS	P 45	P 45	P 45	P 45	P 45	P 45	P 45	P 45	P 45	P 45	P 45	P 45	P 45	P 45	P 45	P 45
Theater (Drive-in) (ZC99-46, ZC96-24)	Service																
Theater (Neighborhood) (ZC96-24)	Service																
Theater (Regional) (ZC96-24)	Service																
Trade Schools	EIPS																
Trailer/Mobile Home Display & Sales (ZC2017-014)	Service																
Trailer/Mobile Home Park	Primary Res.															P	
Transit Center/Station (ZC2011-36, ZC96-29)	Trans., Utility, & Comm.																
Transmission Line/Utility Distribution (ZC2022-017)	Trans., Utility, & Comm.	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P
Transportation and Utility Structures/Facility	Trans., Utility, & Comm.	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P
Truck Parking Lot (ZC99-46)	Vehicle & Related																
Truck Sales (Heavy Trucks) (ZC99-46)	Vehicle & Related																
Truck Terminal (ZC99-46)	Vehicle & Related																
Truck/Bus Leasing (ZC99-46)	Vehicle & Related																
Truck/Bus Repair (ZC99-46)	Vehicle & Related																
Two-Family Residence	Primary Res.									P	P	P	P	P	P	P	P 53
Two-Family Residence (Attached) (ZC2020-013)	Primary Res.																P 53
University/College (5)	EIPS	S	S	S	S	S	S		S	S	S	S	S	S	S		S 5
Upholstery/Cabinet Shop	Service																
Utility Distribution/Transmission Line	Trans., Utility, & Comm.	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P

Article 14: Allowed Uses and Use Classifications
14.100: Residential Districts Use Table

Use Type	Use Category	RESIDENTIAL DISTRICTS															RCD-Residential Community Design (ZC2020-013; Ord. No. 2021-1-12)
		A -Agricultural	ED-Estate Development	SF-20-Single-Family-20	SF-9-Single-Family-9	SF-7-Single-Family-7	SF-6-Single-Family-6	UR-Urban Residential	PH-Patio Home	SFA-Single-Family Attached	2F-Two-Family (Duplex)	GR-General Residential	MF-1-Multifamily-1	MF-2-Multifamily-2	MF-3-Multifamily-3	MH-Mobile Home	
Utility, Private (other than listed)	Trans., Utility, & Comm.	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Vehicle Dealer (New) (ZC2017-014, ZC99-46) (7)	Vehicle & Related																
Vehicle Dealer (Used) (ZC2017-014, ZC99-46) (7)	Vehicle & Related																
Vehicle Leasing and Renting (ZC2017-014, ZC99-46)	Vehicle & Related																
Vehicle Parking Lot/Garage (Primary) (ZC2017-014)	Vehicle & Related																
Vehicle Parts Sales (Inside) (ZC2017-014)	Vehicle & Related																
Vehicle Parts Sales (Outside) (ZC2017-014)	Vehicle & Related																
Vehicle Repair (Major) (ZC2017-014, ZC99-46, ZC96-29)	Vehicle & Related																
Vehicle Repair (Minor/Fueling Station) (ZC2017-014, ZC02-37, ZC99-46, ZC96-29)	Vehicle & Related																
Vehicle Storage (ZC2017-014)	Vehicle & Related																
Veterinary Clinic (ZC2023-019)	Service	S 22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22
Warehouse/Distribution Center (ZC96-29)	Wholesale																
Water Treatment Plant	Trans., Utility, & Comm.	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Winery (ZC05-24)	Service	S															
Wrecking Yard	Vehicle & Related																

[Remainder of page intentionally blank]

14.200 Nonresidential Districts Use Table

(ZC2017-014; Ord. No. 2017-7-9)

- .1 The following symbols are applicable to the interpretation of the nonresidential districts use table of this section.

Symbol or Designation	Meaning
"P"	Use is permitted in district indicated
"S"	Use may be approved in district indicated upon approval of a specific use permit (See Sec. 6.100)
"R"	Use is permitted in district indicated subject to compliance with Residential Adjacency Standards of Article 21 . If also designated by an "S," use may be approved in district indicated upon approval of a specific use permit (See Sec. 6.100), subject to compliance with Residential Adjacency Standards of Article 21
Blank	Use is prohibited in district indicated
Numbers	Indicate that additional conditions/restrictions apply. See the Table Notes in Sec. 14.300

- .2 The first column of the nonresidential districts use table contains an alphabetical listing of use types. The second column of the use table assigns use types to broader "use categories." The use categories are as follows:

Use Category	Abbreviation
Accessory and Incidental Uses	Accessory & Incidental
Commercial, Manufacturing, and Industrial Uses	Comm., Mfg., & Ind.
Educational, Institutional, Public, and Special Uses	EIPS
Office and Professional Uses	Office & Prof.
Primary Residential Uses	Primary Res.
Retail Uses	Retail
Service Uses	Service
Transportation, Utility, and Communications Uses	Trans., Utility, & Comm.
Wholesale Uses	Wholesale
Vehicle and Related Uses	Vehicle & Related

- .3 Land and buildings in each of the nonresidential zoning districts may be used for any of the uses identified as allowed in the following use table, but no land shall hereafter be used, and no building or structure shall hereafter be erected, altered, or converted which is arranged or designed or used for other than those uses specified for the district in which it is located.

[Nonresidential districts use table starts on following page. Remainder of page intentionally blank]

Article 14: Allowed Uses and Use Classifications

14.200: Nonresidential Districts Use Table

Use Type	Use Category	NONRESIDENTIAL DISTRICTS														
		O-1-Neighborhood Office	O-2-General Office	R-Retail	LC-Light Commercial	CC-Corridor Commercial	UMU-Urban Mixed-Use (ZC12-29)	BG-Downtown Bus./Govt	CB-1-Central Business-1	CE-Commercial Employment	RC-Regional Commercial	RE-Regional Employment	RT-Research/Technology Center	LI-1-Light Industrial-1	LI-2-Light Industrial-2	NBD-Neighborhood Business Design (ZC2020-012; Ord. No. 2021-1-13)
Accessory Building or Use (8)	Accessory & Incidental	P	P	P	P	P		P	P	P	P	P	P	P	P	P 8
Accessory Housing Shelter (Temporary) (ZC11-13)	EIPS	P 45	P 45	P 45	P 45	P 45		P 45	P 45	P 45	P 45	P 45	P 45	P 45	P 45	P 45
Airport/Heliport (4)	EIPS		S			S			6	6			S	S	S	
Amusement, Commercial (Indoor)	Service		S	P	P	P	P	P	P	P	P	S		P	P	P
Amusement, Commercial (Outdoor) (ZC10-11, ZC05-19, ZC97-51) (15)	Service			S	S	S				S	S	S		S	S	S
Animal Exhibition (ZC04-55)	EIPS													S	S	
Antenna	Trans., Utility, & Comm.	34	34	34	34	34	P	34	34	34	34	34	34	34	34	P 34
Antenna Support Structure (Commercial and Amateur) (ZC99-43)	Trans., Utility, & Comm.	34	34	34	34	34	P	34	34	34	34	34	34	34	34	P 34
Artisan's Workshop (ZC2018-018)	Service			P	P	P		P			P	44				P
Asphalt/Concrete Batching Plant (Permanent)	Comm., Mfg. & Ind.									S				S	S	
Asphalt/Concrete Batching Plant (Temporary)	Comm., Mfg. & Ind.	36	36	36	36	36		36	36	36	36	36	36	36	36	36
Assembly Hall (ZC03-21, ZC97-80)	EIPS	S	S	P	P	P	P	P	P	P	P	P		P	P	P
Assisted Living Facility (ZC2022-016, ZC2019-009, ZC09-18, ZC03-21, ZC00-83)	EIPS	P 21 52	P 21 52	P 21 52		P 21 52	P 21 52	P 21 52	P 21 52	P 21 52	P 21 52	P 21 52				
Backyard Cottage (ZC2018-033)	Accessory & Incidental						P 51	P 51								
Bank, Savings and Loan, or Credit Union	Service	S	P	P	P	P	P	P	P	P	P	P	P	P	P	P
Boarding/Rooming House	Primary Res.		P		P			P								
Body Piercing (ZC2022-004)	Service	37	37	37	37	37		37	37	37	37	37	37	37	37	
Building Material Sales (ZC96-29)	Retail				P	P					S			P	P	
Bus/Truck Leasing (ZC99-46)	Vehicle & Related					R 27					27			R	R	
Bus/Truck Repair (ZC99-46)	Vehicle & Related													R	R	
Business Service	Service	P	P	P	P	P		P	P	P	P	P	P	P	P	P
Cabinet/Upholstery Shop	Service				P	P		P	P					P	P	
Cafeteria/Restaurant (ZC09-18)	Service		S	P	P	P	P 47	P	P	P	P	P 43	44	P	P	P 47
Car Wash (ZC99-46)	Vehicle & Related			R 33	R 33	R 33			R 33	R 33	R 33			R 33	R 33	
Caretaker's/Guard's Residence	Accessory & Incidental	P	P	P	P	P		P	P	P	P	P		P	P	
Cemetery/Mausoleum	EIPS	S	S	S	S	S			S		S	S	S			

Article 14: Allowed Uses and Use Classifications

14.200: Nonresidential Districts Use Table

Use Type	Use Category	NONRESIDENTIAL DISTRICTS														
		O-1-Neighborhood Office	O-2-General Office	R-Retail	LC-Light Commercial	CC-Corridor Commercial	UMU-Urban Mixed-Use (ZC12-29)	BG-Downtown Bus./Govt	CB-1-Central Business-1	CE-Commercial Employment	RC-Regional Commercial	RE-Regional Employment	RT-Research/Technology Center	LI-1-Light Industrial-1	LI-2-Light Industrial-2	NBD-Neighborhood Business Design (ZC2020-012; Ord. No. 2021-1-13)
College/University (5)	EIPS	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P
Commercial Drone Delivery Hub (Large) (ZC2023-014)	EIPS									S				S	S	
Commercial Drone Delivery Hub (Small) (ZC2023-014)	EIPS		3	3	3	3	3	3	3	3	3	3	3	3	3	3
Commissary (ZC13-33)	Wholesale									P				P	P	
Community Center (ZC98-101)	EIPS	P	P	P	P	P		P	P	P	P	P	P	P	P	P
Compact Construction & Transportation Equipment Sales & Service (ZC2017-014)	Retail			S	R	R			R		S			R	R	
Concrete/Asphalt Batching Plant (Permanent)	Comm., Mfg. & Ind.									S				S	S	
Concrete/Asphalt Batching Plant (Temporary)	Comm., Mfg. & Ind.	36	36	36	36	36		36	36	36	36	36	36	36	36	36
Construction Yard (Temporary) (9)	Accessory & Incidental	35	35	35	35	35	P	35	35	35	35	35	35	35	35	P
Continuing Care Facility (ZC2022-016, ZC2019-009, ZC09-18, ZC03-21, ZC00-83)	EIPS	P 21 52	P 21 52	P 21 52		P 21 52	P 21 52	P 21 52	P 21 52	P 21 52	P 21 52	P 21 52				
Convenience Store (ZC99-46, ZC98-69)	Retail			R 33	R 33	R 33	P 46	R 33 40	R 33	R 33	R 33	R 33 44	R 33 44	R 33	R 33	R 33
Country Club or Golf Course	EIPS	S	S	P	P	P			P	P	S	S	P	P	P	
Crematory (ZC2023-022)	Comm., Mfg. & Ind.													S 55	S 55	
Data Center (ZC10-05)	Service		P		P	S			S	P	S	P	P	P	P	
Day Care Center (ZC2019-009, ZC08-74; ZC01-51; ZC96-32; ZC94-45) (13)	Service	P 52	P 52	P 52	S 52	S 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	S 52	S 52	P 52
Day Care Center (Accessory) (ZC2019-009, ZC08-74)	Service	P 52	P 52	P 52	S 52	S 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	S 52	S 52	P 52
Day Care Center (Adult) (ZC2019-009)	Service	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52			S 52	P 52	P 52	P 52
Day Care (In-home) (16) (ZC12-21)	Service															
Distribution Center/Warehouse (ZC96-29)	Wholesale								P	P				P	P	
Dry Cleaning Plant	Service								P					P	P	
Electrical Power Generating Plant	Trans., Utility, & Comm.		S						S	S				S	S	
Electrical Substation	Trans., Utility, & Comm.	S	P	P	P	P		S	P	P	S	S	S	P	P	S
Engine Repair Shop (Small) (ZC99-46)	Service			R	R	R					R			R	R	
Exhibition Area (ZC99-46)	Service				S,R	S,R			S,R					R	R	
Fairgrounds (ZC99-46)	Service				S,R	S,R			S,R					R	R	

Article 14: Allowed Uses and Use Classifications

14.200: Nonresidential Districts Use Table

Use Type	Use Category	NONRESIDENTIAL DISTRICTS														
		O-1-Neighborhood Office	O-2-General Office	R-Retail	LC-Light Commercial	CC-Corridor Commercial	UMU-Urban Mixed-Use (ZC12-29)	BG-Downtown Bus./Govt	CB-1-Central Business-1	CE-Commercial Employment	RC-Regional Commercial	RE-Regional Employment	RT-Research/Technology Center	LI-1-Light Industrial-1	LI-2-Light Industrial-2	NBD-Neighborhood Business Design (ZC2020-012; Ord. No. 2021-1-13)
Farm, Ranch, Garden, or Orchard (ZC2023-019)	EIPS	P 56	P 56	P 56	P 56	P 56	56	56	P 56	P 56	P 56	P 56	P 56	P 56	P 56	P 56
Farmers Market (ZC2019-001)	Retail			P	P	P		P	P		P			S	S	P
Feed Store	Retail					P								P	P	
Fire Station/Public Safety Building	EIPS	P	P	P	P	P		P	P	P	P	P	P	P	P	P
Fitness/Health Center (ZC95-29)	Service		S	P	P	P	P	P	P	P	P	S	P	P	P	P
Flea Market (Inside) (ZC02-37)	Retail			S	S	S								S	S	
Flea Market (Outside)	Retail														S	
Flex Space(Live-Work) (ZC12-29)	Service						P	49								
Food/Grocery Store (ZC96-29a)	Retail			P	P	P	P	P	P	P	P	44		P	P	P
Food Truck Park (ZC13-33)	Service			S	S	S	S	S	S	S	S	S	S	S	S	S
				R	R	R	R	R	R	R	R	R	R	R	R	R
Fraternal Organization, Lodge, or Civic Club	EIPS		P	P	P	P	P		P	P	P	P	30	P	P	P
Funeral Parlor/Mortuary (ZC02-37)	Service	S	S	P	P	P			P		P	P		P	P	
Furniture and Appliances, Storage/Repair of (Inside) (ZC98-69)	Service				P	P			P					P	P	
Furniture and Appliances, Storage/Repair of (Outside)	Service														P	
Furniture, Home Furnishings, and Equipment Store	Retail			P	P	P	P	P	P	P	P	44		P	P	P
Garden Center (ZC99-46)	Retail			R	R	R			R	R	R			R	R	R
Golf Course or Country Club	EIPS	S	S	P	P	P			P	P	S	S	P	P	P	
Grocery/Food Store (ZC96-29a)	Retail			P	P	P	P	P	P	P	P	44		P	P	P
Guard’s/Caretaker’s Residence	Accessory & Incidental	P	P	P	P	P		P	P	P	P	P		P	P	
Gun Range (Indoor)	Service		S	S	S	S				S				P	P	
Hardware Store	Retail			P	P	P		P	P	P	P	44		P	P	P
Health/Fitness Center (ZC96-29)	Service		S	P	P	P	P	P	P	P	P	S	P	P	P	P
Heliport/Airport (4)	EIPS		S			S			6	6			S	S	S	
Helistop (4)	EIPS		S		S	S			P	P	S	S	S	S	S	
Home Occupation (ZC2022-016) (11)	Accessory & Incidental			P			P	P	P		P	P				P
Hospital (5)	EIPS		S		P	P	P			P	P	P	P			
Hotel/Motel	Service		P	P	P	P	P	P	P	P	20	20	20	P	P	P
Household Care Facility (ZC04-15, ZC91-07, ZC90-57)	EIPS															
Household Care Institution (ZC2019-009, ZC04-15)	EIPS	S 52	S 52	S 52	S 52	S 52		S 52								
Independent Living Facility (ZC2022-016, ZC2019-009, ZC09-18, ZC03-21, ZC00-83)	Primary Residential	12	12	12		S 21 52	P 21 52	P 21 52	S 21 52	12	S 21 52	S 21 52				P 21 52 53

Article 14: Allowed Uses and Use Classifications

14.200: Nonresidential Districts Use Table

Use Type	Use Category	NONRESIDENTIAL DISTRICTS														
		O-1-Neighborhood Office	O-2-General Office	R-Retail	LC-Light Commercial	CC-Corridor Commercial	UMU-Urban Mixed-Use (ZC12-29)	BG-Downtown Bus./Govt	CB-1-Central Business-1	CE-Commercial Employment	RC-Regional Commercial	RE-Regional Employment	RT-Research/Technology Center	LI-1-Light Industrial-1	LI-2-Light Industrial-2	NBD-Neighborhood Business Design (ZC2020-012; Ord. No. 2021-1-13)
Industrial Use (Hazardous or Nuisance)	Comm., Mfg. & Ind.				S										S	
Kennel (Indoor Pens)/Commercial Pet Sitting (ZC2023-019)	Service	S 22	S 22	P 22	P 22	P 22	22	P 22	P 22	22	P 22	P 22	22	P 22	P 22	P 22
Kennel (Outdoor Pens) (ZC2023-019)	Service	22	22	22	22	22	22	22	22	22	22	22	22	P 22	P 22	22
Live-in Management STR (ZC2024-008)	Primary Res.	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57
Live-Work (Business Loft) (ZC2020-012)	Primary Res.															P 54
Long-term Care Facility (ZC2022-016, ZC2019-009, ZC09-18, ZC03-21, ZC00-83)	EIPS	P 21 52	P 21 52	P 21 52		S 21 52	P 21 52	P 21 52	P 21 52	P 21 52	S 21 52	S 21 52				
Machinery Sales & Storage, Heavy (ZC2017-014)	Retail													P	P	
Manufacturing (Heavy-intensity) (ZC05-20)	Comm., Mfg. & Ind.									S			S	S	S	
Manufacturing (Light-intensity) (ZC05-20)	Comm., Mfg. & Ind.			S R	P	P				P	P	P	P	P	P	
Manufacturing (Moderate-intensity) (ZC05-20)	Comm., Mfg. & Ind.				S					P			P	P	P	
Massage Therapy, Licensed	Service	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P
Mausoleum/Cemetery	EIPS	S	S	S	S	S			S		S	S	S			
Mid-Rise Residential (ZC2022-016, ZC2019-009, ZC14-36, ZC13-33)	Primary Residential						P 52		S 52	12	S 52	S 52				
Mini-Warehouse/Public Storage (ZC01-51, ZC96-29)	Wholesale			S	P	S			P	P				P	P	
Mobile Home/Trailer Display and Sales	Service													P	P	
Mobile Home/Trailer Park	Primary Res.														P	
Mortuary/Funeral Parlor (ZC02-37)	Service	S	S	P	P	P			P		P	P		P	P	
Motel/Hotel	Service		P	P	P	P	P	P	P	P	20	20	20	P	P	P
Motorcycle Sales & Service (ZC2017-014, ZC99-46)	Vehicle & Related				R	R			R					R	R	
Multifamily Residence (ZC2022-016, ZC2019-009) (1)	Primary Res.						P 52	P 2 52	S 52	12						P 52 53
Nursery (ZC96-50)	Retail	S	S	S	S				S	S				P	P	S
Office (Field) (9)	Accessory & Incidental	35	35	35	35	35	P	35	35	35	35	35	35	35	35	P 9 35
Office (Medical)	Office & Prof.	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P
Office (Professional/General Administrative)	Office & Prof.	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P
Office (Showroom/Warehouse)	Wholesale				P	P			P	P	P	P	32	P	P	S
Paint Shop	Retail				S				P					P	P	

Article 14: Allowed Uses and Use Classifications

14.200: Nonresidential Districts Use Table

Use Type	Use Category	NONRESIDENTIAL DISTRICTS														
		O-1-Neighborhood Office	O-2-General Office	R-Retail	LC-Light Commercial	CC-Corridor Commercial	UMU-Urban Mixed-Use (ZC12-29)	BG-Downtown Bus./Govt	CB-1-Central Business-1	CE-Commercial Employment	RC-Regional Commercial	RE-Regional Employment	RT-Research/Technology Center	LI-1-Light Industrial-1	LI-2-Light Industrial-2	NBD-Neighborhood Business Design (ZC2020-012; Ord. No. 2021-1-13)
Park/Playground (ZC2019-009)	EIPS	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52
Pawn Shop (ZC02-37)	Retail				P				P					P	P	
Personal Service Shop	Service		P	P	P	P	P	P	P	P	P	P	44	P	P	P
Pet Sitting, Commercial/Kennel (Indoor Pens) (ZC2023-019)	Service	S 22	S 22	P 22	P 22	P 22		P 22	P 22		P 22	P 22	22	P	P	P
Playground/Park (ZC2019-009)	EIPS	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52
Portable Building Sales (ZC99-46)	Retail					S,R								R	R	
Post Office (Government and Private)	EIPS		P	P	P	P	P	P	P	P	P	P	P	P	P	P
Print Shop (Major) (ZC02-48)	Service		17		S	S		S	P	P			S	P	P	
Print Shop (Minor)	Service		18	P	P	P	P	P	P	P	P	44	44	P	P	P
Private Club (19)	Service		S	S	S	S	P	P	P	S	S	S	S	S		
Private Recreation Facility	EIPS	P	P	P	P	P			P	P	P	P	P	P	P	P
Public Safety Building/Fire Station	EIPS	P	P	P	P	P		P	P	P	P	P	P	P	P	P
Public Storage/Mini-Warehouse (ZC01-51, ZC96-29)	Wholesale			S	P	S			P	P				P	P	
Railroad Freight Depot or Dock	Trans., Utility, & Comm.								P					P	P	
Recreational Vehicle Parking Lot/Garage (ZC2017-014, ZC99-46, ZC95-53)	Vehicle & Related				28									R	R	
Recreational Vehicle Sales & Service (ZC2017-014, ZC99-46, ZC95-53)	Vehicle & Related				S	S R								R	R	
Rehabilitation Care Facility	EIPS															
Rehabilitation Care Institution (ZC2019-009)	EIPS	S 52	S 52							P 52						
Religious Facility (ZC10-06, ZC09-18) (5)	EIPS	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P 5
Repair/Storage of Furniture and Appliances (Inside) (ZC98-69)	Service				P	P			P					P	P	
Repair/Storage of Furniture and Appliances (Outside)	Service														P	
Research and Development Center	Office & Prof.	23	P	23	P	P	P	23	P	P	P	P	P	P	P	
Restaurant/Cafeteria (ZC11-06)	Service		S	P	P	P	P 47	P	P	P	P	P 43	P 44	P	P	P 47
Restaurant (Drive-in) (ZC01-51)	Service			P,R	P,R	P,R			P,R	P,R	P,R			P,R		
Retail/Service (Incidental) (ZC96-29)	Retail	P	P									44	P			P
Retail Store	Retail			P	P	P	P	P	P	P	P	44		P	P	P
Rooming/Boarding House	Primary Res.		P		P			P								
Salvage or Reclamation of Products	Comm., Mfg. & Ind.														S	
Sand, Gravel, Stone, or Petroleum Extraction	Comm., Mfg. & Ind.														S	

Article 14: Allowed Uses and Use Classifications
14.200: Nonresidential Districts Use Table

Use Type	Use Category	NONRESIDENTIAL DISTRICTS															
		O-1-Neighborhood Office	O-2-General Office	R-Retail	LC-Light Commercial	CC-Corridor Commercial	UMU-Urban Mixed-Use (ZC12-29)	BG-Downtown Bus./Govt	CB-1-Central Business-1	CE-Commercial Employment	RC-Regional Commercial	RE-Regional Employment	RT-Research/Technology Center	LI-1-Light Industrial-1	LI-2-Light Industrial-2	NBD-Neighborhood Business Design (ZC2020-012; Ord. No. 2021-1-13)	
School, (Private) (ZC2019-009) (5)	EIPS	P 52	P 52	S 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52	P 52
School, (Public or Parochial) (5)	EIPS	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P
Service Contractor (ZC2017-014, ZC05-13)	Service			P	P	P			P					P	P		
Service Yard (Public or Utility) (ZC16-015)	Trans., Utility, & Comm.	S 50	S 50	S 50	S 50	S 50		S 50	P 50	P 50			S 50	P 50	P 50	S 50	S 50
Service/Retail (Incidental) (ZC96-29)	Retail	P	P									44	P				P
Sewage Treatment Plant	Trans., Utility, & Comm.		S	S	S	S			S	S			S	S	S		
Shopping Center (ZC02-37)	Retail			P	P	P			P	P	P	44		P	P	P	P
Short-term Rental (STR) (ZC2024-008)	Primary Res.	57	57	57	57	57	57	57	57	57	20 57	20 57	20 57	57	57	57	57
Single-Family Residence (Attached) (ZC2022-016, ZC03-67, ZC02-47, ZC02-37)	Primary Res.			P			P	P								P 53	P 53
Single-Family Residence (Detached) (ZC2022-016)	Primary Res.			P 41												P 53	P 53
Stable (ZC2004-55)	EIPS													S	S		
Storage, Open (ZC2017-014)	EIPS			24	24	24		24	24	24	24			P 7	P 7		
Studio (Dance, Gymnastics and/or Martial Arts)	Service			P	P	P	P	P	P	S	P	P		S		P	
Studio (Photographer, Musician, Artist, Radio, and/or TV)	Service		P	P	P	P	P	P	P	P	P	P		P	P	P	P
Studio Residence	Primary Res.							P								P 53	P 53
Superstore (ZC00-48)	Retail			S 39	P	P			P	P	P			S 39	S 39		
Tattooing and Permanent Cosmetics (ZC00-98)	Service		37	37	37	37	37	37	37	37	37	37	37	37	37		
Temporary Accessory Housing Shelter (ZC2022-017, ZC11-13)	EIPS	P 45	P 45	P 45	P 45	P 45		P 45	P 45	P 45	P 45	P 45	P 45	P 45	P 45	P 45	P 45
Theater (Drive-in) (ZC99-46, ZC96-24)	Service					R			R				R				
Theater (Neighborhood) (ZC96-24)	Service		P	P	P	P	P	P	P	P	P	S		S	S	P	
Theater (Regional) (ZC96-24)	Service		S	S	S	S	S		P	P	S	S		S	S		
Trade Schools	EIPS		S	S	P	P	S	P	P		P	P	P	P	P	S	
Trailer/Mobile Home Display & Sales (ZC2017-014)	Service													P	P		
Trailer/Mobile Home Park	Primary Res.														P		
Transit Center/Station (ZC11-36; ZC96-29)	Trans., Utility, & Comm.	S	S	S	S	S	P	S	S	S	S	S	S	S	S	S	S
Transmission Line/Utility Distribution (ZC2022-017)	Trans., Utility, & Comm.	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P

Article 14: Allowed Uses and Use Classifications
14.200: Nonresidential Districts Use Table

Use Type	Use Category	NONRESIDENTIAL DISTRICTS														
		O-1-Neighborhood Office	O-2-General Office	R-Retail	LC-Light Commercial	CC-Corridor Commercial	UMU-Urban Mixed-Use (ZC12-29)	BG-Downtown Bus./Govt	CB-1-Central Business-1	CE-Commercial Employment	RC-Regional Commercial	RE-Regional Employment	RT-Research/Technology Center	LI-1-Light Industrial-1	LI-2-Light Industrial-2	NBD-Neighborhood Business Design (ZC2020-012; Ord. No. 2021-1-13)
Transportation and Utility Structures/Facility	Trans., Utility, & Comm.	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P
Truck Parking Lot (ZC99-46)	Vehicle & Related													R	R	
Truck Sales (Heavy Trucks) (ZC99-46)	Vehicle & Related								S,R					R	R	
Truck Terminal (ZC99-46)	Vehicle & Related													R	R	
Truck/Bus Leasing (ZC12-07; ZC99-46)	Vehicle & Related					R 27					27			R	R	
Truck/Bus Repair (ZC99-46)	Vehicle & Related													R	R	
Two-Family Residence (ZC2022-016)	Primary Res.			P												P 53
Two-Family Residence (Attached) (ZC2020-012)	Primary Res.															P 53
University/College (5)	EIPS	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P 5
Upholstery/Cabinet Shop	Service				P	P		P	P					P	P	
Utility Distribution/Transmission Line	Trans., Utility, & Comm.	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P
Utility, Private (other than listed)	Trans., Utility, & Comm.	S	P	S	S	S	P	S	P	P	S	S	S	P	P	P
Vehicle Dealer (New) (ZC2017-014, ZC99-46) (7)	Vehicle & Related				S,R	R			S,R	S,R	S,R			R	R	
Vehicle Dealer (Used) (ZC2017-014, ZC99-46) (7)	Vehicle & Related				S,R	S,R			S,R					R	R	
Vehicle Leasing and Renting (ZC2017-014, ZC99-46)	Vehicle & Related			S R	R	R			S R	R	S R		R 33	R	R	
Vehicle Parking Lot/Garage (Primary) (ZC2017-014)	Vehicle & Related		P	P	P	P	P	P	P	P	P	P	31	P	P	P
Vehicle Parts Sales (Inside) (ZC2017-014)	Vehicle & Related			P	P	P			P		P			P	P	
Vehicle Parts Sales (Outside) (ZC2017-014)	Vehicle & Related														S	
Vehicle Repair (Major) (ZC2017-014, ZC99-46, ZC96-29)	Vehicle & Related				R 33	R 33			R 33	R 26 33				R 33	R 33	
Vehicle Repair (Minor/Fueling Station) (ZC2017-014, ZC02-37, ZC99-46, ZC96-29)	Vehicle & Related			R 33	R 33	R 33			R 33	R 25 33	R 33			R 33	R 33	
Vehicle Storage (ZC2017-014)	Vehicle & Related				S	S			P					P	P	
Veterinary Clinic (ZC2023-019)	Service	S 22	S 22	P 22	P 22	P 22	22	P 22	P 22	22	P 22	P 22	22	P 22	P 22	P 22
Warehouse/Distribution Center (ZC96-29)	Wholesale								P	P				P	P	
Water Treatment Plant	Trans., Utility, & Comm.	P	P	P	P	P		S	P	P			S	P	P	
Winery (ZC05-24)	Service			S	S	S		S	S	S	S			S		S
Wrecking Yard	Vehicle & Related														S	

14.300 Use Table Notes

The residential and nonresidential district use tables contain numbered notes that apply to some uses in some districts. The following table provides further explanation of those numbered notes.

Number	End Note
1	See Sec. 15.800 .
2	See the BG district regulations of Sec. 10.800 .
3	See Sec. 15.100 (ZC2023-014, Ord. No. 2024-2-6)
4	See Sec. 15.600 .
5	See Sec. 13.300.2 .
6	Heliport allowed by right; airport allowed by specific use permit.
7	Permitted as a primary use. See Article 19 . (ZC2017-014; Ord. No. 2017-7-9)
8	See Sec. 13.900 .
9	For construction yard, field offices, and other temporary buildings, see Sec. 15.300 .
10	See Sec. 15.300 .
11	See Sec. 15.700 .
12	Prohibited, except where permitted under the Special District Requirements of the referenced district. (ZC2022-016; Ord. No. 2023-2-5)
13	See Article 8 and Secs. 15.400 , 16.700 and 16.1400
14	May be permitted by a specific use permit as an accessory use when operated by the resident.
15	See Outdoor Commercial Amusement Guidelines.
16	See Article 8 for specific use permit requirements for certain in-home day care operations.
17	Permitted as an incidental use in a single-tenant building; separate outside entrance and outside signage are prohibited.
18	Permitted as an incidental use; separate outside entrance and outside signage are prohibited.
19	See Sec. 15.1000 .
20	Permitted when the building is a minimum of 200 feet from the nearest residential district boundary.
21	See 15.1300 (ZC2022-016; Ord. No. 2023-2-5)
22	See Sec. 15.1600 .
23	Scientific, research, and medical laboratories will be allowed in the R, BG, and O-1 districts as an accessory use to medical offices.
24	Permitted as an accessory use to a primary use on the same lot. See Article 19 . (ZC2017-014 & ZC06-17; Ord. No. 2017-7-9 & Ord. No. 2006-9-33)
25	Permitted in the CE district. (See Sec. 10.1000)
26	Permitted as an accessory use but not as a primary use.
27	Allowed by specific use permit only for single-unit trucks with enclosed beds; maximum 2 axles.
28	Allowed by specific use permit as a primary use; allowed by right as an accessory use to other storage operations.
29	[Reserved]
30	Permitted as an accessory use.
31	Permitted as an accessory use to motel/hotel
32	Maximum gross floor area for first floor - 100,000 square feet, and maximum percentage gross floor area devoted to warehouse - 70%. See Sec. 10.1300.7C .
33	Fuel dispensing and/or car washing facilities associated with this use may be prohibited when in proximity to residential districts. See Residential Adjacency Standards of Article 21 .
34	See 15.200 .
35	Subject to temporary permit and removal at completion of project.
36	Concrete Plant: Issuance of temporary permit by City Engineer and removal as directed; Asphalt Plant: Issuance of temporary permit by resolution of City Council.
37	See Sec. 15.1500 . (ZC2022-004, Ord. No. 2022-5-11)

Number	End Note
38	Specific Use Permits for Moderate-intensity Manufacturing in the RT district shall not include food processing, chemical and petroleum processing and manufacturing, and foundries.
39	See Sec. 15.1400 .
40	Fuel dispensing facilities are not allowed in the BG district.
41	Patio Homes allowed only. (ZC2022-016; Ord. No. 2023-2-5)
42	See Sec. 15.400 .
43	See Sec. 10.1200.6C
44	Uses allowed only when their combined area does not exceed 10% of the gross floor area of a development; see the RE and RT district regulations of Sec. 10.1200 and Sec. 10.1300 , respectively
45	Permitted only as an accessory use to a religious facility. See Sec. 15.2100 for restrictions on number of individuals and operating days. (ZC2023-023; Ord. No. 2023-10-12)
46	Dispensing of vehicle fuels is not allowed. (ZC2017-014; Ord. No. 2017-7-9)
47	Drive-up windows are not allowed.
48	Private streets allowed by specific use permit only under the terms of the Subdivision Ordinance.
49	Allowed where designated on an approved site plan.
50	Allowed by right as an accessory use to a park/playground if located a minimum of 150 feet from a residential property line and screened from view of adjacent streets and properties.
51	See Sec. 15.1800 . (ZC2018-033; Ord. No. 2019-2-10)
52	See Sec. 15.1900 (ZC2019-009; Ord. No. 2019-10-9)
53	Permitted only when meeting RCD housing type requirements in Sec. 9.1700 . (ZC2022-017; Ord. No. 2023-2-6, ZC2020-012; Ord. No. 2021-1-13)
54	See Sec. 15.2000 (ZC2020-012; Ord. No. 2021-1-13)
55	See Sec. 15.2200 (ZC2023-022; Ord. No. 2023-10-11)
56	See Sec. 14.700 (ZC2023-019, Ord. No. 2024-2-7)
57	See Sec. 15.2300 (ZC2024-008; Ord. No. 2024-4-13)

14.400 Classification of New and Unlisted Uses

It is recognized that new types of land uses will develop and forms of land use not anticipated may seek to locate in the city of Plano. In order to provide for such changes and contingencies, a determination as to the appropriate classification of any new or unlisted form of land use shall be made as follows:

- 1 The question concerning any new or unlisted use shall be referred to the Planning & Zoning Commission requesting an interpretation as to the zoning classification into which such use should be placed. The referral of the use interpretation question shall be accompanied by a statement of facts listing the nature of the use and whether it involves dwelling activity; sales; processing; type of product, storage, and amount and nature thereof; enclosed or open storage; anticipated employment; transportation requirements; the amount of noise, odor, fumes, dust, toxic material, and vibration likely to be generated; and the general requirement for public utilities such as water and sanitary sewer.
- 2 The Planning & Zoning Commission shall consider the nature and described performance of the proposed use and its compatibility with the uses permitted in the various districts and determine the zoning district or districts within which such use should be permitted.
- 3 If the Planning & Zoning Commission determines that the proposed use should be added to the use tables of Sec. [14.100](#) and Sec. [14.200](#), the Zoning Ordinance shall be amended after public hearings before the Planning & Zoning Commission and the City Council. If the Planning & Zoning Commission determines that the proposed use fits within the

definition of a use currently listed in the use table, it shall transmit such finding, together with an appropriate parking requirement, in recommendation form to the City Council. The City Council shall by resolution approve the recommendation of the Planning & Zoning Commission or make such determination concerning the classification of such use as is determined appropriate based on its findings.

14.500 Prohibited Uses

- .1** All uses not expressly permitted are prohibited, except as provided in Sec. [14.400](#).
- .2** No land or building shall be used or occupied for a use which will in any manner create an unreasonable potential hazard to the general public, health, safety, and welfare, as, for example, but not by way of limitation, any dangerous, injurious, noxious, or otherwise objectionable fire, explosive, radioactive, or other hazardous conditions; noise or vibration; smoke, dust, odor, or other form of air pollution; heat, cold, dampness, movement of air, electrical, or other disturbances; glare; or liquid or solid wastes in a manner or amount not conforming to the appropriate performance standards of [Article 24](#).
- .3** Without limiting the foregoing sections, or being limited thereby, the following uses are specifically prohibited:
 - A.** Storage, manufacturing, purifying, packaging, repackaging, selling, or supplying of toxic or highly flammable chemicals or gases, as a primary use regardless of quantities involved.
 - B.** Above ground tank farms or storage of gasoline, fuel oils, gases, or chemicals, or other flammable, corrosive, or toxic substances as a primary use or in total on site quantities exceeding 30,000 liquid gallons or equivalent.
 - C.** Adult bookstores, businesses showing X-rated movies or live acts, and other businesses dealing primarily with indecent or obscene materials, acts, or paraphernalia.

14.600 Government Facilities

(ZC2021-011; Ord. No. 2021-7-6)

- .1** These regulations are adopted for the purpose of complying with Texas Local Government Code, the Federal and Texas Constitution and state and federal laws.
- .2** Government facilities are allowed by right in all zoning districts but are otherwise bound by the development regulations of the City of Plano except where specifically exempted by law.

14.700 Agricultural Operations

(ZC2023-019, Ord. No. 2024-2-7)

- .1** These regulations are adopted for the purpose of complying with the Texas Agriculture Code, the Federal and Texas Constitutions, and state and federal laws.
- .2** Agricultural operations, as defined in Chapter 251 of the Texas Agriculture Code, are allowed by right in all zoning districts but are otherwise bound by the development regulations of the City of Plano except where specifically exempted by law.

[page intentionally blank]

Article 15 Use-specific Regulations

15.100	Commercial Drone Delivery Hubs	15-1
15.200	Communications Antennas, Amateur and Commercial	15-3
15.300	Construction Yards, Field Offices, Model Homes, and Other Temporary Buildings	15-14
15.400	Day Care Centers, Day Care (In-home) and Day Care Centers (Accessory)	15-15
15.500	Farmers Market	15-15
15.600	Heliports, Helistops, and Airports	15-15
15.700	Home Occupations	15-17
15.800	Multifamily Residence	15-17
15.900	Outdoor Recreation Facilities	15-18
15.1000	Private Clubs	15-18
15.1100	Regional Shopping Malls	15-19
15.1200	Residence Hotels	15-19
15.1300	Retirement and Supportive Housing	15-19
15.1400	Superstores	15-21
15.1500	Tattooing, Permanent Cosmetics, and Body Piercing	15-22
15.1600	Veterinary Clinics, Kennels (Indoor Pens)/Commercial Pet Sitting, and Kennels (Outdoor Pens)	15-23
15.1700	Mid-Rise Residential	15-23
15.1800	Backyard Cottages	15-24
15.1900	Sensitive Land Uses in Expressway Corridor Environmental Health Areas	15-25
15.2000	Live-Work (Business Loft)	15-26
15.2100	Temporary Accessory Housing Shelter	15-26
15.2200	Crematory	15-27
15.2300	Short-term Rentals	15-27

15.100 Commercial Drone Delivery Hubs

(ZC2023-014, Ord. No. 2024-2-6)

These regulations apply to both commercial drone delivery hub (large) and commercial drone delivery hub (small) uses, except where individually referenced.

.1 Commercial Drone Delivery Hubs (Large)

A commercial drone delivery hub (large) may be allowed, if and where granted a specific use permit, in the CE, LI-1, and LI-2 districts if the requirements of this section are met.

.2 Commercial Drone Delivery Hubs (Small)

- A. A commercial drone delivery hub (small) is allowed as a primary use in the CE, LI-1, and LI-2 districts when the requirements of this section are met.
- B. A commercial drone delivery hub (small) is allowed as an accessory use to a permitted food/grocery store, restaurant/cafeteria, retail store, shopping center, superstore, or warehouse/distribution center use in any district when the requirements of this section are met.

- C. When a detached accessory building is occupied or intended to be occupied for an accessory commercial drone delivery hub (small), the floor area is limited to a maximum of 10% of the total floor area of the building containing the primary use.

.3 Drone Staging Areas

- A. The drone staging area must be designated on an approved site plan.
- B. The drone staging area must not be placed:
 - i. Within any required building setbacks;
 - ii. Within any required landscape edge;
 - iii. Within fire lanes, easements, maneuvering aisles, customer pick-up lanes, or required loading zones and parking spaces; or
 - iv. So as to obstruct visibility or interfere with pedestrian or vehicle circulation.
- C. As an accessory use, the drone staging area is limited to 10% of the total lot area or 1,000 square feet, whichever is greater. A drone staging area located inside of or on the roof of the building containing the primary use is not subject to this limitation.
- D. When located at grade, any goods, materials, containers, trailers, or other equipment must be screened according to the requirements for open storage in Sec. [19.200](#). Landing pads are exempt from this screening requirement. The Planning & Zoning Commission may waive these requirements with approval of a site plan.
- E. When a drone staging area is located on top of a building:
 - i. Any roof-mounted mechanical equipment, excluding landing pads, is subject to the mechanical screening requirements in Sec. [20.300](#); and
 - ii. Any additional structure, parapet wall, screening, safety railing, or other appurtenance associated with the commercial drone delivery hub is subject to the maximum height requirement of the district, except a single mast up to 10 feet in height for a windsock may exceed the maximum height requirement.
- F. Antennas and antenna support structures are subject to the requirements in Sec. [15.200](#).
- G. **Proximity to Noise-Sensitive Uses**
 - i. The drone staging area for a commercial drone delivery hub (small) shall not be located within 150 feet of any property upon which a dwelling, retirement and supportive housing facility, or public park is located.
 - ii. The drone staging area for a commercial drone delivery hub (large) shall not be located within 300 feet of any property upon which a dwelling, retirement and supportive housing facility, or public park is located. The 300-foot buffer requirement may be reduced to 150 feet if City Council finds that issuance of the specific use permit would not be detrimental or injurious to the public health, safety, or general welfare of the neighborhood.
 - iii. The measurement of the required buffer is to be made in a straight horizontal line from the edge of the drone staging area to the closest property line of a

property containing a dwelling, retirement and supportive housing facility use, or public park.

.4 Parking and Loading

- A. Parking is not required for an accessory commercial drone delivery hub use.
- B. Loading spaces shall be provided for a commercial drone delivery hub as per the requirements in Sec. [16.1400](#) for retail, commercial, and industrial uses. Loading spaces are not required for an accessory commercial drone delivery hub use.
- C. The Planning & Zoning Commission may decrease the amount of required parking for a site by up to 10% to accommodate the drone staging area for a commercial drone delivery hub with approval of a site plan. The parking reduction is revoked if the commercial drone delivery hub use is removed.

15.200 Communications Antennas, Amateur and Commercial

(ZC99-43; Ord. No. 99-9-39)

.1 Purpose

These regulations are adopted for the following purposes:

- A. To protect and provide for the public health, safety, and general welfare of the city.
- B. To enhance the ability of the providers of telecommunications services to provide such services to the community safely, effectively, and efficiently.
- C. To provide regulations for antenna support structures and antennas that provide secure mounting and construction and prevent interference with public safety communications equipment.
- D. To encourage the users of support structures and antennas to site share where possible and to locate all facilities, to the extent possible, in areas where adverse impact on the community is minimal.
- E. To protect and enhance the city's environmental and aesthetic quality.
- F. To identify standards in order to ensure equitable treatment of providers of functionally equivalent telecommunications services.
- G. To comply with applicable state and federal law. *(ZC2018-032; Ord. No. 2019-1-8)*

.2 Applicability

(ZC2017-016; Ord. No. 2017-8-9)

- A. This article applies to all commercial and amateur antenna installations located outside of city right-of-way, unless exempted by Sec. [15.200.2C](#).
- B. Applications for the location of antenna support structures on property owned, leased, or otherwise controlled by the City of Plano, and which comply with the requirements of Sec. [15.200.8](#), are subject to all applicable ordinances for such structures including, but not limited to Sec. [15.200.5](#). *(ZC2018-032; Ord. No. 2019-1-8)*
- C. Direct broadcast satellite reception, multi-channel multi-point distribution (as defined by the FCC), television reception antennas, and amateur radio antennas

meeting the following requirements do not require a permit unless mounted on a pole or mast that is 20 feet or more in height. (ZC2000-68; Ord. No. 2000-10-11)

- i. In any zoning district, antennas that are one meter (39 inches) or less in diameter.
 - ii. In the nonresidential zoning districts within [Article...10](#) (Nonresidential Districts), antennas that are 2 meters or less in diameter.
 - iii. In any zoning district, antennas designed to receive television broadcasts.
 - iv. In any zoning district, amateur radio antennas concealed behind, on, or within attics, eaves, gutters, or roofing.
 - v. In any zoning district, amateur radio ground-mounted whips and wire antennas unless mounted on a pole or mast over 20 feet in height.
- D. An AM array shall be subject to these regulations. An AM array consisting of one or more support structure units and supporting ground equipment, which functions as one AM broadcasting antenna, shall be considered one support structure. Measurements for setbacks and separation distances shall be measured from the outer perimeter of the support structures, including the guide wires, in the array. Additional support structure units may be added within the perimeter of the AM array by right.

.3 Definitions

Alternative Antenna Support Structure

A clock tower, bell tower, steeple, human-initiated tree, light pole, or similar alternative-design mounting structure that camouflages or conceals the presence of antennas or support structures. The generic term “stealth” may also be applied to any method that would hide or conceal an antenna, supporting electrical or mechanical equipment, or any other support structure. Panel antennas and omni and yagi antennas attached to existing structures are considered to be alternative in design if they are integrated into the architectural features of the structure or are painted to match the support structure.

Amateur Radio Antenna

Any antenna which is used for the purpose of transmitting and receiving radio signals in conjunction with an amateur radio station licensed by the Federal Communications Commission. (ZC98-92; Ord. No. 98-11-45)

Antenna

Any exterior transmitting or receiving device mounted on or within a support structure, building, or structure and used in communications that radiate or capture electromagnetic waves, digital signals, analog signals, radio frequencies (excluding radar signals), wireless telecommunications signals, television signals, or other communication signals.

Antenna Support Structure

The transmitting or receiving system, its supporting structures, and any appurtenances mounted thereon, including a free-standing structure built

specifically to support or act as an antenna or a structure mounted on some other human-initiated object such as a building or bridge.

Backhaul Network

The lines that connect a communications provider's support structure/cell sites to one or more telephone switching offices and/or long distance providers, or the public switched telephone network.

Collocation

Mounting or installing an antenna facility on a preexisting structure, and/or modifying a structure for the purpose of mounting or installing an antenna facility on that structure. *(ZC2018-032; Ord. No. 2019-1-8)*

Commercial Antenna

An antenna designed or used for commercial purposes. It includes but is not limited to network node antennas. *(ZC2018-032; Ord. No. 2019-1-8)*

Decorative Pole

A streetlight pole specifically designed and placed for aesthetic purposes and on which no appurtenances or attachments, other than specifically designed informational or directional signage or temporary holiday or special event attachments, have been placed or are permitted to be placed according to the City of Plano Zoning Ordinance regulation of light pole banners, as may be further amended, and as defined in the City of Plano Right-of-Way Ordinance, as amended. *(ZC2018-032; Ord. No. 2019-1-8)*

Design District

An area that is zoned or otherwise designated by city ordinance for which the city maintains and enforces unique design and aesthetic standards, as defined in the City of Plano Right-of-Way Ordinance, as amended. *(ZC2018-032; Ord. No. 2019-1-8)*

FAA

The Federal Aviation Administration

Facilities

The plant, equipment, and property, including, but not limited to, lines, transport service, poles, mains, pipes, conduits, ducts, cables and wires located under, or above the surface of the ground within the public right-of-way and valves, and related facilities and equipment used or useful for the provision of utility services, wireless or network services, or communications to the public, as defined in the City of Plano Right-of-Way Ordinance, as amended. *(ZC2018-032; Ord. No. 2019-1-8)*

FCC

The Federal Communications Commission

Guyed Lattice Support Structure

A guyed 3- or 4-sided, open steel frame structure used to support telecommunications equipment.

Height

The distance measured from the finished grade of the parcel to the highest point on the support structure or other structure including the base pad and any antenna.

Historic District

A geographic area that is zoned or otherwise designated as a historic or heritage district, resource, landmark, structure, marker, memorial, monument, or other notable designation under municipal, state or federal law. (ZC2018-032; Ord. No. 2019-1-8)

Monopole

A structure composed of a single spire used to support telecommunications equipment.

Network Nodes

Type of telecommunications facility, also known as small wireless facility, as defined in the City of Plano Right-of-Way Ordinance, as amended. (ZC2018-032; Ord. No. 2019-1-8)

Omni Antenna

A thin, vertical, whip-type antenna that delivers an omni directional signal.

Plano Design Standard Support Structure (PDSS)

An alternative support structure or stealth design structure pre-approved for use in the type of location where the carrier wishes to locate. Applicants may submit designs for designation as a PDSS.

Pole

A service pole, utility pole, or utility service pole, as defined in the City of Plano Right-of-Way Ordinance, as amended. (ZC2018-032; Ord. No. 2019-1-8)

Pre-Existing Support Structures and Pre-Existing Antennas

Any support structure or antenna for which a building permit or specific use permit has been properly issued prior to the effective date of this ordinance, including permitted support structures or antennas that have not yet been constructed so long as such approval is current and not expired.

Self-supporting Lattice Support Structure

A self-supporting, open steel frame structure used to support telecommunications equipment.

Site Sharing

The use of a single-support structure and/or site by more than one communications provider. (ZC2018-032; Ord. No. 2019-1-8)

Telecommunications Facility

Any unmanned facility consisting of equipment for the transmission, switching, and/or receiving of wireless communications. Such facility may be elevated (either structure-mounted or ground-mounted) transmitting and receiving antennas, low-power mobile radio service base station equipment, and interconnection

equipment. The categories of facility types include both roof and/or structure-mount facilities and telecommunications support structures.

Temporary Antenna

An antenna and supporting equipment used on a temporary basis in conjunction with a special event, emergency situation, or in case of equipment failure.

Transceiver Radio

Radio equipment rectangular in shape that attaches to lighting fixtures and/or utility poles and meets wind load requirements. Transceiver radios may have an attached omni-directional whip antenna.

Utility Structure

An electrical transmission/distribution tower or elevated water storage tank. (ZC2018-032; Ord. No. 2019-1-8)

Yagi Antenna

A horizontal beam-type, directional antenna with short vertical bars, generally used for micro cells.

.4 Application Requirements

- A. Applications for commercial antennas and antenna support structures shall include the following:
- i. The distance between the proposed support structure and the nearest residential unit and/or residential zoning district boundary line.
 - ii. An inventory or map of the applicant's existing support structures, antennas, or sites previously approved for such, either owned or leased, both within the city and within one mile of the city limits, including specific information about the location, height, and design of each support structure. The separation distance between the proposed support structure or antenna and these support structures shall also be noted.
 - iii. Certification of the following:
 - a. That the applicant has sought and received all franchises or permits required by the city for the construction and operation of the communication system.
 - b. Identification of the backhaul provider and connectivity locations for the installation. Applicants must notify the city of any change in site sharing or backhaul providers within 30 days of the change.
 - c. Certification of the structural engineering information.
 - d. Certification of whether the installation is a network node. (ZC2018-032; Ord. No. 2019-1-8)
 - e. A notarized statement from the applicant that the proposed support structure can accommodate the site sharing of additional antennas.
 - iv. Information concerning the finished color, alternative design standards (if applicable), and method of fencing.

- v. The application may require a site plan and landscape plan in accordance with this ordinance. Platting of the property may be required in accordance with the Subdivision Ordinance.
 - vi. The Director of Planning may establish procedures, forms, and standards with regards to application materials and information constituting a complete application for communications antenna, commercial and amateur. (ZC2018-032; Ord. No. 2019-1-8)
- B. All commercial signs, flags, lights and attachments, other than those required for emergency identification, communications operations, structural stability, or as required for flight visibility by the FAA and FCC shall be prohibited on any antenna or antenna support structure. However, lights may remain or be replaced on light standards that are altered or replaced to serve as antenna support structures.
- C. All antennas must meet or exceed current standards and regulations of the FAA, the FCC, and any other state and federal agency with regulatory authority over support structures and antennas. If standards change, owners must comply within 6 months or as required by the regulating authority.
- D. A permit is required to erect or install an antenna, antenna support structure, and related equipment, unless the particular antenna is exempt from regulation, as stated in Sec. [15.200.2C](#). All installations must comply with applicable state and local building codes and the standards published by the Electronic Industries Association.
- E. All support structures and antennas must be constructed and operated in a manner that does not create electromagnetic or other interference with the City of Plano's radio frequencies and public safety operations as required by the FCC.
- F. No commercial antenna, antenna support structure, microwave reflector/antenna, or associated foundations or support wires, or ground equipment may be located within any required front, side, or rear yard setback.
- G. All antennas and antenna support structures owned and/or operated by a governmental entity shall be permitted by right in any district.
- H. All antennas and support structures must meet visibility requirements as defined in Sec. [13.500.2K](#) and Sec. [20.100.4](#) even if a permit is not required.
- I. Safeguards shall be utilized to prevent unauthorized access to an antenna support structure. Safeguards include those devices identified by the manufacturer of the antenna support structure utilized, a fence, climbing guard, or other commercially-available safety device. Climbing spikes must be removed after use.
- J. Temporary antennas shall only be allowed in the following instances:
 - i. In conjunction with a festival, carnival, or other activity requiring a Special Event Permit from the City of Plano.
 - ii. In case of emergency as required by the city's Police or Fire Departments.
 - iii. When needed to restore service on a temporary basis after failure of an antenna installation. The city must be notified within 72 hours of the

placement of a temporary antenna. If the temporary antenna is to be needed for more than 7 days, then the provider must acquire a permit for the use.

.5 General Requirements

(ZC2018-032; Ord. No. 2019-1-8)

- A. Antennas and support structures may be considered either principal or accessory uses.
- B. Antenna installations shall comply with all other requirements of the Zoning Ordinance with the exception of those specified within this section.
- C. Commercial antennas and antenna support structures are permissible in all zoning districts when the following requirements are met:
 - i. When totally enclosed within or integrated into the design of any building or building feature permitted in the zoning district. A commercial antenna may be mounted flush to the exterior of a building if it is painted and integrated into the overall architectural design.
 - ii. A commercial antenna may be mounted on or incorporated into flagpoles.
 - iii. Attached to a utility structure in any zoning district, except that if the communications antenna and antenna support structures exceed 60 feet in height, provided that the antenna does not extend more than 10 feet above the highest point of the utility structure. If the utility structure is 100 feet or more in height, the antenna cannot extend more than 15 feet above the utility structure.
 - iv. Attached to an existing street light, park ballfield lights, and parking lot light standards, or the light standard in any zoning district may be replaced to accommodate the antennas. The height of the light standard may be increased no more than 15 feet, up to a maximum of 60 feet, to accommodate the antennas.
 - v. In residential districts, only Omni, Yagi, network nodes, and small panel antennas not exceeding one foot in width by eight feet in length, mounted flush to the support structure, are allowed. Radio transceivers may also be used if the equipment box does not exceed 8" x 14" x 5".
- D. Commercial antennas and antenna support structures are permissible in nonresidential districts, when the following requirements are met:
 - i. 60 feet or less in height is allowed by right.
 - ii. Greater than 60 feet in height is allowed with approval of a specific use permit.
 - iii. Must meet the setback requirements from residential districts as stated in Sec. [15.200.5G.iv.](#)
- E. Commercial antennas and antenna support structures are prohibited in residential districts on lots used or platted for single-family, two-family, or single-family attached purposes and in an NBD or RCD zoning district on lots used for a housing type listed in Sec. [9.1700.5](#), unless the conditions of Sec. [15.200.2C](#) are met.
(ZC2020-012; Ord. No. 2021-1-13)

- F.** In addition to the allowances for commercial antennas and antenna support structures, network nodes are permissible in all zoning districts when the following requirements are met:
- i.** Network nodes are allowed by right if the support structure on which antenna facilities are mounted is no more than 10 percent taller than other adjacent structures, or the support structure on which antenna facilities are mounted is not extended to a height more than 10 percent above its preexisting height as a result of the collocation of new antenna facilities.
 - ii.** Network nodes may be attached to a utility structure as described above if the antenna does not extend more than 10 percent above the preexisting height of the utility structure.
 - iii.** Network nodes may be attached to the light standard if the antenna is no more than 10 percent taller than other adjacent structures or the equipment is not extended to a height of more than 10 percent above its preexisting height as a result of the new antenna facilities.
 - iv.** No single antenna may be larger than three cubic feet.
 - v.** Overhead facilities and overhead transport facilities cannot be installed overhead on private property if the property is adjacent to a park or is adjacent to a street or thoroughfare that is classified as a collector thoroughfare (Class E or smaller). All transport facilities must be underground per the requirements of the City of Plano Right-of-Way and Subdivision Ordinances. (ZC2023-002; Ordinance No. 2023-9-13)
 - vi.** Network nodes in a Design or Historic District must meet the requirements of Sec. [11.700](#) and criteria in the City of Plano Right-of-Way Ordinance, as amended.
- G. Setback, Separation, and Screening of Ground Equipment Requirements:**
- i.** The height of a support structure is limited to 200 feet in the Light Industrial-1 and Light Industrial-2 zoning districts and is limited to 120 feet in all other nonresidential zoning districts, except that for network nodes, the structure on which the antenna facilities are mounted cannot be more than 10 percent taller than other adjacent structures or the structure on which antenna facilities are mounted cannot extend to a height of more than 10 percent above its preexisting height as a result of the collocation of new antenna facilities.
 - ii.** Support structures, except for network node poles, must be set back a minimum of 125% of the support structure height from public rights-of-way.
 - iii.** Equipment buildings must comply with the screening requirements specified in Sec. [15.200.7](#), unless the equipment is attached to the support structure itself or enclosed within another structure on the property.
 - iv.** Support structures, guy wires, and accessory buildings must satisfy the minimum zoning district setbacks requirements. Where the district does not specify a minimum front yard setback, the front yard setback must be 50 feet; where the district does not specify a minimum side yard setback, the side yard

setback must be 10 feet; where the district does not specify a minimum rear yard setback, the rear yard setback must be 10 feet.

- v. The following separation distances between support structures must be maintained:

	Lattice	Guyed	Monopole 75 Feet in Height or Greater	Monopole Less Than 75 Feet in Height	Network Node
Lattice	5,000	5,000	1,500	750	150
Guyed	5,000	5,000	1,500	750	150
Monopole 75 Feet in Height or Greater	1,500	1,500	1,500	750	150
Monopole Less Than 75 Feet in Height	750	750	750	750	150
Network Node	150	150	150	150	150

- vi. Alternative or stealth designs as defined by this ordinance are exempt from the above spacing requirements.

- vii. No commercial antenna support structure, other than a network node 60 feet or greater in height, shall be closer to any residential district boundary line than a distance equal to the sum of the required setback specified for the zoning district in which such structure is located, plus 25 feet, plus twice the height of the portion of the structure above 25 feet, or 125% of the height of the support structure, whichever is greater. Such distance shall be measured as the shortest possible distance in a straight line from the structure to the closest point of a residential district boundary line. Setbacks from residentially-zoned property do not apply to antennas, other than a network node, less than 60 feet in height or those attached to existing utility structures exceeding 60 feet in height, or to antennas placed wholly within a building or attached to a building; however, the building itself must meet all applicable setback requirements.

- H. A commercial antenna mounted on a roof or existing structure, other than a support structure, shall extend no more than 10 feet above the highest point of the structure. (ZC2019-003; Ord. No. 2019-5-8)

.6 Site Sharing

Site sharing shall be accomplished as follows:

- A. All new support structures over 60 feet in height must be constructed to support antennas for at least 2 carriers, unless the structure is an alternative or stealth design, or the support structure is replacing an existing utility structure or light standard. Sufficient area for associated structures and equipment must also be provided.
- B. A support structure which is modified or reconstructed to accommodate site sharing shall be of the same type or design as the existing structure and is subject to the following regulations:
- i. The support structure may be modified or rebuilt to a height not to exceed 30 feet over the support structure's existing height, with a maximum height of 120 feet. If a specific use permit issued for the support structure stipulated a

maximum height, the support structure may not be modified unless the specific use permit is amended.

- ii. Distance separation from other support structures and residential zoning district boundaries are based on the original support structure and are not increased.
 - iii. The support structure may be moved on the same property within 50 feet of its existing location but may not be moved closer to residentially-zoned property. The new location must be within the boundaries of the specific use permit.
 - iv. The original support structure must be removed from the property within 90 days of the completion of the new support structure.
- C. Additional antennas attached to an existing support structure must comply with the design of the existing antenna on the support structure.

.7 Support Buildings and Equipment Storage

In order to minimize the effect on property values and to maintain the aesthetics of the area, support buildings and equipment storage areas or buildings must meet the following requirements:

- A. When mounted on rooftops, they must be screened by a parapet wall or other mechanical unit screening. Existing mechanical unit screening may be utilized if it provides screening in accordance with Sec. [20.300](#).
- B. When ground mounted, they must comply with the following:
 - i. Meet all applicable front, side, and rear yard setback requirements.
 - ii. Be of a neutral color compatible with surrounding structures. (*ZC2019-011; Ord. No. 2019-8-8*)
 - iii. Be screened by an evergreen landscape screen with an initial planting size of 5 gallons and 4 feet in height, with an ultimate height of 6 feet or a solid masonry fence 6 feet in height. Landscaping must be irrigated and maintained in a living, growing condition. Wooden fences are prohibited and wrought iron or chain link may only be used in conjunction with a landscape screen.

.8 Antennas on City-Owned Property

(*ZC2017-016; Ord. No. 2017-8-9*)

Antennas owned by other than governmental entities may be located on property owned by the City of Plano under the following conditions:

- A. Antennas and support structures located within city right-of-way must comply with the City of Plano Right-of-Way Management Regulations, design manuals, and other ordinances.
- B. The antennas and support structures outside of the right-of-way may only be attached to an existing improvement or replace an existing improvement and must follow the requirements of Sec. [15.200.5](#).
- C. Authorization for use of city property must be shown by a franchise, lease, license, permit, or other document duly executed by an authorized city representative and

adopted in conformance with all applicable city regulations and guidelines for the property prior to submission of an application for review under this Section. (ZC2018-032; Ord. No. 2019-1-8).

.9 Aesthetic and Alternative Design Requirements
(ZC2017-016; Ord. No. 2017-8-9)

- A. In order to preserve property values and to maintain the aesthetics of the area, all antennas and antenna support structures must meet the following requirements:
 - i. Support structures must have a galvanized steel finish or be painted a neutral color, unless other designs and colors are required by the Federal Aviation Administration for safety purposes.
 - ii. Antennas and supporting equipment installed on an existing structure other than a support structure must be of a neutral color that is compatible with the color of the supporting structure.
 - iii. Alternative or stealth designs are encouraged for all antenna support structures, antennas, and supporting equipment. (ZC2018-032; Ord. No. 2019-1-8)

.10 Amateur Radio Antennas and Support Structures

- A. Amateur radio antennas that are owned and operated by a federally-licensed amateur radio station operator are allowed in any district. A building permit is required for antenna support structures of 20 feet or more in height. (See Sec. [15.200.2C](#) for exemptions.)
- B. No amateur antenna support structure or antenna may be greater than 50 feet in height. However, the height of such antenna support structure or antenna may be increased up to 75 feet with the installation of a telescopic or crank-up support structure. Upon the issuance of a specific use permit, an amateur antenna support structure or antenna may be constructed to exceed these height limits.
- C. Amateur antenna support structures, antenna, or support wires must be located behind the face of the main building. No amateur antenna support structure, antenna, or support wires may be located in the required rear or side yard setback. For an amateur antenna support structure or antenna in excess of 35 feet, the setback from side setback lines must be increased one foot for every foot the height exceeds 35 feet.
- D. The bottom section of an antenna support structure may not exceed 48 inches in width. An antenna support structure having a bottom section with a width exceeding 30 inches but not greater than 48 inches must be of a tapered design.
- E. Only one amateur radio support structure may be erected on a residential lot. Additional antenna support structures may be allowed with the approval of a specific use permit. Excluded from this provision are monopoles 4 inches or less in diameter used exclusively to support wire antennas as referenced in Sec. [15.200.2C.v](#).
- F. Amateur radio antennas, antenna support structures, bases, masts, and poles in existence or for which a permit was issued prior to the effective date of this

ordinance shall be considered legal nonconforming uses subject to the provisions specified in [Article 7](#).

- G. All specific use permits issued for amateur radio antennas or antenna support structures shall be conditioned that the permittee or his assigns be in compliance with the zoning ordinance, Ordinance No. 86-3-14 as amended and all other applicable city ordinances. The city may also provide other conditions and restrictions which the City Council determines, at the time of granting the specific use permit, are necessary to protect and provide for the health, safety, and general welfare of the community. After a public hearing and an opportunity for the permittee or his assigns to be heard, the City Council may cancel, revoke, or suspend a specific use permit granted hereunder if it finds that any of the conditions imposed at the time of the granting of the permit are not met or thereafter cease to exist.

.11 Appeals

- A. An applicant may appeal a decision of the Director of Planning for an antenna installation that does not require a specific use permit, other than a network node installation, to the Planning & Zoning Commission by filing a Notice of Appeal within 10 days following the date the Director notifies the applicant of the decision. The Planning & Zoning Commission may approve, conditionally approve, table, or deny an appeal. Decisions of the Planning & Zoning Commission may be appealed to City Council in accordance with [Article 4](#).
- B. Any applicant may appeal a decision of the Director of Planning to the City Manager for a network node installation if the applicant believes that the denial of a permit materially inhibits the provision of service, in violation of Sections 253 or 332 of the Telecommunication Act of 1996. The City Manager may adopt rules regulating the process and requirements for appeals. The City Manager must issue a decision within ten (10) business days of receipt of the written appeal. Decisions of the City Manager are final. Failure to render a decision constitutes a denial. (ZC2018-032; Ord. No. 2019-1-8)
- C. Any entity that desires to erect or utilize telecommunications facilities that would be limited by the provisions of this ordinance may petition the Planning & Zoning Commission to modify the ordinance. In determining the need to initiate an amendment to the ordinance, the Commission shall consider the extent to which strict application of these regulations would prohibit or have the effect of prohibiting communications services.

15.300 Construction Yards, Field Offices, Model Homes, and Other Temporary Buildings (ZC92-99/ZC96-16; Ord. No. 96-5-10)

Temporary permits for construction yards, field offices, model homes, and other temporary buildings shall be permitted upon application, payment of fee, and issuance of a permit for a period of time not to exceed 24 months. Construction yards, field offices, and other temporary buildings utilized in the development of a project may be granted extensions by the Building Official until the issuance of a Certificate of Occupancy for the respective project. Extensions for model homes may be granted by the Building Official. Permits may be revoked by the Building Official if the use of the building or structure is contrary to the uses allowed by definition in this ordinance.

15.400 Day Care Centers, Day Care (In-home) and Day Care Centers (Accessory)

(ZC12-21; Ordinance No. 2012-8-16)

- .1** All day care centers and day care centers (accessory) shall comply with the following standards:
 - A.** If required by the State of Texas, the day care center must be licensed or registered.
 - B.** No day care center shall be part of a single-family or two-family dwelling.
 - C.** A day care center shall abut and derive its primary access from a street with a pavement width of 36 feet or greater.
- .2** Day care center (in-home) is allowed as a home occupation (see Sec. [15.700](#)) in the caretaker's residence provided that:
 - A.** If required by the State of Texas, the day care center must be licensed or registered.
 - B.** Care is provided to a maximum of 8 children regardless of the number of children permitted by the State of Texas or the type of state license held by the operator.
- .3** All licensed childcare homes that were licensed by the State of Texas or had a license application pending on or before October 25, 1993, are considered to be a legal use in residential districts as long as a valid license is maintained for the operation in its original location and it provides care for less than 24 hours a day for no more than 12 children (including the caretaker's and staffs children) under the age of 14.

15.500 Farmers Market

(ZC2012-30; Ordinance No. 2013-1-5)

- .1** All vendor facilities shall be located on a concrete or asphalt surface.
- .2** A maximum of 50% of the vendor stalls may be leased to vendors of non-food articles. *(ZC2019-001; Ord. No. 2019-5-7)*
- .3** Mobile food units may be vendors at Farmers Markets. If they constitute 10% or less of operating vendors, they are considered an accessory use and are exempt from Sec. [21.500.7](#) (Food Truck Park). If mobile food units account for more than 10% of farmers market vendors, Sec. [21.500.7](#) (Food Truck Park) must apply and the zoning district in which the farmers market is located must permit both Farmers Market and Food Truck Park land uses. *(ZC2019-001; Ord. No. 2019-5-7)*

15.600 Heliports, Helistops, and Airports

(ZC97-24; Ord. No. 97-6-23)

- .1** No heliport or helistop shall be located within 1,000 feet of any religious facility, school, hospital, library, or public park, or within 1,000 feet of any lot, tract, or parcel upon which a residence or dwelling is located. The measurement of the 1,000 feet is to be made in the straight horizontal line from the edge of the heliport landing or helistop pad to the closest prohibited property line, provided that this provision shall not apply to those hospitals which maintain a helistop for medical emergency flight purposes. The Central Business-1 district is excluded from this distance requirement only for the location of helistops and heliports. *(ZC98-40; Ord. No. 98-7-14)*

- .2** Notwithstanding the foregoing, the City Council may approve a proposed heliport or helistop situated less than 1,000 feet from the above delineated property if the Council first finds as a matter of fact that all of the following criteria have been met:

 - A.** Structures or natural terrain features between the proposed heliport or helistop and any such property within the 1,000-foot requirement lessen the noise impact of such heliport or helistop operations upon such property to a level lower than the level which would be experienced if the heliport or helistop were located 1,000 feet from all such property with no structures or terrain intervening.
 - B.** The Federal Aviation Administration has approved approach and departure paths for the proposed heliport or helistop which require all departures to be made at an angle of more than 90 degrees from any boundary of any such property which is less than 1,000 feet from the proposed heliport or helistop.
 - C.** That no substantial adverse impact exists on residences or businesses within the 1,000-foot requirement.
- .3** All specific use permits issued for airport, heliport, or helistop shall be conditioned that the permittee or his assigns be in compliance with the zoning ordinance, Ordinance No. 84-2-20 if a heliport or helistop and all other applicable city ordinances. The city may also provide other conditions and restrictions which the City Council determines, at the time of granting the specific use permit, are necessary to protect and provide for the health, safety, and general welfare of the community. After a hearing and an opportunity for the permittee or his assigns to be heard, the City Council may cancel, revoke, or suspend a specific use permit granted hereunder if it finds that any of the conditions imposed at the time of the granting of the permit are not met or thereafter cease to exist.
- .4** Although the City Council may review a specific use permit at any time, it shall review each permit granted hereunder (except those issued in conjunction with an airport) at least once every 2 years to determine whether or not the permittee or his assigns has complied and is complying with the conditions imposed in the permit. The City Council may deny or revoke a permit hereunder if it should find that the issuance or continuance of the same would be detrimental or offensive to the neighborhood or otherwise contrary to the health, safety, and general welfare of the city and its inhabitants if the permittee is unable to meet the conditions specified herein.
- .5** The following regulations apply to all development within the city:

 - A.** Any structure that exceeds 200 feet above ground level (AGL) requires the issuance of a favorable determination by the Federal Aviation Administration (FAA) before a site plan may be approved.
 - B.** Any structure within 10,000 feet of an airport runway requires one of the following before a site plan may be approved:

 - i.** A statement from the FAA that under the conditions of CFR, Part 77, notice to the FAA is not required.
 - ii.** Issuance of a favorable determination by the FAA.

- C. Applicants must provide notice to the appropriate airport of the proposed development prior to site plan approval. Applications submitted to the FAA must be submitted concurrently to the city and the affected airport.

15.700 Home Occupations

In all cases, home occupations shall meet the following conditions and requirements:

- .1 Only one employee other than occupants of the residence may be employed. A person who receives a wage, salary, or percentage of profits directly related to the home occupation shall be considered an employee. This definition shall not include the coordination or supervision of employees who do not regularly visit the house for purposes related to the business.
- .2 No interior or exterior signage shall be used to advertise the occupation. Vehicles bearing business signs shall not be parked on the street or within 30 feet of the curb.
- .3 A home occupation shall be conducted wholly within the principal dwelling and not in any accessory building. The total floor area to be used for a home occupation shall not exceed 20% of the total floor area of the principal dwelling, including garages. However, instructional classes may be held outside providing other stipulations of this ordinance are met. A maximum of 6 students may be allowed in each session.
- .4 Merchandise shall not be offered or displayed for sale on the premises. Sales incidental to a service shall be allowed, and orders previously made by telephone or at a sales party may be filled on the premises.
- .5 No outdoor storage of materials, goods, supplies, or equipment shall be allowed.
- .6 No building alterations shall be allowed that alter the residential character of the home.
- .7 No repair or servicing of vehicles, internal combustion engines, large equipment, or large appliances shall be allowed.
- .8 A home occupation shall produce no offensive noise, vibration, smoke, electrical interference, dirt, odors, or heat in excess of those normally found in residential areas.
- .9 No toxic, explosive, flammable, combustible, corrosive, radioactive, or other hazardous materials shall be used or stored on the site for business purposes.
- .10 No traffic shall be generated by a home occupation in greater volumes than normally expected in a residential neighborhood, and any parking must be accommodated within the required off-street parking for the residence or along the street frontage for the lot.

15.800 Multifamily Residence

- .1 Minimum side and rear yard setbacks from adjacent nonresidential and multifamily zoning shall be:

Height	Setback
One Story	15 feet
Two Story	25 feet
Three Story	25 feet

- .2 Minimum separations between apartment buildings on the same lot are as follows:

Building Orientation	Distance
Face to Face [1]	30 feet

Building Orientation	Distance
Face to End [2]	20 feet
Corner to Corner	15 feet
Angled Corner to Face (60 degree to 90 degree angle)	20 feet
Courtyard -- Face to Face [3]	30 feet
End to End	15 feet

[1] Face: Exterior plane of a building that is 60 feet in length or greater.

[2] End: A secondary exterior plane of a building that is less than 60 feet in length.

[3] No balcony or canopy shall extend into such courtyard area for a distance greater than 5 feet. (See "courtyard" definition in Sec. 8.200)

- .3** The minimum setback from the zoning district boundary for an apartment building adjacent to land proposed (as shown on an approved concept plan or preliminary site plan), developed, or zoned for single-family, patio home, or two-family shall be: (ZC2009-03 & ZC2000-83; Ordinance Nos. 2009-5-31 & 2000-11-30)

Height	Setback
One Story	20 feet
Two Story	60 feet
Three Story	150 feet

15.900 Outdoor Recreation Facilities

(ZC2000-76; Ord. No. 2000-10-14 and ZC2016-015; Ord. No. 2016-6-31)

- .1** Outdoor recreation facility fencing and equipment must not exceed 30 feet in height.
- .2** The following criteria shall apply to all outdoor recreation facilities except for publicly-owned neighborhood parks as designated on the Park Master Plan contained within the Comprehensive Plan:
- A.** Bleachers shall be set back a minimum of 100 feet from a residential zoning district boundary line or from a residential property line.
- B.** Backstops shall be set back a minimum of 150 feet from a residential zoning district boundary line or from a residential property line.

15.1000 Private Clubs

(ZC2012-01; Ordinance No. 2012-3-24 and ZC2008-82; Ordinance No. 2009-1-8)

- .1** Private clubs are allowed by right in the Downtown Business/Government and Central Business-1 zoning districts. Private club uses in these districts are prohibited within 300 feet of a religious facility or public or private school, measured as prescribed in Sec. [15.1000.2B](#), except that the prohibition will not apply to a property within 300 feet of a religious facility if the City Council affirmatively finds that the private club would not be detrimental or injurious to the public health, safety, or general welfare, or otherwise offensive to the neighborhood. (ZC2010-06; Ordinance No. 2010-8-7)
- .2** The following standards and regulations apply to any private club use except for private club uses located in the Downtown Business/Government and Central Business-1 zoning districts requiring a specific use permit:
- A.** No person shall sell alcoholic beverages if the place of business is within 300 feet of a religious facility, public or private school, or public hospital except as provided by the Texas Alcoholic Beverage Code. The sale of alcoholic beverages is also prohibited within 1,000 feet of a private school if the City Council adopts by

resolution a request for the 1,000 foot separation from the governing body of a private school.

- B. The measurement of the distance between the place of business where alcoholic beverages are sold and the religious facility or public hospital shall be along the property lines of the street fronts and from front door to front door, and in a direct line across intersections. The measurement of the distance between the place of business where alcoholic beverages are sold and public or private school shall be:
 - i. In a direct line from the property line of the public or private school to the property line of the place of business, and in a direct line across intersections; or
 - ii. If the permit or license holder is located on or above the fifth story of a multistory building, in a direct line from the property line of the public or private school to the property line of the place of business, in a direct line across intersections, and vertically up the building at the property line to the base of the floor on which the permit or license holder is located.
- C. All private clubs shall operate in accordance with a minimum of 35% of gross receipts be derived from the sale of food.
- D. All specific use permits issued for the operation of private clubs may be canceled, suspended, or revoked in accordance with the provisions of Ordinance No. 79-6-10, or as the same shall be amended, which is incorporated herein by reference and made a part hereof for all purposes.

15.1100 Regional Shopping Malls

(ZC98-100; Ord. No. 99-1-8)

For shopping centers or regional malls with more than 1,000,000 square feet of gross lease able area in one structure, the following additional regulations shall apply:

Anchor Stores Platted on Individual Lots

Lot Coverage	100%
Front Yard Setback	No setback required
Rear Yard Setback	No setback required
Side Yard Setback	No setback required
Floor Area Ratio	Unlimited
Parking	See Sec. 16.900 . All parking requirements may be met offsite with approval of an offsite parking agreement.

15.1200 Residence Hotels

(ZC2014-37, Ordinance No. 2015-1-10)

Reserved for future use.

15.1300 Retirement and Supportive Housing

(ZC2022-016; Ord. No. 2023-2-5, ZC2000-83; Ord. No. 2000-11-30)

These regulations apply to independent living, assisted living, long-term care, and continuing care facilities, except where individually referenced.

.1 Independent Living Facilities

- A.** To qualify as an independent living facility, the units shall have a head of household of 55 years of age or older. Surviving members of a household, regardless of age, may occupy a unit provided that the household head meeting the age requirement has died.
- B.** Management personnel and his/her family may occupy units without complying with the minimum age requirement. The total of such dwelling units shall not exceed 2 per 100 dwelling units, or portion thereof, in the project.
- C.** Independent living facilities constructed in the form of apartments shall comply with the standards for multifamily residential uses, except where specific standards for independent living facilities are provided.
- D.** Independent living facilities constructed in the form of detached or attached single-family dwellings shall comply with the standards for single-family residence (detached) or single-family residence (attached) uses, respectively, except where specific standards for independent living facilities are provided.

.2 Minimum Floor Area Per Dwelling Unit

Minimum unit sizes shall be in compliance with state regulations for facilities eligible to receive Medicare/Medicaid funding.

.3 Minimum Residential Setbacks

The minimum setback from the zoning district boundary line and/or property line of land proposed (as shown on an approved concept plan or preliminary site plan), developed or zoned for single-family, patio home, or two-family to independent living, assisted living, long-term care, and/or continuing care facilities shall be:

Height	Minimum Setback
One Story	20 feet
Two Story	60 feet
Three Story	150 feet

.4 Maximum Residential Density

The following density limits apply:

Nonresidential Districts

(ZC2003-21; Ord. No. 2003-6-23)

	O-1	O-2	R	BG	CE	CB-1	CC
Independent Living Facility (dwelling units per acre)	45**	45**	45**	100	45**	21.5 174*	100
Assisted Living Facility	FAR/LC	FAR/LC	FAR/LC	FAR/LC	FAR/LC	FAR/LC	FAR/LC
Long-term Care Facility	FAR/LC	FAR/LC	FAR/LC	FAR/LC	FAR/LC	FAR/LC	FAR/LC
Continuing Care Facility	The maximum density shall be based upon the proportionate densities of the independent living facility, assisted living facility, and/or long-term care facility within the continuing care facility.						

FAR - Floor Area Ratio; LC - Lot Coverage; * - For Structures over 3 Stories in Height; ** - When part of a continuing care facility

Residential Districts

	MF-1	MF-2	MF-3
Independent Living Facility (dwelling units)	12	18	21.5

Residential Districts

per acre)			
Assisted Living Facility	LC	LC	LC
Long-term Care Facility	LC	LC	LC
Continuing Care Facility	The maximum density shall be based upon the proportionate densities of the independent living facility, assisted living facility, and/or long-term care facility within the continuing care facility.		
LC - Lot Coverage			

.5 Fencing Requirements

Walls or fences of not more than 8 feet in height may be erected in the front yard provided such wall or fence is of at least 50% open construction. Such walls must meet all other applicable requirements for walls contained in [Article 20](#).

.6 Exterior wall construction must comply with the requirements of Sec. [23.200](#). (ZC2016-13; Ord. No. 2016-6-14)**15.1400 Superstores**

(ZC2000-48; Ord. No. 2000-8-13 & ZC2019-011; Ord. No. 2019-8-8)

- .1** These criteria shall apply to new superstore construction in any zoning district. These criteria shall not apply to the use, reuse, modification, or consolidation of existing retail space developed on or before March 28, 2005, or to the expansion of existing retail space existing on or before March 28, 2005, by no greater than 10% of the existing ground floor area. (ZC2004-54; Ord. No. 2005-3-26)
- .2** Building facades that face or front public streets or public ways shall comply with 2 of the 3 criteria listed below. Building facades that do not face or front public streets or public ways shall comply with either Sec. [15.1400.2B](#) or Sec. [15.1400.2C](#).
 - A.** Covered walkways shall be provided along a minimum of 50% of the facade length. A covered walkway may consist of awnings, roof overhangs, or similar architectural features.
 - B.** No building facade shall exceed a length of 100 feet without a horizontal and vertical break in the facade. The horizontal and vertical break shall be a minimum depth/height of 3 feet for a minimum length of 20 feet.
 - C.** Facades shall contain repeating patterns of contrasting materials, material colors, or material textures that visually breakup the horizontal and vertical expanse of the facade. (ZC2023-019, Ord. No. 2024-2-7)
- .3** For building facades that face or front public streets or public ways, landscape islands shall be provided along a minimum of 50% of the facade length. These landscape islands shall be between the facades and the adjacent vehicular circulation lanes and are in addition to the landscaping requirements in [Article 17](#). Each individual landscape island shall be a minimum of 10 feet in depth and shall not be less than 100 square feet nor greater than 300 square feet in area. One over story (shade) tree (4-inch caliper minimum) and 4 shrubs (5-gallon minimum) shall be provided for every 100 square feet of landscape area. The remaining permeable surface shall be ground cover, turf, or planting beds.

- .4 Loading docks must not be oriented towards residential zoning districts. Where loading areas are located parallel to residential zoning districts, they must be screened by an architecturally-integrated minimum 14-foot tall wall the entire length of the loading space.
- .5 The location of drive-through windows, automotive service bays, and gasoline pumps must comply with the requirements of the Residential Adjacency Standards in [Article 21](#).
- .6 Where the property immediately abuts a residential zoning district, a minimum 30-foot wide landscape edge must be installed in addition to the screening required by [Article 20](#). A minimum 30-foot wide landscape edge is also required along all street frontages, with the exception of U.S. Highway 75 (Central Expressway). The Central Business-1 zoning district is also exempt from this requirement. The landscape edge must include a combination of berms, evergreen shrubs, and a mix of evergreen and deciduous over story (shade) trees (minimum 4-inch caliper) placed a minimum 25 feet on center. Plantings may be grouped. (ZC2004-54; Ord. No. 2005-3-26)
- .7 Open storage areas must be screened as required in Sec. [19.200](#).
- .8 The applicant must demonstrate that the building can be subdivided in a reasonable manner for multiple tenants.
- .9 Primary and accessory superstore structures must be set back a minimum distance of 100 feet measured from the residential zoning district boundary line to the nearest face or edge of the structure. (ZC2004-54; Ord. No. 2005-3-26)

15.1500 Tattooing, Permanent Cosmetics, and Body Piercing

(ZC2022-004, Ord. No. 2022-5-11; ZC2001-19, Ord. No. 2001-11-25)

- .1 Facilities that offer tattooing, permanent, or intradermal cosmetic services and body piercing must be licensed by the State of Texas and must meet all environmental health requirements of the City of Plano.
- .2 Tattooing, permanent cosmetics, and body piercing may be practiced as an accessory use to a personal service shop.
- .3 Tattooing, permanent cosmetics, and body piercing may be allowed, if and where granted a specific use permit, as a primary use in the Retail (R), Corridor Commercial (CC), Light Commercial (LC), Light Industrial-1 (LI-1), and Light Industrial-2 (LI-2) districts, if the following requirement is met:
 - A. A facility offering these services shall be prohibited within 1,000 feet of any religious facility, residentially-zoned district, or public or parochial school.
 - i. The distance shall be measured in a straight line from the front door of the facility to the nearest property line of the religious facility, public or parochial school, or to the closest residential district boundary line.
 - ii. The 1,000-foot distance requirement may be reduced to 300 feet if City Council finds that issuance of the specific use permit would not be detrimental or injurious to the public health, safety, or general welfare, or otherwise offensive to the neighborhood.

- .4** Tattooing, permanent cosmetics, and body piercing are allowed as a primary use in the Downtown Business/Government (BG) district if the following requirements are met:
- A.** The location is within the boundaries of the Downtown Heritage District (HD-26), as amended, subject to:
 - i.** A maximum of two (2) establishments with one or both of the following uses: tattooing and permanent cosmetics, or body piercing, are permitted by right within HD-26.
 - ii.** Additional establishments with one or both of the following uses: tattooing and permanent cosmetics, or body piercing, in excess of those permitted by right, may be allowed by specific use permit, if and where granted a specific use permit.
 - B.** Tattooing and permanent cosmetics, and body piercing uses may be allowed as primary uses, if and where granted a specific use permit, in all other areas of the BG district.

15.1600 Veterinary Clinics, Kennels (Indoor Pens)/Commercial Pet Sitting, and Kennels (Outdoor Pens)

(ZC2023-019, Ord. No. 2024-2-7)

- .1** In the O-1 and O-2 districts, veterinary clinics and kennel (indoor pens)/commercial pet sitting may be permitted by a specific use permit only. In these districts, veterinary clinics and kennels (indoor pens)/commercial pet sitting shall meet the following conditions and requirements:
- A.** Separate customer and service entrances must be provided from exterior building doorways.
 - B.** Clinics may only be allowed in freestanding, single-occupant buildings or the ground floor of a multi-occupant building.
 - C.** Disposal of all waste materials shall be in accordance with the Texas Department of Health regulations.
- .2** In all districts, veterinary clinics operated as part of an agricultural operation, as defined in Section 251.002 of the Agriculture Code, as may be amended, and kennels (indoor pens)/commercial pet sitting and kennels (outdoor pens) are permitted when located on agricultural land as defined in Section 251.006 of the Agriculture Code, as may be amended. See also Sec. [14.700](#).

15.1700 Mid-Rise Residential

(ZC2013-13; Ordinance 2013-10-33)

.1 Purpose

Mid-rise residential development is intended as a complementary use to large-scale commercial districts and corridors. It should be used to diversify land use, increase pedestrian activity, and reduce auto dependency. Mid-rise residential development should be integrated with other land uses and amenities conducive to a residential environment.

.2 Lot Coverage

Maximum 100%

.3 Minimum Density

Mid-rise residential development is exempt from the minimum densities for multifamily development in the Urban Mixed-Use and Downtown Business/Government districts.

15.1800 Backyard Cottages

(ZC2018-033; Ord. No. 2019-2-10)

.1 General

- A. The backyard cottage must be located on the same lot as the main dwelling unit.
- B. A backyard cottage must not be sold separately from the main dwelling unit.
- C. A maximum of one backyard cottage per lot is allowed.

.2 Dimensional Requirements

- A. **Minimum Lot Size**
6,000 square feet.
- B. **Backyard Cottage Height**
Must not exceed the height of the main residential building.
- C. **Minimum Backyard Cottage Lot Coverage**
400 square feet.
- D. **Minimum Backyard Cottage Building Floor Area**
400 square feet.
- E. **Maximum Backyard Cottage Building Floor Area**
1,100 square feet or 50% of the gross habitable floor area of the main dwelling unit, whichever is more restrictive, and not to exceed the maximum coverage of the governing zoning district.
- F. **Minimum Separation from Main Dwelling Unit**
10 feet.

.3 Architectural and Design Standards

- A. The backyard cottage must be located behind the main dwelling unit in accordance with Sec. [13.500.2P](#).
- B. Backyard cottages must be architecturally designed to be compatible with the main dwelling unit.
- C. Temporary buildings must not be used as a backyard cottage.
- D. Backyard cottages and any other conjoined structures must be attached to a permanent foundation set on the ground.

.4 Permitting Requirements

(ZC2023-011; Ordinance No. 2023-8-15)

- A. The building-permit applicant must provide to the city a covenant suitable for recording with the county, providing notice to prospective owners of the subject lot that the backyard cottage cannot be sold separately from the main dwelling

unit. The covenant must require owners of the property to notify a prospective buyer of the limitations of this section. The covenant must also require all owners to remove the backyard cottage and restore the site to a single-family dwelling in the event that the covenant is violated. After city review and approval of the covenant, the applicant must record it. Proof of recording is required prior to issuance of a building permit.

.5 Site Access

- A. Driveway access and off-street parking in the front yard is allowed only where this design is consistent with the prevailing access and parking design for single-family residence detached dwelling units in the same subdivision block.
- B. Driveway curb cuts (excluding alleys) may not be wider than 24 feet in width.
- C. Where driveway access and off-street parking can be accommodated in the front yard, front yard driveway access must be shared with the main dwelling unit and may not be comprised of multiple detached driveways.

.6 Parking

- A. Off-street parking must comply with the requirements of [Article 16](#) (Parking and Loading).
- B. Required off-street parking for Backyard Cottages must not be achieved by tandem parking.

15.1900 Sensitive Land Uses in Expressway Corridor Environmental Health Areas

(ZC2019-009; Ord. No. 2019-10-9)

As of October 14, 2019, sensitive land uses, as listed in Sec. [15.1900.2](#), proposed within Expressway Corridor Environmental Health Area One (EHA-1) or Expressway Corridor Environmental Health Area Two (EHA-2) on the Expressway Corridor Environmental Health Map in the Comprehensive Plan must comply with this section.

- .1** The following requirements are applicable to the interpretation of the table in Sec. [15.1900.2](#).
 - A. A building or parking structure of similar height and length must be located between the sensitive land use and the expressway.
 - B. Intake openings for outdoor air, as defined in the adopted International Mechanical Code, as amended, must be located on the opposite side of the building from the expressway.
 - C. All open space areas, outdoor living spaces, and playgrounds must be located on the opposite side of the building from the expressway.
 - D. The landscaping requirements in Sec. [17.300.1](#) must be met with the following additional requirements:
 - i. Except where more restrictive regulations exist, a minimum 15-foot landscape edge is required along the property line(s) closest to and most parallel to any Type A thoroughfare, regardless of adjacency to said thoroughfare.

- ii. This regulation applies to all sensitive land uses regardless of base zoning district.
 - iii. Park and playground uses must provide double the required number of trees.
- .2 The following sensitive land uses must meet the requirements listed in Sec. [15.1900.1](#). The letters listed in the table indicate subsection headers. For example, “A” indicates that a building or parking structure of similar height and length must be located between the sensitive land use and the expressway.

Sensitive Land Use	Requirements
Multifamily and Large Institutional Dwellings	
Assisted Living Facility	A, B, C, D
Continuing Care Facility	A, B, C, D
Household Care Institution	A, B, C, D
Independent Living Facility	A, B, C, D
Long-Term Care Facility	A, B, C, D
Mid-Rise Residential	A, B, C, D
Multifamily Residence	A, B, C, D
Rehabilitation Care Institution	A, B, C, D
Day Cares and Schools	
Day Care Center	B, C, D
Day Care Center (Accessory)	B, C, D
Day Care Center (Adult)	B, C, D
School (Private)	B, C, D
Parks	
Park/Playground	D
Playground/Park	D

- .3 During the site plan review process, the Planning & Zoning Commission may allow a waiver to these standards either:
- A. Upon a finding that a property may develop in a reasonably safe manner despite a waiver of a requirement(s) of this section. A waiver must not be granted based solely on economic gain or loss, nor should a waiver grant an unreasonable privilege to the developer of the property, or
 - B. When projects are subject to environmental reviews required and approved by state or federal regulatory agencies, and where the findings of such regulatory agency demonstrates the project is able to meet the maximum outdoor noise level of 65 dBA Ldn.

15.2000 Live-Work (Business Loft)
(ZC2020-012; Ord. No. 2021-1-13)

- .1 The residential and nonresidential spaces must be connected and are not intended to be two independent uses.
- .2 The dwelling unit must be converted to nonresidential spaces if not occupied by an individual owning or employed by the associated nonresidential use.

15.2100 Temporary Accessory Housing Shelter
(ZC2023-023; Ord. No. 2023-10-12)

- .1 A temporary accessory housing shelter shall house a maximum of 14 individuals at one time and shall operate a maximum of 30 days per calendar year under normal conditions.
- .2 Restrictions on the number of individuals and operating days in Sec. [15.2100.1](#) are exempt during:
 - A. Life-threatening weather conditions, as determined by the City Manager or designee, or
 - B. Declared disasters by the City of Plano that create a need for temporary housing, until such time the disaster status is rescinded, or City Council rescinds such need for housing.

15.2200 Crematory*(ZC2023-022; Ord. No. 2023-10-11)*

- .1 Operations should be fully enclosed with no outside storage of goods or materials.
- .2 No noise, vibration, odor, smoke, or dust should impact adjacent properties in conformance with the performance standards in [Article 24](#). The city may seek injunctive relief if a facility creates a nuisance defined in [Article 24](#).
- .3 Facilities and equipment must be consistently maintained in accordance with manufacturer recommendations and Texas Administrative Code requirements.

15.2300 Short-term Rentals*(ZC2024-008; Ord. No. 2024-4-13)*

- .1 All Short-term Rentals must register as a Short-term Rental in compliance with the Code of Ordinances. The following requirements apply to all Short-term Rentals except where individually referenced.
- .2 All Short-term Rentals must comply with the adopted City of Plano Property Maintenance Code, as amended.
- .3 Short-term Rentals may only occur in a dwelling unit. When permitted by this section, all Short-term Rentals are only allowed as a function of the following uses, where legally constructed:
 - A. Independent Living Facility
 - B. Live-Work (Business Loft)
 - C. Mid-Rise Residential
 - D. Multifamily Residence
 - E. Single-Family Residence (Attached)
 - F. Single-Family Residence (Detached)
 - G. Studio Residence
 - H. Two-Family Residence
 - I. Two-Family Residence (Attached)

.4 Live-in Management STR

Live-in Management STR uses are permitted in a dwelling unit in a Heritage Resource Overlay District (“H” or “HD”).

.5 A Short-term Rental may not provide rentals of less than two nights. This provision does not apply to Live-in Management STRs.

.6 Short-term Rental uses are permitted in a dwelling in:

- A.** Any nonresidential zoning district except O-1, or
- B.** Multifamily Residences, consistent with Sec. [15.2300.7](#).

.7 Multifamily Residence properties:

A. Where not otherwise permitted, where there is property management on the Multifamily Residence but not necessarily within the individual dwelling units, up to one unit or 5% of the dwelling units on the property, whichever is greater, can be Short-term Rentals.

B. A higher percentage of STRs may be permitted in these Multifamily Residence properties with approval of a specific use permit. Consistent with Sec. [6.100](#), additional development standards may be imposed, including, but not limited to:

- i.** Locations of other STRs,
- ii.** Maximum number of occupants,
- iii.** Minimum nights per rental,
- iv.** Maximum number of rental nights per year, or
- v.** Parking standards and other site design considerations.

.8 A Backyard Cottage and the main dwelling unit on the same lot are considered a single residence for the purpose of this section. The Backyard Cottage and main dwelling unit cannot be rented as two separate Short-term Rental uses.

.9 Except where permitted under the provisions herein, Short-term Rentals existing in all districts as of May 15, 2023, are nonconforming, unless the status is lost pursuant to [Article 7](#). For purposes of this section only, nonconforming uses include those with investment-backed expectations as of May 15, 2023.

[Remainder of page intentionally blank]

DIVISION 4 | DEVELOPMENT STANDARDS

Article 16	Parking and Loading	16-1
Article 17	Landscaping and Tree Preservation	17-1
Article 18	[Reserved]	18-1
Article 19	Open Storage and Merchandise Display	19-1
Article 20	Screening, Fence and Wall Regulations	20-1
Article 21	Residential Adjacency Standards	21-1
Article 22	Signs	22-1
Article 23	[Reserved]	23-1
Article 24	Performance Standards	24-1
Article 25	Traffic Studies.....	25-1

[page intentionally blank]

Article 16 Parking and Loading

16.100	General.....	16-1
16.200	Offsite Parking	16-2
16.300	Size of Space	16-2
16.400	Access.....	16-3
16.500	Vehicle Parking and Storage Area Standards	16-4
16.600	Off-Street Parking Incidental to Main Use	16-7
16.700	Off-Street Parking Schedule.....	16-8
16.800	Special Off-Street Parking Regulations	16-14
16.900	Joint Parking Facilities	16-15
16.1000	Stacking Requirements for Drive-Through Facilities.....	16-16
16.1100	Parking Reduction for Stormwater Conservation.....	16-16
16.1200	Parking Reduction Program	16-16
16.1300	Parking Deferment Program	16-19
16.1400	Off-Street Loading.....	16-22

16.100 General

(ZC2006-02; Ord. No. 2006-4-24 and ZC99-10; Ord. No. 99-6-14)

- .1 Except as otherwise provided for in this article, off-street parking shall be provided as follows:
 - A. In all districts except BG, in connection with every business, institution, recreational, residential, manufacturing, research laboratory, government facility, or any other use, there shall be provided, at the time any building or structure is erected or is enlarged or increased in capacity, off-street parking spaces, in accordance with the requirements set forth in Sec. [16.700](#). (ZC2021-011; Ord. No. 2021-7-6)
 - B. **Changes of Use in all Districts Except BG**
(ZC2023-027; Ord. No. 2024-1-6)
 - i. When there is a change of use on a site developed prior to January 8, 2024, where there is no expansion of the building or operational space, no new parking is required when the owner provides a signed letter to the city agreeing:
 - a. To manage parking in accordance with all requirements of the city with the exception of Sec. [16.700](#),
 - b. To ensure that no adverse effects will occur to the site or any public or private property in the vicinity, and
 - c. To record the letter with the county land record and covenant that the agreement runs with the land.
 - ii. It is an offense for the owner to fail to adhere to the letter agreement.

C. Provisions for Infill, Redevelopment, and Expansions of Building Space
(ZC2023-027; Ord. No. 2024-1-6)

i. Applicability

This provision is available under the following conditions:

- a.** The reduction is not anticipated to create parking issues for any public or private property in the vicinity,
 - b.** The reduction is not anticipated to result in parking spillover into any neighborhoods in the vicinity,
 - c.** Available parking has not been impacted by vehicle storage or other site modifications, and
 - d.** The site is not under condominium ownership, unless all owner participation is verified.
- ii.** The amount of required parking for infill, redevelopment, or expansions of building space of a nonresidential property may be decreased as follows:
- a.** By up to 10% with approval of the Director of Planning or designee, or
 - b.** By up to 20% with approval of the Planning & Zoning Commission.
- iii.** The same reductions in Sec. [16.100.1C.ii](#) may be granted to multifamily properties when the area that would be used by the reduced parking spaces is exchanged for an equivalent area of additional usable open space in excess of the minimum requirements applicable to the development.
- iv.** Any reduction must be granted through the site plan approval process.
- v.** The parking reduction is not extended to any future development or redevelopment of the property.

- .2** Off-Street loading shall be provided in accordance with Sec. [16.1400](#).

16.200 Offsite Parking

Offsite, off-street parking space may be permitted with site plan approval in any district subject to all of the following requirements:

- .1** That a permanent and irrevocable easement of the parking facilities in favor of the premises to be benefited thereby shall be dedicated and recorded as a condition of such use.
- .2** That the nearest point of the premises utilized for such parking spaces shall be not more than 300 feet in a straight line from the nearest point of the premises to be benefited thereby.
- .3** No such parking space may be located on the same lot as a residential dwelling.

16.300 Size of Space

(ZC98-65; Ord. No. 98-9-21)

.1 Standard Nonresidential and Multifamily Spaces

Each standard, off-street surface parking space shall measure not less than 9 feet by 20 feet, exclusive of access drives and aisles, and shall be of usable shape and condition.

Where it is possible for a vehicle to overhang the front of a parking space above a paved, stoned, mulched, or grassed area other than a sidewalk, street right-of-way, or adjacent property, the length of the standard space may be reduced to 18 feet.

.2 Standard Single-Family and Duplex Spaces

Each standard, off-street surface parking space located on a single lot platted for single-family or duplex use shall measure not less than 8 feet by 20 feet, exclusive of access drives, aisles, and alleys. The driveway shall, in no instance, be of a lesser width than the width of the garage door.

.3 Compact Car Spaces

- A. Each compact car off-street parking space shall measure not less than 8.5 feet by 16 feet, except for the BG district, exclusive of access drives and aisles, and shall be of usable shape and condition. Where it is possible for a vehicle to overhang the front of a parking space above a paved, stoned, mulched, or grassed area other than a sidewalk, street right-of-way, or adjacent property, the length of the compact car space may be reduced to 15 feet. All compact car parking spaces shall be grouped and located in specific areas so as not to be scattered throughout a parking lot. (ZC99-10; Ord. No. 99-6-14)
- B. The use of compact parking is limited to general office, light manufacturing plant, religious facility developments, college or university, public and private schools, or storage or wholesale warehouse developments, except for the BG district. A maximum of 50% of the required parking for these developments may be permitted as compact car spaces upon approval of a site plan but only when both of the following conditions are met: (ZC99-10; Ord. No. 99-6-14)
 - i. Signage will identify the compact car spaces.
 - ii. The entire grounds and building served by the compact car spaces are occupied and controlled by one tenant who shall be responsible for policing the use of the compact car spaces, except for the BG district. (ZC99-10; Ord. No. 99-6-14)

.4 Parallel Spaces

Each parking space (on-street or off-street) designed for parallel parking shall have a minimum dimension of 8 feet by 22 feet.

.5 Parking Garage Spaces

Each standard parking space located in a parking garage shall measure not less than 8.5 feet by 17.5 feet with a 22-foot aisle width and shall be of usable shape and condition. Angle parking may be used.

.6 Angle Spaces


For minimum dimensions of angle parking see [Figure 16-1](#), [Figure 16-2](#), [Figure 16-3](#), and [Figure 16-4](#).

16.400 Access

- .1 Adequate provision for ingress and egress to all parking spaces shall be provided by driveways or maneuvering areas with direct access to a public street or to a private right-of-way easement. A private right-of-way easement shall be legally binding in form

and substance and shall be recorded in the office of the register of deeds of the county, and a certified copy of the same, with evidence of recording thereon, shall be filed with the Planning Department.

- .2 Two-way access driveways shall be designed as shown in [Figure 16-1](#), [Figure 16-2](#), [Figure 16-3](#), and [Figure 16-4](#). One-way driveways shall be at least 12 feet wide when the angle of parking is 45 degrees and 17 feet, 6 inches when the angle of parking is 60 degrees.
- .3 Pad sites within retail centers shall be required to obtain mutual access and parking agreements with the adjacent retail center in order to enhance safe, onsite circulation and provide access to the nearest available median break.




16.500 Vehicle Parking and Storage Area Standards

(ZC2017-026; Ord. No. 2017-11-3 & ZC2017-014; Ord. No. 2017-7-9)

- .1 Unless noted otherwise in this section, all required vehicle parking, storage spaces, and loading areas, together with driveways and maneuvering aisles, and additional parking areas shall be a paved surface. Permeable pavements and associated drainage systems, such as modular porous pavers, Grass-Crete and porous concrete, may be used in lieu of asphalt or concrete pavement only for developments or redevelopments that have minimum required parking of one hundred (100) spaces or greater per Sec. 16.700 of the Zoning Ordinance. Gravel is not an acceptable permeable pavement and shall not be used for parking and/or circulation lanes except that driveways and maneuvering aisles associated with single-family residences, farms, dairies, and ranches within the Agricultural and Estate Development zoning districts only may be gravel construction. No minimum paving standard is required for parking areas for special events and seasonal sporting events or overflow parking beyond required parking for religious facilities. Paving and drainage shall be in accordance with city standards. Alternative pavement and drainage design intended to improve stormwater quality and/or intended to decrease stormwater quantity will be considered if submitted as part of a

site-specific stormwater quality plan that is consistent with the city's Stormwater Quality Requirements. Alternative pavement and drainage design shall be subject to approval by the Director of Engineering. All paved surfaces shall be maintained in good condition, free of potholes and other deterioration. (ZC2006-02; Ord. No. and ZC05-08; Ord. No. 2005-5-6)



[Remainder of page intentionally blank]




Figure 16-2: Parking Stall and Aisle Dimensions--60°Angle Stalls

- .2 Except as noted above, any new vehicle parking or storage area construction or expansion of an existing vehicle parking or storage area shall be constructed of a paved surface. Properties with existing parking areas not constructed of a paved surface shall conform to these requirements upon a change of property use or tenant. Alternative pavement and drainage design intended to improve stormwater quality and/or intended to decrease stormwater quantity will be considered if submitted as part of a site-specific stormwater quality plan that is consistent with the city's Stormwater Quality Requirements. Alternative pavement and drainage design shall be subject to approval by the Director of Engineering. (ZC2006-02; Ord. No. and ZC05-08; Ord. No. 2005-5-6)
- .3 To prevent nuisance situations, all parking area lighting shall be designed and operated so as not to reflect or shine on adjacent properties. For safety and firefighting purposes, free access through to adjacent parking areas shall be provided where practical.
- .4 Except for single-family and duplex uses, parking spaces shall be permanently and clearly identified by stripes, buttons, tiles, curbs, barriers, or other approved methods. Nonpermanent marking, such as paint, shall be regularly maintained to ensure continuous clear identification of the space.

[Remainder of page intentionally blank]




Figure 16-3: Parking Stall and Aisle Dimensions--70° Angle Stalls

16.600 Off-Street Parking Incidental to Main Use

Off-street parking shall be provided in accordance with the requirements specified by this ordinance and located on the lot or tract occupied by the main use or in accordance with Sec. [16.200](#), and located within the same zoning district as the main use.

[Remainder of page intentionally blank]




Figure 16-4: Parking Stall and Aisle Dimensions--90°Angle Stalls

16.700 Off-Street Parking Schedule

(ZC2017-026; Ord. No. 2017-11-3 & ZC2006-02; Ord. No. 2006-4-24)

Each development shall provide off-street parking as follows:

- .1 The minimum required number of off-street parking spaces shall be in accordance with the parking schedules and ratios that follow this section. Where calculation in accordance with following results in requiring a fractional space, any fraction less than 0.5 shall be disregarded, and any fraction of 0.5 or more shall require one space. Fewer parking spaces may be provided than the minimum number of spaces in accordance with Sec. [16.800](#), Sec. [16.900](#), Sec. [16.1100](#), and/or Sec. [16.1200](#).
- .2 Unless otherwise noted in the parking schedules and ratios that there is no maximum number of parking spaces, the maximum allowable number of off-street parking spaces shall be the minimum number of required off-street parking spaces plus 10%. Parking spaces in excess of the maximum allowable number of parking spaces may be provided in accordance with the following conditions:
 - A. For developments or redevelopments having ten (10) percent or more parking spaces in excess of the maximum parking, the excess parking area(s) shall be constructed with permeable pavements and associated drainage systems, such as modular porous pavers, Grass-Crete and porous concrete (gravel is not an acceptable permeable pavement and shall not be used for parking and/or circulation lanes except as may be allowed per Sec. [16.500.1](#) above). The excess parking area(s) may be constructed with asphalt or concrete pavement if grassy swales/buffer strips are provided to mitigate the stormwater runoff from the

impervious surfaces of the excess parking area(s). Such grassy swales/buffer strips shall be in addition to required landscape edge(s) and interior parking lot landscaping, shall be designed and maintained in accordance with the city's Stormwater Quality Requirements, and shall be designated and shown on the site plan and the Stormwater Quality Plan (SWQP) for the project. (ZC2017-026; Ord. No. 2017-11-3)

- B.** In addition to the required landscape area and landscape improvements in [Article 17](#), additional landscape area and landscape improvements are provided as follows:
- i.** For each parking space constructed in excess of maximum, additional landscape area at the rate of 7 square feet per parking space shall be provided.
 - ii.** One additional tree shall be provided for each 3 parking spaces constructed in excess of maximum.
 - iii.** The additional trees and landscape area shall be distributed in landscape areas within parking areas or adjacent to buildings and not in the landscape edge.
- C.** The excess parking is in elevated or below-grade parking structures subject to area, yard, and bulk requirements in this ordinance. (ZC2017-014; Ord. No. 2017-7-9)

Parking Space Schedule for Residential Uses in all Districts
(ZC2022-016; Ord. No. 2023-2-5)

Zoning Districts or Uses	Minimum Required Off-Street Parking or Spaces for Residential Uses
Agricultural	2 spaces for each dwelling unit
Estate Development	2 spaces for each dwelling unit
Independent Living Facility (ZC2022-016; Ord. No. 2023-2-5)	One space per dwelling unit (No maximum number of parking spaces.)
Single-Family or Two-Family Dwellings (ZC2002-47; Ord. No. 2002-10-26)	2 spaces for each dwelling unit, except for the GR district (See Sec. 9.1200)
Single-Family Attached	2.25 spaces for each dwelling unit
Multifamily Dwelling (Ord. No. 93-8-13)	1.5 spaces for each efficiency unit; 2 spaces for each dwelling unit with one or more bedrooms
Multifamily Dwelling in Downtown Business/Government (Ord. No. 93-8-13)	Efficiency and One-bedroom units: 1 parking space per unit Two-bedroom units: 1.5 parking spaces per unit Three-bedroom and larger units: 2 parking spaces per unit
Mobile Home	2 spaces for each stand, lot, or tract
Backyard Cottage (ZC2018-033; Ord. No. 2019-2-10)	1 space for each dwelling unit

Parking Space Schedule for Nonresidential Uses in all Districts

Zoning Districts or Uses	Minimum Required Off-Street Parking or Spaces for Nonresidential Uses
Animal Exhibition	One space per 600 square feet of exhibit and pasture area
Artisan's Workshop	One space for each 200 square feet of retail sales and display plus one space for each 400 square feet of workshop and storage area (Ord. No. 93-8-13)

Article 16: Parking and Loading
16.700: Off-Street Parking Schedule

Zoning Districts or Uses	Minimum Required Off-Street Parking or Spaces for Nonresidential Uses
Assisted Living Facility (ZC2000-83; Ord. No. 2000-11-30)	One space for every 2 rooms or beds, whichever is greater <i>(No maximum number of parking spaces)</i>
Bank, Savings and Loan, or Similar Financial Establishment	One space for each 300 square feet of floor area
College or University	One space for each 2 students, plus one space for each classroom, laboratory, or instruction area <i>(No maximum number of parking spaces.)</i>
Commercial Amusement (Indoor)	
Bingo Parlor	One space for 3 seats (design capacity) or one per 100 square feet of total floor area, whichever is greater
Bowling Alley	6 spaces for each lane
Skating Rink	One space for each 3 seats at a maximum seating capacity plus one space for each 200 square feet
Other	One space for each 3 persons accommodated (design capacity)
All areas for subsidiary uses not listed above or in other parts of Sec. 16.900 (those noted uses such as restaurants, offices, etc. shall be calculated in with the minimum specified for those individual uses)	One space for each 1,000 square feet
Commercial Drone Delivery Hub (Large) or Commercial Drone Delivery Hub (Small) (ZC2023-014, Ord. No. 2024-2-6)	One space per 1,000 square feet of floor area for storage or warehousing, plus one space per 300 square feet of floor area for office, customer service, or other areas. A minimum of one parking space per 300 square feet of the designated drone staging area is required for commercial drone delivery hubs with no buildings.
Community Center (ZC2021-011; Ord. No. 2021-7-6)	
Library or Museum	10 spaces plus one space for each 300 square feet of floor area
Recreational or Athletic	Same as Health/Fitness Center
Entertainment, Assembly or Cultural	Same as Theater, Meeting Room, and Assembly Hall
Continuing Care Facility (ZC2000-83; Ord. No. 2000-11-30)	Parking requirements shall be based upon the proportionate individual parking requirements of the independent living facility, assisted living facility, and/or long-term care facility within the continuing care facility (No maximum number of parking spaces)
Data Center (ZC2010-05; Ord. No. 2010-10-15)	One space for each 1,000 square feet
Day Care, Day Nursery, or Kindergarten School (ZC96-32; Ord. No. 96-8-11)	One space per 5 pupils (design capacity). <i>(No maximum number of parking spaces.)</i> Parking for this use will not be required when such facilities are located: <ul style="list-style-type: none"> • Within an office structure as an accessory use to its employees • Within a single-user structure as an accessory use as a service to its employees • Within an accessory structure that is within 300 feet of the main building • Within a shopping mall
Farmers Market (ZC2019-001; Ord. No. 2019-5-7)	One space per 200 square feet of market area.
Flea Market (Indoor and Outdoor)	1.5 spaces for each 200 square feet of floor area or market area

Article 16: Parking and Loading
16.700: Off-Street Parking Schedule

Zoning Districts or Uses	Minimum Required Off-Street Parking or Spaces for Nonresidential Uses
Food Truck Park (ZC13-33; Ord. No. 2014-1-11)	One space per 100 square feet of dining area only
Fueling Station, Vehicle	Minimum of 6 spaces <i>(No maximum number of parking spaces.)</i>
Furniture Store or Large Appliance Store	One space for each 400 square feet of floor space
Garden Center	One space for each 200 square feet of floor area plus one space for each 2,000 square feet of exterior sales area. (ZC92-55; Ord. No. 92-9-1)
Golf Course or Country Club	5 spaces for each green
Government or Private Post Office	One space per employee plus one space per stored vehicle shall be provided and located on the site so that no vehicle is parked for more than 24 hours within the front yard or within the side yard of a corner lot abutting a street or public right-of-way. Plus one space per 200 square feet of floor area of customer service area and one space per 1,000 square feet of storage and distribution area.
Hardware Store	One space per 200 square feet of floor area
Health/Fitness Center	
Gymnasium	One space for each 3 seats at a maximum seating capacity plus one space for each 200 square feet
Indoor Jogging or Running Track:	One space for each 100 linear feet
Indoor Tennis Court	6 spaces for each court
Racquetball or Handball Court	4 spaces for each court
Swimming Pool	One space for each 100 square feet of gross water surface and deck area
Weight Lifting or Exercise Area	One space for each 100 square feet
All areas for subsidiary uses not listed above or in other parts of Sec. 16.900 (those noted uses such as restaurants, offices, etc. shall be calculated in with the minimum specified for those individual uses)	One space for each 1,000 square feet
Hospital	One space for every 2 beds <i>(No maximum number of parking spaces.)</i>
Hotel or Motel	One space for each room, unit, or guest accommodation of a hotel/motel with no restaurant, private club, meeting facilities, and/or recreational facility other than a swimming pool; 1.25 spaces for each room, unit, or guest accommodation of a hotel/motel with restaurant, private club, meeting facilities, and/or recreational facility other than a swimming pool (ZC99-27; Ord. No. 99-7-8)
Household Care Facility	2 spaces for each dwelling unit
Household Care Institution	One space for every 3 rooms or beds, whichever is greater <i>(No maximum number of parking spaces.)</i>
Long-term Care Facility (ZC2000-83; Ord. No. 2000-11-30)	One space for each 2 rooms or beds, whichever is greater <i>(No maximum number of parking spaces.)</i>
Manufacturing, Processing, or Repairing	One space for each 2 employees or one space for each 1,000 square feet of floor area, whichever is greater
Massage Establishment	One space for each 200 square feet of floor area
Mid-Rise Residential (ZC2013-	One bedroom or less: One parking space per unit

Article 16: Parking and Loading
16.700: Off-Street Parking Schedule

Zoning Districts or Uses	Minimum Required Off-Street Parking or Spaces for Nonresidential Uses
33; <i>Ord. No. 2013-10-33</i>)	Two bedrooms: 1.5 parking spaces per unit Three bedrooms or more: Two parking spaces per unit
Mini-Warehouse	One space for each 20 storage cubicles plus required parking for the office and caretaker's quarters. Parking spaces to be rented shall not be included in this requirement.
Mortuary	One space for each 2 persons normally accommodated in services or one space per 200 square feet, whichever is greater
Nursery	One space for each 300 square feet of floor area plus one space for each 5,000 square feet of exterior sales area (<i>ZC92-55; Ord. No. 92-9-1</i>)
Office - General	One space for each 300 square feet of floor area. This required parking ratio may be reduced to 1:400 subject to all of the following: (<i>ZC2003-01; Ord. No. 2003-3-6</i>) <ul style="list-style-type: none"> • Single tenant office building of a minimum of 200,000 gross square feet; • The Floor Area Ratio does not exceed 0.30:1; and • Approval of a site plan showing where additional parking can be added if necessary.
Office - Medical	One space for each 250 square feet of floor area (<i>ZC2010-22; Ordinance No. 2011-3-23</i>)
Office - Showroom/Warehouse	One space for each 1,000 square feet of floor area for storage and warehousing, plus one space for each 300 square feet of office, sales, or display areas. The maximum square footage of office space must be noted on the site plan. (<i>ZC95-100; Ord. No. 96-1-32</i>)
Recreational Area or Building, Private or Commercial (other than listed)	One space for every 2 persons to be normally accommodated in the establishment.
Regional Shopping Mall (with more than 1,000,000 square feet of floor space) (<i>ZC98-100; Ord. No. 99-1-8</i>)	One space for each 225 feet of gross leasable area
Rehabilitation Care Facility	2 spaces for each dwelling unit
Rehabilitation Care Institution	One space for every 3 rooms or beds, whichever is greater
Religious Facility (<i>ZC2010-06; Ord. No. 2010-8-7</i>)	One space for every 5 persons accommodated in the main assembly areas (<i>No maximum number of parking spaces.</i>)
Restaurant or Cafeteria	One space for every 100 square feet of floor area, except as noted for Retail or Shopping Center below.
Retail or Personal Services Incidental to Primary Use (<i>ZC2001-36; Ord. No. 2002-1-13</i>)	Retail or personal services as an incidental use that do not exceed 10% of the main building area shall be parked at the same rate as the primary use. This use must be located within the main building.
Retail or Shopping Center (<i>ZC2001-36; Ord. No. 2002-1-13</i>)	Retail uses or shopping centers 50,000 square feet in area or less - One space per 200 square feet
	Retail uses or shopping centers greater than 50,000 square feet - One space per 250 square feet
	Restaurants, cafeterias, and private clubs that are inline lease spaces and do not exceed 10% of the shopping center floor area (excluding single occupant, free-standing buildings) may utilize the required minimum parking ratio.
Schools	
Elementary	One space for each 15 students (design capacity) (<i>No maximum number of parking spaces.</i>)

Article 16: Parking and Loading
16.700: Off-Street Parking Schedule

Zoning Districts or Uses	Minimum Required Off-Street Parking or Spaces for Nonresidential Uses
Middle	One space for each 14 students (design capacity) <i>(No maximum number of parking spaces.)</i>
9-10 Grades	One space for each 6 students (design capacity) <i>(No maximum number of parking spaces.)</i>
11-12 Grades	One space for each 1.5 students, faculty, and staff (design capacity) <i>(No maximum number of parking spaces.)</i>
Service Retail	One space for each 200 square feet of retail sales area plus one space for each 400 square feet of service area <i>(No maximum number of parking spaces.)</i>
Stable	One space for each 2 stalls
Storage or Warehousing	One space for each 2 employees or one space for each 1,000 square feet of floor area, whichever is greater
Theater, Meeting Room, and Assembly Hall <i>(ZC2021-011; Ord. No. 2021-7-6; ZC98-101; Ord. No. 99-2-15)</i>	One space for every 3 seats or for every 3 persons accommodated
Vehicle Repair Garage	3 spaces per service bay, plus one space per employee (maximum shift), plus one space per tow truck or other service vehicle

Standards for Uses Listed in the Use Tables of Sec. 14.100 and Sec. 14.200, not Matched with a Parking Requirement Above

General Use Category	Parking Space Requirements
Accessory and Incidental Uses	One space per employee
Commercial, Manufacturing, and Industrial Uses	Same as Manufacturing, Processing, or Repairing
Educational, Institutional, and Special Uses	One space per employee
Office and Professional Uses	One space per 300 square feet of gross floor area <i>(ZC2003-01; Ord. No. 2003-3-6)</i>
Retail Uses <i>(ZC2001-36; Ord. No. 2001-1-13)</i>	Same as Retail or Shopping Center, above
Service Uses	One space per 200 square feet of gross floor area
Transportation, Utility, and Communications Uses	One space per employee plus one space per stored vehicle
Vehicle and Related Uses	One space per employee plus one space per stored vehicle
Wholesale Uses	Same as for Storage or Warehousing

Number of Required Handicap Parking Spaces Based on Total Number of Parking Spaces Provided
(No maximum number of parking spaces)

Total Parking in Lot	Required Minimum Number of Accessible Spaces
1 to 25	One
26 to 50	2
51 to 75	3
76 to 100	4
101 to 150	5
151 to 200	6
201 to 300	7
301 to 400	8
401 to 500	9
501 to 1,000	2% of total
1,001 and over <i>(ZC92-36; Ord. No. 92-8-</i>	20 plus one for each 100 over 1,000

Total Parking in Lot	Required Minimum Number of Accessible Spaces
13)	

16.800 Special Off-Street Parking Regulations

- .1 In computing the parking requirements for any development, the total parking requirements shall be the sum of the specific parking space requirements for each use included in the development except as provided in Sec. 16.900. Where multiple uses are proposed for a building, the parking requirements shall be calculated on the basis of the most restrictive requirements unless specific areas of different uses are delineated by floor or building segment.
- .2 Wherever a parking lot is located across the street from or adjacent to residentially-zoned property and is designed so that headlight beams will shine into residences (whether or not such residences have been built at the time the parking lot is constructed), an irrigated earthen berm, a solid masonry wall, or reinforced concrete fence of not less than 3 nor more than 4 feet in height above the finished grade of the off-street parking area shall be erected and maintained so as to provide a headlight screen for the residential district.
- .3 The off-street parking spaces designated for each apartment (multifamily) dwelling unit shall be located within 100 feet of the dwelling unit served by such spaces.
- .4 **Special Vehicle Storage**
(ZC2008-73; Ordinance No. 2009-1-7)
 - A. A special vehicle is defined as
 - i. A trailer of any length designed to be towed on public streets or
 - ii. Any self-propelled vehicle which exceeds 22 feet in length. Self-propelled vehicle length shall be measured to include any overhang of the vehicle and/or any item, apparatus, or attachment affixed to the vehicle.
 - B. All special vehicles that are not specifically prohibited by any other law including but not limited to, Chapter 12 of the City of Plano Code of Ordinances, must conform to the following: (ZC2021-026; Ord. No. 2022-1-6)
 - i. No special vehicle may be stored on required off-street parking.
 - ii. No part of a special vehicle may extend over a public easement or right-of-way.
 - iii. No special vehicle stored on a residential lot may be used for housekeeping, living, or sleeping quarters.
 - iv. If required, federal and state licensing and registration must be current.
 - v. All special vehicles must be maintained in an operable condition.
 - vi. Stored vehicles must be secured with wheel stops or maintained so as not to present a safety problem to the neighborhoods in which they are located.
 - vii. Surfaces used for special vehicle storage in residential districts must conform to the following requirements: (ZC2018-018; Ord. No. 2018-11-7)

- a. Special vehicles stored in the front yard must be stored on a paved surface. Special vehicles stored in the side or rear yards must be stored on a paved surface or on gravel. A gravel surface must not be used to store special vehicles in the front yard.
 - b. The storage area surface for special vehicle storage must be contiguous with and be an extension of the driveway, and the area of the surface improvement must not be less than the full dimensions of the special vehicle.
 - viii. Special vehicles must be stored behind the front building line in the side or rear yard unless the lot is served by a driveway from a public street and which is its only point of vehicular access, or the lot does not have access to a standard alley (10-foot wide paved alley).
 - ix. Special vehicles stored in the side yard or rear yard behind the front building line must be screened from view from side streets but not alleys. In addition, these special vehicles must be screened in the front if brought onto the lot from the rear. (See [Article 20](#))
 - x. Where permissible in Sec. [16.800.4B.viii](#), only one special vehicle may be stored in the front yard, and the special vehicle length must be oriented perpendicular to the front property line.
- C. Special vehicle permit requirements:
- i. The storage in the front yard of any special vehicle exceeding 22 feet in length, including trailers, shall require a permit issued by the city certifying that the special vehicle will be stored in compliance with this ordinance,
 - ii. For the purpose of this section, trailer length shall be measured to include trailer connections, any overhang of the trailer or any item, apparatus, or attachment carried on or affixed to the trailer.
 - iii. To obtain a permit, the applicant must submit a plan of the lot illustrating how the vehicle will be stored. The permit shall specify the special vehicle to be stored and the owner of the lot. The permit is only valid for the vehicle and owner specified. Permits may be revoked if the vehicle is not stored in accordance with this ordinance.
- .5 In all districts developed for single-family or two-family uses, pavement in the front yard may not exceed 55% of the area between the property line and the building face.
- .6 The Planning & Zoning Commission may decrease the amount of required parking for the redevelopment or expansion of building space of a nonresidential property by 10% where the parking shortage is caused by the dedication of right-of-way or easements required by public improvements. Any reduction granted must be granted through the site plan approval process. The parking reduction is not extended to any future development or redevelopment of the property.

16.900 Joint Parking Facilities

With approval of a site plan, off-street parking facilities for different buildings, structures, or uses, or for mixed uses, may be provided and used collectively or jointly in any zoning district in which

separate off-street parking facilities for each constituent use would be permitted, subject to the following provisions:

- .1 A legally sufficient written agreement assuring the perpetual joint usage of the common parking for the combination of uses or buildings in properly drawn and executed by the parties concerned, approved as to form and execution by the City Attorney, and filed with and made part of the application for a Building Permit.
- .2 Up to 60% of the parking spaces required for a theater or other place of evening entertainment, or for a religious facility, may be provided and used jointly by banks, offices, and similar uses not normally open, used, or operated during evening hours if specifically approved by the Planning & Zoning Commission. Such approval may be rescinded by the City Council.
- .3 Additional parking shall be obtained by the owners in the event that the City Council determines that such joint use is resulting in a public nuisance by providing an inadequate number of parking spaces or otherwise adversely affecting the public health, safety, or welfare.

16.1000 Stacking Requirements for Drive-Through Facilities

- .1 A stacking space shall be an area on a site measuring 8 feet by 20 feet with direct forward access to a service window or station of a drive-through facility which does not constitute space for any other circulation driveway, parking space, or maneuvering area. An escape lane shall be an area measuring a minimum of 8 feet wide that provides access around the drive-through facility. An escape lane may be part of a circulation aisle.
- .2 For financial institutions with drive-through facilities, 5 stacking spaces shall be required if one or 2 teller stations are provided. For 3 or more teller stations, 4 stacking spaces shall be required. An escape lane shall be provided in all instances.
- .3 For drive-through restaurants, a minimum of stacking space for the first vehicle stop shall be 100 feet and 40 feet thereafter for any other stops. An escape lane shall be provided parallel to the drive-through lane from the beginning of the drive-through lane to the order board.
- .4 For kiosks, a minimum of 2 stacking spaces for each service window shall be provided.

16.1100 Parking Reduction for Stormwater Conservation

(ZC2006-02; Ord. No. 2006-4-24)

Up to 10% of required parking may be permanently set aside for stormwater quality or quantity improvements provided that the minimum required parking is 100 spaces or greater. *(ZC2018-018; Ord. No. 2018-11-7)*

16.1200 Parking Reduction Program

(ZC94-26)

.1 Purpose

This section establishes requirements and procedures for instituting a Parking Reduction Program for certain uses. The program is designed to address the actual parking needs of large single-tenant buildings by requiring fewer parking spaces than

normally required by the zoning ordinance. The program promotes a reduction in traffic congestion through the use of carpooling, mass transit, and other parking management techniques.

.2 Eligibility

The Parking Reduction Program may be used for single-tenant buildings or building expansions exceeding 100,000 square feet. This program applies specifically to general office, scientific and research laboratories, and governmental operations but may be utilized for other operations with approval by the Planning & Zoning Commission.

.3 Extent of Reduction

Between 5%-30% of the parking spaces required (calculated using the standard parking rates for the particular use in the zoning ordinance) may be deferred.

.4 Pre-Application Meeting

The applicant should schedule an appointment with the Planning Department staff to discuss the Parking Reduction Program and its applicability to the project.

.5 Procedure

The Parking Reduction Program must include the items required in Sec. [16.1200.5A](#) through Sec. [16.1200.5F](#). A preliminary site plan must be submitted for approval with any application for participation in a Parking Reduction Program. The applicant must also enter into a performance agreement with the city, specifying monitoring and penalty requirements. To ensure the submission of adequate information, the Planning Department is hereby empowered to maintain and distribute a list of specific requirements for the Parking Reduction Program.

A. Baseline Parking Assessment

The total parking requirement must be calculated using the standard parking rates for the particular use in the zoning ordinance.

B. Estimated Actual Demand

The estimated actual demand for parking must be calculated on planned employee occupancy and visitor needs. Estimates should be based on peak demands and should provide excess parking to accommodate parking turnover and shift overlaps. The estimated actual demand shall not include parking management techniques. A building program with interior plans must be provided listing the amount (square footage) of space by function and projected occupancy level.

C. Preliminary Site Plan

A preliminary site plan showing how the total parking requirement (baseline assessment) could be met, including cost estimates, must be approved by the Planning & Zoning Commission and City Council. The preliminary site plan shall also show which parking areas are proposed for construction to meet the reduced or estimated actual parking demand. Construction of or additions to structured parking are acceptable methods of meeting the baseline parking assessment. Parking areas or structures must be on land owned or controlled through a permanent, irrevocable agreement by the applicant.

D. Parking Management Plan

If the applicant does not intend to provide spaces to meet the estimated actual demand, then a parking management plan must be developed, using one or more of the following techniques:

i. Employer Subsidies to Mass Transit Users

Free or reduced-price passes would be provided to employees using DART or other mass transit services.

ii. Ride Share Programs

A program in which the company provides vans or similar vehicles to transport 8 or more persons to and from work.

iii. Car Pool Program

A program using designated private vehicles to transport 3 or more employees to and from work. A car pool program should include incentives for participants such as a stipend to cover gas and ongoing maintenance or preferred parking areas.

iv. Remote Parking Areas

Parking areas located away from the main facility may be considered if a permanent company-operated shuttle system is provided.

v. Modified Work Schedules

Operations with more than one shift would arrange work schedules to eliminate shift overlap. This would allow one shift to clear a parking area prior to another reporting for work.

vi. Other Techniques

Other parking reduction techniques may be used with approval by the Planning & Zoning Commission. The effect of each technique, showing how many spaces may be deferred, must be estimated with calculations and supporting documents. The number of parking spaces that may be deferred for each technique is as follows:

Technique	Deferred Spaces
Employer Subsidies to Mass Transit Users	One space per rider
Ride Share Program	4 spaces per van
Car Pool Programs	2 spaces per designated vehicle
Remote Parking Areas	One space per offsite parking space
Modified Work Schedules	Spaces provided for shift overlap

E. Estimate of Overflow Parking Impact

The potential impact of parking exceeding the estimated actual demand must be assessed, along with its impact on on-street parking and parking lots not owned or controlled by the primary user. Measures to mitigate these impacts must be included in the performance agreement.

F. Performance Agreement

- i. The applicant must enter into a performance agreement with the city which allows deferral of the spaces until demand for a greater number of parking spaces is reached or a change of occupancy occurs. The performance agreement shall:

- a. Specify the number of parking spaces which are being deferred and the program used to decrease parking demand.
 - b. Specify the date the program will commence in relation to completion and occupancy of the structure.
 - c. Require annual parking demand monitoring reports which will note any changes in occupancy or demand for additional parking.
 - d. Provide penalties for failure to comply with the above, as stated in Sec. [1.700](#).
 - ii. The performance agreement shall be revoked for failure to comply with the stated terms of agreement. The city shall have the right to require the construction of parking to meet the baseline parking assessment if the agreement is revoked.
- G. Notation on Final Plat and Site Plan**
Special notice of the Parking Reduction Program must appear on the final plat that is filed of record with the county and on the approved site plan. Areas reserved for meeting deferred parking must be delineated on the site plan and plat. No building may be constructed on an area reserved for deferred parking.
- .6 Planning & Zoning Commission Report**
The Planning & Zoning Commission shall review all proposed Parking Reduction Programs. The Planning & Zoning Commission shall make a recommendation to the City Council for approval, modification, or denial of the proposed project, based on a finding that the Parking Reduction Program will not negatively impact adjacent streets or properties.

16.1300 Parking Deferment Program
(ZC2000-83; Ord. No. 2000-11-30)

- .1 Purpose**
This section establishes the requirements and procedures for using a Parking Deferment Program for certain uses. The program is designed to reduce parking for new or redeveloping neighborhood shopping centers and/or independent living facilities. The program will allow a reduction of parking spaces normally required by the zoning ordinance. The program encourages increased landscaping and a reduction in the amount of pavement.
- .2 Definition**
A parking deferment is an allowed reduction of the total required parking for neighborhood centers (including new and redeveloped centers) and/or independent living facilities.
- .3 Eligibility**
The program may be used for:
- A. Neighborhood retail centers, as defined on the Future Land Use Plan, that are 8-15 acres in size, with the following requirements:

i. New Centers

Parking may be deferred with construction of a new anchor store and/or structure larger than 15,000 square feet.

ii. Existing Centers

Parking may be removed and deferred as part of the demolition and reconstruction for a new anchor store, the remodeling or addition of inline lease spaces, the repaving and striping of parking areas, and the addition of new landscaping.

B. Independent living facilities

.4 Prohibited Uses

Parking shall not be deferred for general offices, medical offices, indoor commercial amusements, private clubs with bar and waiting areas, free-standing buildings of 5,000 square feet or less, free-standing restaurants, outdoor commercial amusements, movie theaters, building supply stores, nurseries, and garden centers.

.5 Prohibited Areas

Retail and commercial uses in the U.S. 75 and Preston Road corridors are not eligible for the program. The U.S. 75 corridor is the land within 1,000 feet of the east right-of-way line of U.S. 75 and within 1,500 feet of the west right-of-way line. The Preston Road corridor is the land within 3,000 feet of the centerline of Preston Road.

.6 Extent of Reduction

A maximum of 15% of the total parking spaces required for neighborhood retail centers and/or a maximum of 25% of the total parking spaces required for independent living facilities may be deferred (calculated using the standard parking rates for the particular use in the zoning ordinance). The reduced parking area shall be subject to the following:

A. Increased Landscaping Area

Land used for deferred parking must be maintained as a landscape area with sod and shrubs. Tree plantings are also encouraged. All landscape areas must be fully irrigated.

B. Limited Rear Yard Parking

No more than 10% of the required parking may be located at the rear of the shopping center. Areas reserved for deferred parking may not be located to the rear of the shopping center, in drainage easements or in other unsuitable areas.

.7 Procedure

The Parking Deferment Program includes the items Sec. [16.1300.7A](#) through Sec. [16.1300.7E](#). A preliminary site plan must be submitted for approval with any application for participation in a Parking Deferment Program. The applicant must also enter into a performance agreement with the City of Plano. To ensure the submission of adequate information, the Planning Department is hereby empowered to maintain and distribute a list of specific requirements for the Parking Deferment Program.

A. Pre-Application Meeting

The applicant should schedule an appointment with a staff member of the Planning Department to discuss the program and its applicability to the project.

B. Baseline Parking Assessment

The total parking requirement must be calculated using the standard parking rates for the particular uses in the zoning ordinance. Land must be reserved onsite to meet the baseline parking assessment and may not be located to the rear of the shopping center, in drainage easements, or in other unsuitable areas.

C. Performance Agreement

All property owners in a neighborhood center and/or independent living facility must agree to the program regardless of the fact that their property may or may not be eligible for a deferment. A change in land use will require review of the agreement to determine if additional parking is needed. The performance agreement shall:

- i. Be signed by all property owners in a neighborhood center at the time of preliminary site plan submittal. This specification allows staff to make certain owners are aware of the agreement.
- ii. Require common access and parking between all lots and owners.
- iii. Specify the number of parking spaces which are being deferred and the type of development used to allow the deferment.
- iv. Require annual parking demand monitoring reports which will note any changes in occupancy or demand for additional parking.
- v. Provide penalties for failure to comply with the above, as stated in Sec. [1.700](#).

D. Preliminary Site Plan Approval

A preliminary site plan showing how the total parking requirement (baseline assessment) could be met must be approved by the Planning & Zoning Commission. One hundred percent of the required parking shall be shown on the preliminary site plan. The plan shall indicate the total number of spaces required, the number eligible for deferment, those actually being deferred, and areas held in reserve.

E. Planning & Zoning Commission Review

The Planning & Zoning Commission shall review all proposed Parking Deferment Programs. The Planning & Zoning Commission shall approve, modify, or deny the proposed project based on the following:

- i. The effect of overflow parking on adjacent properties and streets.
- ii. The feasibility of providing deferred parking if the agreement is revoked.

F. Appeals

The decision of the Planning & Zoning Commission to approve or deny a parking deferral agreement shall be final and binding unless an appeal of the decision is made to the City Council. The applicant, Director of Planning, or member of City Council may appeal the decision of the Commission by filing a Notice of Appeal in the office of the Director, no later than 10 days after the date on which the Commission notifies the applicant of its decision. Such notification may take place by means of an oral ruling by the Commission at a public meeting. Written notice of any appeal shall be sent to the property owner. The Notice of Appeal shall set forth in clear and concise fashion the basis for the appeal. The City Council shall consider

the appeal at a public meeting no later than 45 days after the date on which the Notice of Appeal is filed. The City Council may affirm, modify, or reserve the decision of the Commission and may, where appropriate, remand the plan to the Commission for further proceedings consistent with City Council's decision.

G. Revoking the Agreement

The performance agreement shall be revoked for failure to comply with the stated terms of agreement. Notice will be given to property owners of pending review of the agreement at a public meeting by the Planning & Zoning Commission. The property owner may present the Commission with new information or plans for conforming to the agreement. After review of the agreement, the Planning & Zoning Commission shall have the right to require the construction of parking to meet the baseline parking assessment if the agreement is revoked. No subsequent Certificate of Occupancy will be issued until additional parking is provided.

16.1400 Off-Street Loading

(ZC96-32; Ord. No. 96-8-11)

- .1** All retail, commercial, and industrial structures shall provide and maintain off-street facilities for the loading and unloading of merchandise and goods within the building or on the lot adjacent to a private service drive. Loading spaces shall be provided in accordance with the following schedule:

Retail, Commercial, and Industrial Uses

Square Feet of Gross Floor Area in Structure	Minimum Required Spaces or Berths
0 to 10,000	None
10,000 to 50,000	1
50,000 to 100,000	2
100,000 to 200,000	3
Each additional 100,000	1 additional

Hotels, Office Buildings, Restaurants, and Similar Establishments

Square Feet of Gross Floor Area in Structure	Minimum Required Spaces or Berths
0 to 50,000	None
50,000 to 150,000	1
150,000 to 300,000	2
300,000 to 500,000	3
500,000 to 1,000,000	4
Each additional 500,000	1 additional

- .2** At least one-half of such loading spaces shall have a minimum dimension of 10 feet by 40 feet, and the remaining spaces have a minimum dimension of 10 feet by 20 feet.
- .3** Where such loading space is located adjacent to a residential use or district, the space shall be enclosed on 3 sides. *(ZC2022-016; Ord. No. 2023-2-5)*
- .4** Loading docks for any establishment which customarily receives goods between the hours of 9:00 p.m. and 8:00 a.m. and is adjacent to a residential use or district shall be designed and constructed so as to fully enclose the loading operation, in order to reduce the effects of the noise of the operation on adjacent residences.
- .5** Where adjacent to residential uses or districts, off-street loading areas shall be screened from view of the residential use or district.

Article 17 Landscaping and Tree Preservation

(ZC2003-49; Ordinance No. 2003-11-7)

17.100	Nonresidential Landscaping Requirements	17-1
17.200	Residential Landscaping Requirements	17-6
17.300	Overlay District Landscaping Requirements	17-7
17.400	Landscape Compliance	17-12
17.500	Landscape Design Requirements.....	17-12
17.600	Alternative Landscape Design	17-13
17.700	Landscape Plan Approval.....	17-13
17.800	Tree Preservation and Protection	17-14

17.100 Nonresidential Landscaping Requirements

These standards apply to all nonresidential districts except BG, UMU, NBD, and CB-1. Any area within a planned development district or overlay district containing landscaping standards is regulated by the standards of the planned development district or overlay district where such standards conflict with the standards herein. Tree preservation requirements apply to all zoning districts as listed in Sec. [17.800.2](#). (ZC2020-012; Ord. No. 2021-1-13; ZC2019-011; Ord. No. 2019-8-8)

.1 Landscaping along Street Rights-of-Way

All commercial, industrial, and other nonresidential uses shall comply with the following streetscape requirements:

- A. A landscape edge must be provided adjacent to all streets. The landscape edge must be a minimum width of 10 feet, exclusive of street rights-of-way. Within the landscape edge, 3 caliper inches of shade trees or 6 caliper inches of ornamental trees must be planted per 500 square feet of landscape edge with a minimum tree size of 2-inch caliper. The number of required trees must be calculated solely on the area of the required landscape edge. See [Figure 17-1](#). (ZC2023-012; Ord. No. 2023-8-16, ZC2016-001; Ord. No. 2016-5-4 & ZC2019-011; Ord. No. 2019-8-8)




Figure 17-1: 10-Foot Landscape Edge

- B. Where parking lots and drives abut the landscape edge, and where berms and low walls are not used, 10 shrubs (5-gallon minimum) shall be planted per 500 square feet of landscape edge to create a headlight screen. The number of required shrubs shall be calculated solely on the area of the required landscape edge. See Figure 17-1. Shrubs must be drought tolerant, native or well adapted, and have a mature height between 30 inches and 42 inches. A berm may be placed within the landscape edge in lieu of the required shrubs unless needed for a headlight screen.

The berm must be 18 to 40 inches above the average grade of the street and parking lot curbs. The slope of the berm shall not exceed a three to one grade. (ZC2016-001; Ord. No. 2016-5-4)

- C. Vehicle bumpers shall not overhang into the landscape edge. If the parking stalls adjacent to the landscape edge are 18 feet deep, an additional 2 feet of landscape area shall be required. The additional 2 feet of landscape area shall not be included in calculating the required landscape edge requirements. (ZC2017-014; Ord. No. 2017-7-9)
- D. If the parking lot is located 50 feet or more from the street right-of-way line, no shrubs or berms will be required unless needed for a headlight screen.
- E. The applicant is also encouraged to plant a variety of ornamental trees and flowers in addition to the required plantings. Any permeable surface not occupied by trees, shrubs, planting beds, signs, or other permitted fixtures shall be planted with turf or other living groundcover. Gravel, bark mulch, synthetic turfs, or other similar materials are not acceptable. (ZC2016-001; Ord. No. 2016-5-4)
- F. The Planning & Zoning Commission may reduce the width of the required landscape edge during site plan review when the reduction is required for public improvements.
- G. No site developed prior to the effective date of this section (April 27, 1992) shall be required to conform to the landscaping requirements of this section unless the site is being redeveloped. Redevelopment involving 30% or more increase in the existing square footage of building area and/or the addition of 20 or more parking spaces to the existing parking lot shall comply with the standards of this section. The calculation of landscape requirements shall be based upon the redeveloped portion of the site; however, the location of such improvements may be distributed on the site as a whole.

.2 Interior Parking Lot Landscaping

Any nonresidential parking area which contains more than 20 parking spaces shall provide interior landscaping in addition to the required landscape edge:

- A. Interior landscaping shall generally include all areas within the paved boundaries of the parking lot as well as planting islands, curbed areas, corner lots, parking spaces, and all interior driveways and aisles except those with no parking spaces located on either side. Up to 50% of the required interior parking lot landscaping for nonresidential, multifamily, and retirement and supportive housing developments and redevelopments may be placed outside of the paved boundaries of the parking lot (as shown in [Figure 17-2](#)), to provide stormwater quality areas and/or grassy swales/buffer strips, detention ponds, bioretention areas, or other structural permanent BMPs. to meet the interior landscaping requirement. The relocation of required landscape areas shall not reduce the required amount of landscape area, or the required number of trees or other improvements associated with the required landscape areas. Required landscape areas, either within or outside of parking lot boundaries, shall not be part of required usable open space for multifamily and retirement and supportive housing developments. All parking lot trees planted outside the perimeter of the parking lot must be located no closer

than 5 feet and no greater than 15 feet from the back of the parking lot curb. See [Figure 17-2](#). (ZC2022-016; Ord. No. 2023-2-5, ZC2017-026 and 2016-001; Ord. No. 2017-11-3 and 2016-5)

BASIC REQUIREMENTS

1. 8 SF. OF PERMEABLE LANDSCAPE AREA FOR EACH PARKING SPACE
2. ONE (1) SHADE TREE FOR EACH FIFTEEN (15) PARKING SPACES.

EXAMPLE

 PERMEABLE LANDSCAPE AREA WITHIN THE LIMITS OF THE PARKING LOT.

LANDSCAPE AREA REQUIRED: 888SF (111 SPACES x 8SF)

LANDSCAPE AREA PROVIDED: 4,693.5SF (SEE PLAN)

PARKING LOT TREES REQUIRED : $7.4 = 8$ (111 / 15 ROUNDED TO THE NEXT WHOLE NUMBER

PARKING LOT TREES PROVIDED:




Figure 17-2: Interior Parking Lot Landscaping

- B.** There shall be 8 square feet of permeable interior landscaping for each parking space or fraction thereof. This permeable space shall be grass, shrubs, groundcovers, trees, or a combination of these materials. Gravel, bark mulch, or other similar materials are not acceptable.

- C. There shall be one shade tree (3-inch caliper minimum) or an approved ornamental tree for every 12 parking spaces or fraction thereof. Ornamental trees may be substituted for shade trees at a ratio of two to one with approval of the Director of Planning or designee. Ornamental trees shall be 8 feet to 10 feet in height, if single trunked, or a total of 3-inch caliper and 8 feet to 10 feet in height, if multi-trunked. (ZC2016-001; Ord. No. 2016-5-4)
- D. Unless designated as a stormwater quality area (see this subsection below), landscape areas shall be protected by a raised 6-inch concrete curb. Pavement shall not be placed closer than 5 feet from the trunk of a tree. In cases where a tree must be within 5 feet of a curb or pavement, an approved root barrier device shall be used. The root barrier must be a rigid material system; no chemicals or flexible mesh shall be used. If designated as a stormwater quality area on a site-specific stormwater quality plan, landscape areas do not have to be protected by a continuous six (6) inch raised concrete curb, provided that such areas are alternatively protected from encroachment of vehicles by other types of devices such as slotted (i.e. perforated) curbs, permanently anchored wheel stops, decorative bollards, or some other device that is acceptable to the Directors of Planning and Engineering. (ZC2017-026; Ord. No. 2017-11-3)
- E. Where an existing parking area is altered or expanded to increase the number of spaces to more than 20, interior landscaping shall be provided on the new portion of the lot in accordance with the above standards.
- F. The requirements listed above shall not apply to structured parking garages.
- G. Properties utilizing the reduced front building setback allowed in Sec. [13.500.2Q](#) must provide one 3-inch caliper tree per 750 square feet of landscape area between the property line and the building face.
- H. Additional trees may be required for certain retail, shopping center, and office uses per Sec. [16.700.2C](#).

.3 Landscaping for Corner Lots

Corner lots at the intersection of Type D or larger thoroughfares shall comply with the following landscaping requirements in addition to the required plantings for the landscape edge and interior parking lot landscaping:

- A. A minimum of 10% of the site area shall be devoted to landscaping.
- B. For corner lots, a minimum 15-foot wide landscape edge must be located along all street right-of-way lines beginning at the corner and extending 175 feet or to the closest driveway. Beyond this point, the landscape edge may be gradually reduced (over a distance of 25 feet) to 10 feet in width. [Figure 17-3](#). (ZC2023-012; Ord. No. 2023-8-16, ZC2019-011; Ord. No. 2019-8-8)
- C. Where the Planning Department has determined there is no need for a right-turn lane at a location, the landscape edge may be reduced to a minimum of 7.5 feet. (See the Traffic Studies section of the Street Design Standards). (ZC2023-002; Ord. No. 2023-9-13)
- D. A minimum landscape area of 900 square feet shall be located at the intersection corner of the lot. This landscape area shall be provided within an area measured a

minimum distance of 40 feet from the projected corner of the intersection on both sides of the lot. [Figure 17-3](#).

- E. No site developed prior to the effective date of this section (April 27, 1992) shall be required to conform to the landscaping requirements of this section unless the site is redeveloped or there is a 30% or more increase in the existing square footage of building area and/or reconstruction of the existing parking lot.




Figure 17-3: Corner Lot Landscaping

.4 Landscaping/Screening for Parking Lots Adjacent to Residential Areas

Where parking is within 50 feet of residentially-zoned property and is not screened from view by a wall, berm, or other screen specified in [Article 20](#), a continuous screen of evergreen shrubs (5-gallon minimum) must be placed adjacent to the parking. The required shrubs shall create a minimum 3-foot tall screen within 2 years of planting. Shrubs shall be drought and freeze tolerant.

.5 Landscaping for Parking Structures

(ZC2016-001; Ord. No. 2016-5-4)

Where a parking structure is within 100 feet or less of the street right-of-way, the following is required:

- A. A 15-foot wide landscape buffer shall be provided between the parking structure and the street right-of-way. The landscape buffer is exclusive of the street rights-of-way.
- B. The 15-foot wide landscape buffer shall include one shade tree (3-inch caliper minimum) or an approved ornamental tree per 50 feet of street frontage, exclusive of entry drives and pedestrian access points. Ornamental trees (minimum 8 to 10 feet in height) may be substituted for shade trees at a ratio of 2:1.
- C. The landscape buffer shall include 10 shrubs (minimum 5-gallon) per required shade tree. If a decorative trellis is used as part of the facade structure, vines may count as part of the minimum shrub requirement. If the parking structure has open sides on the ground level, the shrubs shall be planted to cover no more than 60% of the facade facing the street right-of-way.
- D. A maximum of 60% of any one species of tree is allowed for any required planting.

17.200 Residential Landscaping Requirements

These standards shall apply to all residential districts, except CB-1. Any area within a planned development district or overlay district containing landscaping standards shall be regulated by the more restrictive standards.

.1 Multifamily, Retirement, and Supportive Housing Landscaping Requirements (ZC2022-016; Ord. No. 2023-2-5)

- A. A landscape edge must be provided adjacent to all streets. The landscape edge shall be a minimum width of 10 feet, exclusive of street rights-of-way. Within the landscape edge, one shade tree (3-inch caliper minimum) or an approved ornamental tree shall be planted per 500 square feet of landscape edge. The number of required trees shall be calculated solely on the area of the required landscape edge. (ZC2023-012; Ord. No. 2023-8-16, ZC2019-011; Ord. No. 2019-8-8)
- B. Where parking lots and drives abut the landscape edge, 10 evergreen shrubs (5-gallon minimum) shall be planted per 500 square feet of landscape edge. The number of required shrubs shall be calculated solely on the area of the required landscape edge. A berm may be placed within the landscape edge in lieu of the required shrubs unless needed for a headlight screen. The berm must be 18 to 40 inches above the average grade of the street and parking lot curbs. The slope of the berm shall not exceed a 3 to one grade.
- C. The applicant is also encouraged to plant a variety of ornamental trees and flowers in addition to the required plantings. Any permeable surface not occupied by trees, shrubs, and plantings beds, signs or other permitted fixtures shall be planted with turf or other living groundcover. Gravel, bark mulch, or other similar materials are not acceptable.
- D. If the parking lot is located 50 feet or more from the street right-of-way line, no shrubs or berms will be required unless needed for a headlight screen.
- E. The Planning & Zoning Commission may reduce the width of the required landscape edge during site plan review when the reduction is required for public improvements.

- F. Parking areas shall be landscaped in addition to the required landscape edge. Seventeen square feet of landscaping for each parking space shall be provided within the paved boundaries, including one shade tree (3-inch caliper minimum) or an approved ornamental tree per 10 parking spaces. Ornamental trees may be substituted for shade trees at a ratio of two to one with approval of the Director of Planning or designee. Ornamental trees shall be 8 feet to 10 feet in height, if single trunked, or a total of 3-inch caliper and 8 feet to 10 feet in height, if multi-trunked. Up to 50% of the parking lot landscaping may be placed outside of the parking lot to meet the landscaping requirement. Required parking lot trees placed outside the perimeter of the parking must be planted no closer than 5 feet and no greater than 15 feet from the back of the parking lot curb. *(ZC2018-018; Ord. No. 2018-11-7)*
 - G. Unless designated as a stormwater quality area (see this subsection below), landscape areas shall be protected by a raised 6-inch concrete curb. Pavement shall not be placed closer than 5 feet from the trunk of a tree. In cases where a tree must be within 5 feet of a curb or pavement, an approved root barrier device shall be used. The root barrier must be a rigid material system; no chemicals or flexible mesh shall be used. If designated as a stormwater quality area on a site-specific stormwater quality plan, landscape areas do not have to be protected by a continuous six (6) inch raised concrete curb, provided that such areas are alternatively protected from encroachment of vehicles by other types of devices such as slotted (i.e. perforated) curbs, permanently anchored wheel stops, decorative bollards, or some other device that is acceptable to the Directors of Planning and Engineering. *(ZC2017-026; Ord. No. 2017-11-3)*
 - H. One shade tree (3-inch caliper minimum) or an approved ornamental tree per 1,000 square feet of required open space shall be provided. All trees must be drought tolerant native or well adapted plants as determined by the Director of Planning or designee. No more than 60% of any one species is allowed. *(ZC2016-001; Ord. No. 2016-5-4)*
 - I. No site developed prior to the effective date of this section (April 27, 1992) shall be required to conform to the landscaping requirements of this section unless the site is redeveloped or there is a 30% or more increase in the existing square footage of building area and/or reconstruction of the existing parking lot.
- .2 Landscaping Requirements for Single-Family, Patio Home, Single-Family Attached, and Two-Family Developments**
- A. One shade tree (3-inch caliper minimum) or an approved ornamental tree shall be provided in residential subdivisions for each lot.
 - B. All required trees must be planted prior to request for final building inspection of the dwelling unit.

17.300 Overlay District Landscaping Requirements

(ZC2019-011; Ord. No. 2019-8-8)

.1 Regulations for Specific Districts

Development and redevelopment in the Preston Road, Dallas North Tollway, 190 Tollway/Plano Parkway, and State Highway 121 Overlay Districts must meet the regulations provided below.

- A. A landscape edge must be provided as follows:
- A minimum 30-foot wide landscape edge (as measured from the front property line exclusive of rights-of-way for thoroughfares Type C or above) must be provided. The landscape edge shall not apply to that portion of the overlay district zoned Central Business-1 at the time of development or redevelopment. This requirement is not intended to prohibit the placement of driveway openings as specified in the Street Design Standards. This landscape edge may be reduced by as much as 15 feet if the combined width of the unpaved right-of-way and the landscape edge is at least 40 feet. Such modifications may be permitted to accommodate variations in unpaved rights-of-way along the respective roadways due to grade-separated interchanges, turning lanes, transit stops, drainage improvements, underground utilities, or related facilities. The 40-foot distance shall be measured from the back of the permanent curb of the roadways including those existing or planned acceleration and deceleration lanes, loop road, and ramps at grade-separated interchanges. Sidewalks shall be calculated as part of the 40-foot distance. (ZC2023-002; Ord. No. 2023-9-13, ZC2023-012; Ord. No. 2023-8-16)
 - The landscape edge must consist of trees, shrubs, groundcover, berms, and related elements as follows, except for the Dallas North Tollway Overlay District which must comply with Sec. 17.300.3:
 - A minimum of one 3-inch caliper shade tree and one 3-inch caliper ornamental tree (7-foot planted height) must be placed per 50 feet of frontage exclusive of driveways. (ZC2023-012; Ord. No. 2023-8-16)




Figure 17-4: 30-Foot Landscape Edge

.2 Preston Road Overlay District

In addition to requirements in Sec. 17.300.1, development and/or redevelopment in the Preston Road Overlay district must meet the following special landscaping requirements:

- A. A landscape screen with a minimum height of 18 inches (as measured from the finished grade of the parking area) must be provided in locations where the landscape edge separates a surface parking area from the tollway frontage road or another major thoroughfare (Type D and above). Landscape screens must consist of earthen berms, shrubbery hedges, or a combination. Retaining walls may be used to facilitate berming if they are not visible from the street. Earthen berms

must have a maximum slope of 4-to-1, requiring at least 4 feet of horizontal width for every one foot of vertical height. Shrubbery hedges forming a continuous living screen and retaining walls used for berming must not exceed 40 inches in height within the required landscape edge. Living screens, retaining walls, and screening walls more than 40 inches in height but no greater than 8 feet in height may be placed beyond the required landscape edge and/or front yard setback, whichever is greater. They must not exceed 8 feet in individual or combined height. The above must also conform to the required visibility triangles noted in Sec. [13.500.2K](#) and to visibility requirements of the Street Design Standards. (ZC2023-002; Ordinance No. 2023-9-13)

- B. A digitally controlled automatic irrigation system must be installed to ensure maintenance of plant materials in a living and growing condition.
- C. A landscape plan must be submitted in conjunction with the site plan review process.
- D. The location of plant materials must comply with the visibility requirements of the Street Design Standards. (ZC2023-002; Ordinance No. 2023-9-13)
- E. During the site plan review process, the Planning & Zoning Commission (or the City Council upon appeal) may reduce the width of the landscape edge by as much as 15 feet upon a finding that the full landscape requirement would prevent a property's reasonable development in a safe, efficient manner.

.3 Dallas North Tollway Overlay District

In addition to requirements in Sec. [17.300.1](#), development and/or redevelopment in the Dallas North Tollway Overlay district must meet the following special landscaping requirements:

- A. The landscape edge must consist of trees, shrubs, groundcover, berms, and related elements as specified below, and trees must be placed within the landscape edge as follows:
 - i. For the tollway frontage roads, one 3-inch caliper or greater Live Oak and one 3-inch caliper or greater deciduous shade tree per 50 feet of linear frontage planted in a formal double row, triangular pattern.
 - ii. For east/west thoroughfares (Type D and above), 2 shade trees per 50 feet of linear frontage (exclusive of driveways) planted in formal double row, triangular pattern. 8 ornamental trees 7 feet in planted height must be placed in a dense double row pattern within 30 feet of the primary entrance driveway to a development.
 - iii. For Communications Parkway, Parkwood Boulevard, and north/south segments of Plano Parkway and Chapel Hill Drive, one 3-inch caliper or greater shade tree and one ornamental (7-foot planted height) per 50 feet of linear frontage, exclusive of drive-ways, planted in an informal fashion.
 - iv. For Commercial Employment zoned properties, the types, numbers, and locations of trees must be determined at the time of site plan approval and must be consistent with existing landscape treatments.

- B. A landscape screen with a minimum height of 18 inches (as measured from the finished grade of the parking area) must be provided in locations where the landscape edge separates a surface parking area from the tollway frontage road or another major thoroughfare (Type D and above). Landscape screens must consist of earthen berms, shrubbery hedges, or a combination. Retaining walls may be used to facilitate berming if they are not visible from the street. Earthen berms must have a maximum slope of 4-to-1, requiring at least 4 feet of horizontal width for every one foot of vertical height. Shrubby hedges forming a continuous living screen and retaining walls used for berming must not exceed 40 inches in height within the required landscape edge. Living screens, retaining walls, and screening walls more than 40 inches in height but no greater than 8 feet in height may be placed beyond the required landscape edge and/or the required front yard setback, whichever is greater. They must not exceed 8 feet in individual or combined height. The above must also conform to the required visibility triangles noted in Sec. [13.500.2K](#) and to visibility requirements of the Street Design Standards. (ZC2023-002; Ordinance No. 2023-9-13)
- C. Along Parkwood Boulevard and Communications Parkway south of Spring Creek Parkway, continuous meandering sidewalks shall be interspersed with plant materials and berms.
- D. A digitally controlled automatic irrigation system must be installed to ensure maintenance of plant materials in a living and growing condition.
- E. A landscape plan must be submitted in conjunction with the site plan review process.
- F. The location of plant materials must comply with the visibility requirements of the Street Design Standards. (ZC2023-002; Ordinance No. 2023-9-13)
- G. During the site plan review process, the Planning & Zoning Commission (or the City Council upon appeal) may reduce the width of the landscape edge by as much as 15 feet upon a finding that the full landscape requirement would prevent a property's reasonable development in a safe, efficient manner.

.4 190 Tollway/Plano Parkway Overlay District

In addition to requirements in [17.300.1](#), development and/or redevelopment in the 190 North/Plano Parkway Overlay district must meet the following special landscaping requirements:

- A. A landscape screen with a minimum height of 18 inches (as measured from the finished grade of the parking area) must be provided in locations where the landscape edge separates a surface parking area from the tollway frontage road or another major thoroughfare (Type D and above). Landscape screens must consist of earthen berms, shrubbery hedges, or a combination. Retaining walls may be used to facilitate berming if they are not visible from the street. Earthen berms must have a maximum slope of 4-to-1, requiring at least 4 feet of horizontal width for every one foot of vertical height. Shrubby hedges forming a continuous living screen and retaining walls used for berming must not exceed 40 inches in height within the required landscape edge. Living screens, retaining walls, and screening walls more than 40 inches in height but no greater than 8 feet in height may be

placed beyond the required landscape edge and/or front yard setback, whichever is greater. They must not exceed 8 feet in individual or combined height. The above must also conform to the required visibility triangles noted in Sec. [13.500.2K](#) and to visibility requirements of the Street Design Standards. (ZC2023-002; Ordinance No. 2023-9-13)

- B. A digitally controlled automatic irrigation system must be installed to ensure maintenance of plant materials in a living and growing condition.
- C. A landscape plan must be submitted in conjunction with the site plan review process ([Article 3](#)).
- D. The location of plant materials must comply with the visibility requirements of the Street Design Standards. (ZC2023-002; Ordinance No. 2023-9-13)
- E. During the site plan review process, the Planning & Zoning Commission (or the City Council upon appeal) may reduce the width of the landscape edge by as much as 15 feet upon a finding that the full landscape requirement would prevent a property's reasonable development in a safe, efficient manner.

.5 State Highway 121 Overlay District

In addition to requirements in Sec. [17.300.1](#), development and/or redevelopment in the State Highway 121 Overlay district must meet the following special landscaping requirements:

- A. A landscape screen with a minimum height of 18 inches (as measured from the finished grade of the parking area) must be provided in locations where the landscape edge separates a surface parking area from the tollway frontage road or another major thoroughfare (Type D and above). Landscape screens must consist of earthen berms, shrubbery hedges, or a combination. Retaining walls may be used to facilitate berming if they are not visible from the street. Earthen berms must have a maximum slope of 4-to-1, requiring at least 4 feet of horizontal width for every one foot of vertical height. Shrubby hedges forming a continuous living screen and retaining walls used for berming must not exceed 40 inches in height within the required landscape edge. Living screens, retaining walls, and screening walls more than 40 inches in height but no greater than 8 feet in height may be placed beyond the required landscape edge and/or front yard setback, whichever is greater. They must not exceed 8 feet in individual or combined height. The above must also conform to the required visibility triangles noted in Sec. [13.500.2K](#) and to visibility requirements of the Street Design Standards. (ZC2023-002; Ordinance No. 2023-9-13)
- B. A digitally controlled automatic irrigation system must be installed to ensure maintenance of plant materials in a living and growing condition.
- C. A landscape plan must be submitted in conjunction with the site plan review process ([Article 3](#)).
- D. The location of plant materials must comply with the visibility requirements of the Street Design Standards. (ZC2023-002; Ordinance No. 2023-9-13)
- E. During the site plan review process, the Planning & Zoning Commission (or the City Council upon appeal) may reduce the width of the landscape edge by as much as 15

feet upon a finding that the full landscape requirement would prevent a property's reasonable development in a safe, efficient manner.

.6 Parkway Overlay District

Development and/or redevelopment in a Parkway Overlay district must provide a minimum 15-foot wide landscape edge (as measured from the front property line, exclusive of rights-of-way for thoroughfares Type C or above). This requirement is not intended to prohibit the placement of driveway openings as specified in the Street Design Standards. With the exception of width, the landscape edge must comply with [Article 17](#). (ZC2023-002; Ordinance No. 2023-9-13, ZC2023-012; Ord. No. 2023-8-16)

17.400 Landscape Compliance

(ZC2016-001; Ord. No. 2016-5-4)

- .1 All plant material and landscape shall be maintained in a healthy and growing condition and shall comply with the approved landscape plan.
- .2 It is an offense to:
 - A. Fail to maintain plant material in a healthy and growing condition.
 - B. Fail to maintain plant material and landscape in compliance with the approved landscape plan.
 - C. Fail to provide a digitally controlled automatic irrigation system for all landscaping with appropriate shut-off devices, manual over-ride, freeze sensor, and rain sensor designed with zones to water plants based on similar water needs.
 - D. Fail to comply with the tree preservation requirements in Sec. [17.800](#).
- .3 The requirements listed in Sec. [17.400.1](#) through Sec. [17.400.2](#) shall not apply to single-family, patio home, single-family residence attached, and two-family platted lots with the exception of property owned and maintained by a homeowners association.
- .4 Landscaping and irrigation facilities may be installed within the city right-of-way with approval of the Director of Planning or designee.
- .5 Entryway or amenity features within city right-of-way may be developed under the responsibility of a homeowners association or commercial property owners association with approval of the Director of Planning or designee.

17.500 Landscape Design Requirements

(ZC2016-001; Ord. No. 2016-5-4)

Required trees and plants shall be native to this area, or well adapted, and suitable for local soil and climate conditions. A minimum of 50% of the required landscape trees and plants must come from the Planning Department's Approved Plant List. Landscape design shall exhibit the application of water conservation through creative design and shall be reviewed for compliance with the following principles:

- .1 Careful landscape design that applies water conservation methods,
- .2 Soil protection and improvement,
- .3 Careful selection and design of turf areas,
- .4 Use of site appropriate plant material with water conservation in mind, and

- .5 The use of mulch around all plant material and areas that are not turf or hardscape.

17.600 Alternative Landscape Design

(ZC2016-001; Ord. No. 2016-5-4)

- .1 Per Section 5.6 of the Subdivision Ordinance or the Stormwater Quality Requirements, alternative landscape design intended to improve stormwater quality and/or intended to decrease stormwater quantity will be considered if submitted as part of a site-specific stormwater quality plan. Alternative landscape design shall be subject to approval by the standards for landscape plan approval as listed in Sec. [17.700](#) and in Section 5.6 of the Subdivision Ordinance and in the Stormwater Quality Requirements. *(ZC2017-026; Ord. No. 2017-11-3)*
- .2 Roof and vertical gardens are permitted subject to the requirements of the Building Code, but shall not be counted toward required landscape.

17.700 Landscape Plan Approval

- .1 Landscape plans shall be submitted with all nonresidential, multifamily, retirement, and supportive housing development submissions. Landscape plans shall ensure proper location of vegetation within public rights-of-way, preserve visibility triangles, maintain the overall integrity and intent of living screens, and promote ornamental planting within the city. *(ZC2022-016; Ord. No. 2023-2-5)*
- .2 Submission of landscape plans must be made to the Planning and Engineering Departments and must comply with all submittal requirements and the Landscape Plan Checklist. City staff shall evaluate the appropriateness of the landscape and irrigation plans and may approve them or approve them subject to stipulations. The Director of Planning may establish procedures, forms, and standards with regard to the content, format, graphics, and number of copies of information constituting an application for landscape plans for clarity and consistency of operations. The procedures, forms, and standards shall have the force of ordinance as if fully incorporated herein. *(ZC2019-011; Ord. No. 2019-8-8)*
- .3 Unless otherwise requested, a full irrigation plan is not required for approval by the Planning and Engineering Departments. The only irrigation information required on the landscape plan is the following: *(ZC2009-02; Ordinance No. 2009-5-14)*
- A. The location and size of all water meters, including ones dedicated to the irrigation system, which must be located in the public right-of-way or a dedicated easement.
- B. The landscape plan shall include a table showing the annual landscape water requirements for the project site by individual hydrozone and for the site as a whole (totals for all hydrozones). A hydrozone is a contiguous landscape area containing plants with similar watering needs. Each site shall contain a minimum of 2 hydrozones, one for turf areas and one for prepared bed areas. Additional breakdowns may be requested after initial review of landscape plan.
- C. The annual watering needs for each hydrozone shall be calculated using the following formula:

$$LWR = RTM \times [(ET \times K) - R] \times A/C$$

LWR = Landscape Water Requirements for each hydrozone in gallons per year.

RTM = Run Time Multiplier based upon type of irrigation head. Use the following factors:
Spray 1.33
Drip 1.25
Micro Spray 1.25
Rotor 1.25
ET = Local Evapotranspiration rate in inches per year. Use 55.85 inches as the factor
K = Landscape coefficient rate for the type of hydrozone. Use the following factors:
Groundcovers 0.5
Shrubs 0.5
Mixture of Shrubs and Groundcover 0.5
Warm Season Turfgrass 0.6
Cool Season Turfgrass 0.8
R = 25% of annual Rainfall precipitation. Use 8.7 (34.82 inches per year x 25%)
A = Area of hydrozone in square feet.
C = Conversion factor resulting in gallons per year. Use 1.604

17.800 Tree Preservation and Protection

The purpose of this section is to establish regulations for the preservation and/or replacement of existing trees within the City of Plano and to provide requirements for the protection of trees during construction, development, or redevelopment.

.1 Definitions

Buildable Area

The portion of a lot exclusive of required yard areas on which a structure or building improvements may be erected.

Building Pad

The actual foundation area of a building and a 10-foot clear area around the foundation necessary for construction and grade transitions.

Caliper Inch

Method of measuring the trunk diameter of a nursery grown tree. The point of measurement is approximately 6 inches above the top of the root ball. (ZC2016-001; Ord. No. 2016-5-4)

Clear-Cutting

The random cutting, plowing, or grubbing of trees without regard to type or size for the purpose of clearing the land.

Development

Any manmade change to improved or unimproved real estate including, but not limited to, buildings and other structures, paving, drainage, or utilities, and agricultural activities.

Diameter at Breast Height (DBH)

Method of measuring the trunk diameter of existing trees in a natural setting. The point of measurement is approximately 48 inches above existing grade. (ZC2016-001; Ord. No. 2016-5-4)

Drip Line

A vertical line run through the outermost portion of the crown of a tree and extending to the ground.

Root Protection Zone

The area under a tree canopy to be protected. This area is measured by one foot of radius per one inch of DBH. (ZC2016-001; Ord. No. 2016-5-4)

Tree

Any self-supporting woody perennial plant which has a trunk diameter of 4.5 inches or more when measured by caliper inch at a point of 4 feet above ground level and which normally attains a height of at least 15 feet at maturity.

.2 Applicability

The terms and provisions of the section apply to all property as follows:

- A. All vacant and undeveloped property, and
- B. All property to be redeveloped, including additions and alterations.

.3 Exemptions

- A. This section does not apply to individual single-family, duplex, and single-family attached lots after initial development and final inspection of the dwelling units by the Building Inspection Department or to properties for which an approved site plan, concept plan, preliminary site plan, preliminary plat, or preliminary replat is in effect on the date of adoption of this ordinance. (ZC2009-03; Ordinance No. 2009-5-31)
- B. For all single-family developments, the buildable area, as defined above, plus the area needed to establish proper drainage, public street rights-of-way, and public utility easements are exempt. Sufficient area to allow the normal operation of construction equipment for these improvements is also exempt. (ZC2016-001; Ord. No. 2016-5-4)
- C. For all nonresidential and multifamily developments, the building pads, proposed public street rights-of-way, public utility easements, and fire lanes are exempt. Sufficient area to allow the normal operation of construction equipment for these improvements is also exempt. (ZC2016-001; Ord. No. 2016-5-4)
- D. During the period of an emergency such as a tornado, storm, flood, or other natural disaster, the requirements of this ordinance may be waived as deemed necessary by the Emergency Management Coordinator or other designee of the City Manager.
- E. In addition to rights granted by easement, utility companies franchised by the city may remove trees during the period of an emergency that are determined by the company to be a danger to public safety and welfare by interfering with utility service.
- F. Any nursery shall be exempt from the terms and provisions of this ordinance only in relation to those trees planted and growing on the premises for the sale or intended sale to the public.

- G. City rights-of-way, streets, parks, and any other public property under the jurisdiction of the City of Plano shall be governed by the requirements of this ordinance and the requirements of Ordinance No. 89-11-15.
- H. Native or well adapted species of trees may be exempted with approval by the Director of Planning or designee if diseased, presenting a public health or safety hazard, or in severe decline. (ZC2016-001; Ord. No. 2016-5-4)

.4 Tree Preservation Requirements

The following requirements must be met:

- A. No clear-cutting of land is allowed without a permit. The approved Tree Preservation Plan is the permit for the removal of trees subject to this ordinance.
- B. No tree 8 inches in DBH or larger may be removed unless it is located in areas specifically exempted in Sec. [17.800.3](#) or the city has approved removal. These trees must be preserved unless the health and condition of the tree warrants removal, as determined by the Director of Planning or designee. (ZC2016-001; Ord. No. 2016-5-4)

.5 Tree Survey and Preservation Plan Required

(ZC2019-011; Ord. No. 2019-8-8)

A. Preliminary Development Plans

A general survey of natural vegetation showing tree groupings and anticipated tree losses must be submitted with all preliminary site plan applications and must comply with the General Tree Survey Plan Checklist. Required data includes approximate locations and species of individual trees 8 inches or larger in caliper and a range of sizes and species for tree groupings. Photographs of the site showing tree cover are also required. (ZC2009-03; Ordinance No. 2009-5-31)

B. Final Development Plans

A tree survey and tree preservation plan must be submitted with all site plan and preliminary plat applications and must comply with the General Tree Survey Plan Checklist and the Tree Preservation Plan Checklist. The Planning Department is authorized to maintain a list of required information for tree surveys and tree preservation plans. The Director of Planning may establish procedures, forms, and standards with regard to the content, format, graphics, and number of copies of information constituting an application for tree surveys and tree preservation plans for clarity and consistency of operations. The procedures, forms, and standards shall have the force of ordinance as if fully incorporated herein. The tree survey must include the exact location, size, condition if damaged or diseased, and common name of each tree 8 inches in caliper or larger. The survey must also show existing and proposed spot elevations near the trunk of trees to be preserved. This document must be signed by the preparer. The tree preservation plan must indicate which trees are to be preserved, which are to be removed and the manner in which they will be protected during the construction period. A tree mitigation plan must be included as part of the tree survey and protection plan. Projects will not be released for construction until a tree preservation plan (if applicable) has been approved.

C. Field Inspections

(ZC2016-001; Ord. No. 2016-5-4)

Prior to the approval by the Director of Planning or designee of a tree preservation plan, the applicant shall mark all trees to be preserved in a manner to allow for quick field and plan coordination and notify the city of the marking. The city shall inspect and verify the marking within 2 weeks.

- i. Prior to the commencement of grading, all tree markings, protective fencing such as plastic mesh and erosion control measures must be installed by the developer and must be inspected by the city.
- ii. The city may issue a stop-work order at any time if tree preservation requirements are not being met.
- iii. Within 2 weeks of notification by the Engineering Department that final acceptance of the subdivision is imminent, a final inspection of the tree preservation methods must be performed.

.6 Requirements for Tree Preservation

Developers shall adhere to the following tree protection measures on all construction sites. See also [Figure 17-5](#).

- A. Prior to grading, brush removal, or construction, the developer shall clearly tag or mark all trees to be preserved.
- B. The developer shall erect a plastic mesh fence, or other approved fencing material, a minimum of 4 feet in height around each tree or group of trees to prevent the placement of debris or fill within the root protection zone. The fence shall be installed prior to the release of any permit. If the protection fence is found removed, down, or altered at any time during construction prior to final inspection or landscape installation, a stop work order may be issued by the Engineering Department. A maximum 25% encroachment into the root protection zone may be permitted with approval of the Director of Planning or designee. *(ZC2016-001; Ord. No. 2016-5-4)*
- C. During the construction phase of development, the developer shall prohibit cleaning, parking, or storage of equipment or materials under the canopy of any tree or group of trees being preserved. The developer shall not allow the disposal of any waste material such as, but not limited to, paint, oil solvents, asphalt, concrete, mortar, etc. in the canopy area.
- D. No attachments or wires of any kind, other than those of a protective nature shall be attached to any tree.
- E. No fill or excavation may occur within the drip line of a tree to be preserved unless there is a specific approved plan for use of tree wells or retaining walls. Major changes of grade (6 inches or greater) will require additional measures to maintain proper oxygen and water exchange with the roots. In addition, the developer should adhere to the following guidelines to protect the trees to be preserved:
 - i. With grade changes, a reinforced retaining wall or tree well of a design approved by the city should be constructed around the tree no closer than half the distance between the trunk and the drip line. The retaining wall should be

constructed so as to maintain the existing grades around a tree or group of trees.

- ii. At no time should a wall, pavement, or porous pavement be placed closer than 5 feet or one foot for every 2 inches in caliper, whichever is greater, to the trunk of the tree.
- iii. Root pruning may be necessary when the critical root zone is to be disturbed. See [Figure 17-6](#).
- iv. If a patio, sidewalk, drive, parking lot, or other paved surface must be placed within the drip line of an existing tree, material such as a porous pavement or other approved construction method that will allow the passage of water and oxygen may be required.




Figure 17-5: Tree Protection

.7 Tree Preservation Credits

This paragraph applies only to nonresidential and multifamily development. For every tree (8 inches in caliper or larger) preserved, the developer shall be given credit for 2 trees as required by this ordinance. Only trees in good condition, having been protected in accordance with the Tree Protection Requirements, shall be considered for credit. A maximum credit of one-third of the required trees shall be allowed per site. Trees designated as mitigation trees are not subject to the tree credit and must be accounted for at 100%. Determination of credits shall be made by the city upon completion of site improvements. Field conditions may warrant submittal of a revised landscape plan to determine the number of tree credits. Review may include a field inspection of the site, and the plan may be referred to other departments for review and recommendations.

[Remainder of page intentionally blank]




Figure 17-6: Root Pruning

.8 Replacement of Trees

Replacement of trees will be required if trees are removed when:

- A. The trees were identified on the Tree Preservation Plan for preservation but were damaged or destroyed during construction.
- B. The trees were located in the 100-year floodplain, including areas approved for reclamation, unless the city requires removal of trees for drainage purposes.
- C. Replacement trees are to be measured at 12 inches above the soil stain.
- D. Trees that are 8 to 30 inches in caliper shall be replaced at an inch-to-inch rate. The minimum size replacement tree shall be 4-inch caliper.
- E. Trees that are larger than 30 inches in caliper shall be replaced at a rate of 1.5 inches per one inch of removed tree. The minimum size replacement tree shall be 4-inch caliper.
- F. In order to encourage the use of larger caliper trees for required landscaping, the mitigation inches required for tree replacement may be added to the required edge, interior parking lot trees and open space trees on a one inch for one inch basis in one inch increments. These must be clearly indicated on the landscape submittal.
- G. Acceptable types of replacement will be left to the designer to select but must be of high quality native or naturalized material with a proven record of suitability for local climate and conditions in accordance with Sec. [17.500](#)
- H. If the physical limitations of the subject property are such that all of the replacement trees cannot be properly located, the developer shall locate the extra trees in public rights-of-way, medians, on private open space areas, or in public park land with the approval of the Director of Planning or designee. The developer may pay a fee to the city in lieu of tree replacement. (ZC2016-001; Ord. No. 2016-5-4)

[page intentionally blank]

Article 18 [Reserved]

(ZC2017-026; Ord. No. 2017-11-3)

[Remainder of page intentionally blank]

[page intentionally blank]

Article 19 Open Storage and Merchandise Display

(ZC2017-014; Ord. No. 2017-7-9)

19.100	General Requirements for Open Storage.....	19-1
19.200	Screening Requirements for Open Storage.....	19-2
19.300	General Requirements for Merchandise Display.....	19-2

19.100 General Requirements for Open Storage

- .1 Open storage must be designated on an approved site plan.
- .2 Open storage must not be placed:
 - A. Within any required building setbacks;
 - B. Within parking spaces, fire lanes, easements, maneuvering aisles, customer pick-up lanes, or loading zones;
 - C. So as to obstruct visibility or interfering with pedestrian or vehicular circulation;
 - D. On the roof of any structure;
 - E. So as to exceed the height of required screening, except for the open storage of living plants and trees; and
 - F. At the front of the primary building in R and RC districts.
- .3 The maximum permitted area of open storage is as follows:

Use	Maximum Storage Area
Accessory	5% of the total lot area or 20% of the main building gross floor area, whichever is more restrictive
Garden Center or Nursery	50% of the total lot area
Primary	90% of the total lot area

- .4 Open storage must be screened as required in Sec. 19.200.
- .5 Open storage items must be stored on a paved surface, and associated access and maneuvering drives must be constructed of a paved surface. In LI-1 or LI-2 zoning districts, or for freestanding garden center and nursery uses, open storage items, except vehicles, may be placed on a gravel surface or similar permeable surface.
- .6 Restaurant uses may store a maximum of one cord of firewood in a rack, off the ground, placed immediately adjacent to the rear or side facade of the primary structure, not to exceed 4 feet in height. Firewood stored in accordance with the above requirements is not required to be screened.
- .7 Vehicle storage is open storage except when:
 - A. Temporarily parked in a parking space consistent with [Article 16](#) on a lot with a permitted and directly associated primary use;
 - B. Fleet or rental vehicles are staged or stored on a lot with a permitted and directly associated primary use and consistent with the approved site plan;

- C. Located at minor vehicle repair uses temporarily stored for a reasonable period of time considering the circumstances;
 - D. Operable vehicles for sale are staged or stored at vehicle dealer uses on a lot with a permitted vehicle dealer use consistent with the approved site plan.
- .8 Seasonal open storage must meet the requirements of the Itinerant Vendors ordinance where applicable.

19.200 Screening Requirements for Open Storage

- .1 Open storage must be screened as follows:
 - A. In the LI-1 and LI-2 districts, storage must be screened from the view of streets by the primary building, a masonry wall, and/or an irrigated evergreen living screen.
 - B. In all other districts, storage must be screened from view of streets and other properties by the primary building, a masonry wall, and/or irrigated evergreen living screen.
- .2 The height of a screening wall must be a minimum of 6 feet and maximum of 8 feet.
- .3 Plantings used for a landscape screen shall be placed so as to create at least a 6-foot tall solid screen within 2 years of their installation. All landscaping shall be irrigated with an automatic sprinkler system and maintained in a healthy and growing condition.
- .4 Wood fencing and/or chain link with slats are not permitted methods of screening.
- .5 Gates at maneuvering aisles are not required to be of solid construction.
- .6 Masonry screening walls must be consistent in design, color, and materials with the primary building.
- .7 The Planning & Zoning Commission may waive these requirements if no public purpose would be served by the construction of a required screen, or natural features (i.e. vegetation or topography) exist that sufficiently screen the open storage.

19.300 General Requirements for Merchandise Display

- .1 Merchandise display must be placed within 10 feet of the front facade of the primary structure and must not exceed 4 feet in height.
- .2 If the items are placed on a sidewalk or other pedestrian area, a 6-foot wide pedestrian path must be maintained through and adjacent to the outside display area. The pedestrian path must be concrete or asphalt and may not be located within off-street parking areas, including parking spaces, fire lanes, easements, maneuvering aisles, customer pick-up lanes, and loading zones.
- .3 Nothing in this article shall prohibit temporary open storage of merchandise for display and sale during a sidewalk sale. A 4-foot wide clearance shall be provided along the public sidewalk and a 6-foot clearance shall be provided on the sidewalk around the building.
- .4 Seasonal merchandise display must meet the requirements of the Itinerant Vendors ordinance where applicable.

Article 20 Screening, Fence and Wall Regulations

20.100 Screening Walls or Visual Barriers..... 20-1

20.200 General Fence and Wall Regulations..... 20-2

20.300 Mechanical Screening Requirements 20-3

20.400 Requirements for Solid Waste Collection 20-3

20.100 Screening Walls or Visual Barriers

(ZC2010-01; Ordinance No. 2010-4-16)

- .1 In the event that an MF-1, MF-2, MF-3, BG, O-1, O-2, CE, CB-1, R, LC, RC, RE, CC, RT, LI-1, LI-2, or NBD district sides or backs upon an ED, SF-20, SF-9, SF-7, SF-6, SF-A, PH, 2F, RCD, GR or UR district except as noted in (2) below, or in the event that any nonresidential district sides or backs to an MF-1, MF-2, or MF-3 district, a solid screening wall or fence of not less than six nor more than eight feet in height shall be erected along the entire property line separating these districts, except where visibility triangles or easements are required. (See Sec. [13.500.2C](#) and Sec. [13.500.2K](#)) The purpose of the screening wall or fence is to provide a visual barrier between the properties. The owner of such property shall be responsible for and shall build the required wall or fence along the entire property line dividing his property from the residential district. In cases where the Planning & Zoning Commission finds this requirement to be impractical for immediate construction, it may grant a temporary or permanent waiver of the required screening wall or fence until such time as the screening wall or fence may be deemed necessary by the City Council. In cases where the Planning & Zoning Commission finds this requirement to be better met by an irrigated living screen, the same may be substituted for the screening wall. Evergreen shrubs used for a landscape screen shall be placed so as to create at least a 6-foot tall solid screen within 2 years of their installation. All landscaping shall be irrigated with an automatic sprinkler system and maintained in a healthy and growing condition. (ZC2020-012; Ord. No. 2021-1-13)
- .2 No solid screening wall or fence shall be required as stated in Sec. [20.100.1](#) when single-family and two-family residential uses in an R district side or back upon other single-family or two-family residential uses. (ZC2022-016; Ord. No. 2023-2-5)
- .3 Any screening wall or fence required under the provisions of this section, a specific use permit, planned development district, or other requirement shall be constructed of masonry or reinforced concrete which does not contain openings more than 40 square inches in each one square foot of wall or fence surface, and the surface of such wall or fence shall constitute a visual barrier. All wall or fence openings shall be equipped with gates equal in height and screening characteristics to the wall or fence. The use of prefabricated, patterned concrete panels is prohibited.
- .4 No fence, screen, wall, or other visual barrier shall be so located or placed that it obstructs the vision of a motor vehicle driver approaching any street or drive intersection, in accordance with Sec. [13.500.2K](#).

- .5 Where an alley intersects with a street, no fence or plant taller than 30 inches may be placed within a sight visibility triangle defined by measuring eight feet to a point along the property lines and joining said points to form the hypotenuse of the triangle.
- .6 All required screening walls shall be equally finished on both sides of the wall.

20.200 General Fence and Wall Regulations

(ZC2003-52; Ordinance No. 2003-10-32)

In any zoning district where a wall, fence, or screening separation is erected and is not required under the provision of Sec. [20.100](#), the following standards shall apply:

- .1 The maximum height of a fence or wall in a required front yard shall not exceed 40 inches and shall be at least 50% open in construction. Combinations of berms and fences shall not exceed 40 inches in height. Allowed exceptions to the height limitations in this section are as follows:
 - A. For public and parochial schools, private and primary schools, and day care centers, fences and berms may be a combined maximum height of 8 feet above grade, provided that the fence material is wrought iron or chain link. *(ZC2023-019, Ord. No. 2024-2-7)*
 - B. Fences in the ED district may be erected in accordance with Sec. [9.300.4D](#).
 - C. A wall or fence not more than 8 feet in height may be erected in the front yard setback of multifamily, independent living facility, assisted living facility, long-term care facility, continuing care facility, or residential uses within the BG district. The wall or fence construction must be at least 50% open.
 - D. For all uses within the LI-1 and LI-2 districts, a wall or fence not more than 8 feet in height may be erected in the front yard setback.
- .2 Any fence or wall located to the rear of the front yard setback shall not exceed 8 feet in height above the grade of the adjacent property or 8 feet when placed on a retaining wall. Walls that screen loading docks, loading spaces, and ground-mounted mechanical units may exceed 8 feet in height if necessary for adequate visual screening.
- .3 In Single-Family Detached, 2F, and SF-A districts, where a corner lot has 2 front yards as required by this ordinance, and a house is constructed facing one of the front yards, the second front yard may be fenced in the same manner as any other side yard adjacent to a street. The fence shall have a corner clip on an angle beginning at the intersection of the front yard setback with the lot line and ending at a point on the street right-of-way located a minimum of 15 feet from the lot line. See [Figure 20-1](#).




Figure 20-1: Fences on Corner Lots

- .4 Fence arms and barbed wire are only allowed in the LI-1 and LI-2 districts and may not extend over property lines. Barbed wire, if used, must be attached to the fence arms.
- .5 Wire fences are prohibited in the front yard setback in all districts, except when the fence is used to enclose pastures, cropland, and other areas used for agricultural activities. However, fences in the ED district must comply with Sec. [9.300.4D](#).

20.300 Mechanical Screening Requirements

In all nonresidential developments, roof-mounted mechanical units shall be screened from view at a point of 5.5 feet above the property line with a parapet wall, mansard roof, or alternative architectural element. The height of the screening element shall be equal to or greater than the height of the mechanical unit provided that the element shall not extend more than 5 feet above the roof on a one or 2 story building or more than 13 feet above the roof on a building of 3 or more stories. A mechanical unit which is taller than the maximum permitted height of the screening feature shall be set back from the screen 5 feet plus 2 feet for each foot it exceeds the height of the screen. Screening for mechanical units shall apply to new building construction only.

20.400 Requirements for Solid Waste Collection

(ZC2002-26; Ordinance No. 2002-7-25 and ZC2018-027; Ordinance No. 2019-1-10)

Nonresidential and multifamily developments must provide designated solid waste collection locations meeting adopted design standards. All solid waste collection locations must comply with both the Site Design Standards for Solid Waste Containers and the following section.

.1 Applicability

This section shall apply to property utilized for nonresidential or multifamily uses and shall not apply to the following:

- A. Community recycling locations as permitted by the City of Plano.
- B. Containers for onsite construction debris with a valid permit issued by the City of Plano Building Inspections Department.
- C. Multifamily and nonresidential developments that comply with both of the following stipulations:

- i. The development is authorized by the City of Plano Public Works Department for solid waste collection utilizing 95-gallon residential-type carts.
 - ii. The development is located within BG, UMU, NBD, RCD, or CB-1 zoning districts, or the development is within a planned development district that permits, by stipulation, the use of 95-gallon residential-type carts for solid waste collection. (ZC2020-012; Ord. No. 2021-1-13)
 - D. Donation containers regulated through Sec. [13.900.4](#) (Donation Containers).
 - E. Declared disasters in the City of Plano that create solid waste disposal issues until the disaster status is rescinded.
 - F. Containers authorized through a Special Event permit.
- .2 Provision of Locations for Solid Waste Containers**
Space for solid waste containers, including compactors, must be provided as follows:
- A. Quantity**
A minimum of two containers per lot to accommodate both refuse and recycling. Additional container spaces may be required for nonresidential uses per the Site Design Standards for Solid Waste Containers.
 - B. Location**
One or more required container locations may be offsite in a permanent easement within 150 feet of the building as determined sufficient through the site plan approval process.
- .3 Screening and Site Design Standards**
- A. Screening and Placement**
Screening and placement for solid waste containers must be consistent with the Site Design Standards for Solid Waste Containers.
 - B. Use**
Enclosures for containers must only be used for purposes related to solid waste programs as authorized by the City of Plano's Code of Ordinances, as amended.
 - C. Maintenance**
All screening devices must be continually maintained in a state of good repair. Living screens must be maintained in compliance with Sec. [17.400](#) (Landscape Compliance).
 - D. Parking Reduction**
The number of required parking spaces in [Article 16](#) may be reduced to accommodate commercial recycling and community recycling containers for sites developed prior to July 22, 2002. Required parking shall not be reduced without submittal and approval of an amended site plan.
- .4 Site Plan Review**
Solid waste container locations built to design standards shall be identified on preliminary site plans and site plans. Solid waste containers shall not be added to existing sites and/or to new site plans approved for future development without submittal and approval of an amended site plan.

Article 21 Residential Adjacency Standards

(ZC99-46; Ordinance No. 99-10-12)

21.100 Introduction..... 21-1

21.200 Purpose and Intent..... 21-1

21.300 Definitions 21-1

21.400 Review Process 21-2

21.500 Standards 21-3

21.100 Introduction

- .1 This article establishes the process for incorporating RAS into the site plan review process. (See [Article 3.](#)) These standards are applicable when the symbol “R” appears in the use tables of Sec. [14.100](#) or Sec. [14.200](#).
- .2 These standards are in addition to the development regulations applicable to the underlying zoning district. When any requirements in this article are in conflict with any other requirements for the underlying zoning district, the more restrictive requirements shall apply.

21.200 Purpose and Intent

The general objectives of this article are to preserve and protect the integrity, enjoyment, and property values of residential neighborhoods within the city of Plano, through the establishment of standards for certain nonresidential uses that may impact surrounding residential land uses.

21.300 Definitions

Residential Adjacency

Any nonresidential building, use, or associated activity identified in the use tables of Sec. [14.100](#) or Sec. [14.200](#), and Sec. [21.500](#) that when located in proximity to a residential district may result in detrimental impact to a residential property. Residential adjacency shall include the lot on which the nonresidential building, use, or associated activity is located. In cases where multiple uses are contained on the same lot, residential adjacency shall apply to the area within that lot which encompasses the building, use, or associated activity and all accessory buildings, uses, or areas necessary to support them.

RAS

Residential Adjacency Standards

Vehicular Service Bays

Any partially or fully enclosed space used for major or minor vehicle repair, truck and bus repair, or similar activities. (ZC2017-014; Ord. No. 2017-7-9)

Individual Service Speakers

Speakers used to conduct business with individual customers outdoors or in a partially enclosed structure including, but not limited to: (ZC2017-014; Ord. No. 2017-7-9)

- Drive-through payment windows,

- Drive-through restaurant ordering boards,
- Vehicle fueling station pump islands, and
- Car washes.

Public Address/Paging Systems

Loud speaker or amplified paging systems intended to contact or provide information to persons on the exterior of a building such as those commonly used by businesses with large outdoor facilities/operations including, but not limited to:

- New and used car dealers,
- Building material sales,
- Garden centers, and
- Car washes.

21.400 Review Process

- .1 The RAS shall apply when a use is proposed for a nonresidential building or site that is adjacent to a residential district and both of the following conditions apply:
 - A. An existing or proposed building, structure, or device on the lot is within 150 feet of a district boundary for any of the following residential districts, except if the activity proposes the use of public address/paging systems, in which case 1,000 feet shall be the effective distance: ED, SF-20, SF-9, SF-7, SF-6, PH, 2F, SF-A, MH, MF-1, MF-2, MF-3, GR, and UR.
 - B. The use in question is identified with an “R” in the use tables of Sec. [14.100](#) or Sec. [14.200](#).
- .2 Except as noted in Sec. [21.500.1B](#), RAS shall not apply when one of the following conditions is met: (*ZC2002-72; Ordinance No. 2003-4-6*)
 - A. Whenever a proposed nonresidential use is separated from the adjacent residential district by a Type D or larger thoroughfare.
 - B. Whenever a proposed nonresidential use is contiguous with an existing nonresidential use, except public elementary schools, on residentially-zoned property.
- .3 Review of proposals for compliance with the RAS will be carried out in conjunction with the preliminary site plan review and/or site plan review, depending on whether or not the actual use of the site is known.
- .4 The following information shall be submitted in order to facilitate the RAS review:
 - A. All information and procedures as required by Sec. [3.300](#) and Sec. [3.400](#).
 - B. Location and description of existing and proposed exterior speaker systems to include information about the height, octave, and decibel band ranges of each fixture.
 - C. Information indicating the location and orientation of all off-street loading spaces.
 - D. Information indicating the location and orientation of all vehicular service bays.

- E. Information indicating the location and description of existing and proposed screening between the proposed nonresidential use and the residential district.

21.500 Standards

RAS shall address the following:

.1 Noise

- A. Any use containing individual service speakers shall not be permitted within 150 feet of any residential district unless the speaker is appropriately screened. The Planning & Zoning Commission may require wing walls, landscape screens, changes in building orientation, and/or other design elements to screen and minimize the impact of individual service speakers.
- B. Any use containing public address/paging systems shall not be permitted within 1,000 feet of any residential district unless separated by a Type A thoroughfare. (ZC2023-002; Ordinance No. 2023-9-13)

.2 Loading Spaces

In addition to the regulations contained in Sec. ~~16.700~~, the following RAS shall apply:

- A. Where adjacent to residential districts, off-street loading areas shall be fully screened from view of the residential district.
- B. The Planning & Zoning Commission may require wing walls, landscape screens, changes in building orientation, and/or other architectural elements to minimize the impact of uses containing loading docks within 150 feet of any residential district.

.3 Vehicular Service Bays

- A. All vehicular service bays within 150 feet of a residential district shall face away from adjacent residential districts unless separated by a building or permanent architectural feature of minimum height matching the height of the service bays.
- B. Walls separating service bays from a residential district shall be of masonry or reinforced concrete with no openings.
- C. The Planning & Zoning Commission may require wing walls, landscape screens, changes in building orientation, and/or other design elements to minimize the impact of the service bays within 150 feet of any residential district.
- D. No use including outdoor vehicular repair, servicing, or testing shall be permitted within 150 feet of a residential district.

.4 Small Engine Repair Shops

Small engine repair shops shall not be permitted within 150 feet of a residential district unless all repair, service, and testing activities are done in a fully enclosed building.

.5 Motorcycle Sales/Service

Motorcycle sales/service facilities shall not be permitted within 150 feet of a residential district unless all repair, service, and testing activities are done in a fully enclosed building.

.6 Car Wash and Fuel Dispensing Facilities

- A.** Car wash and fuel dispensing facilities shall not be permitted within 150 feet of a residential district.
- B.** Where car wash and fuel dispensing facilities are within 300 feet but greater than 150 feet of a residential district, the Planning & Zoning Commission may require wing walls, landscape screens, and/or other design elements to screen and minimize the impact of such facilities.

.7 Food Truck Park

A food truck park shall not be permitted within 150 feet of a residential district.

(ZC2013-33; Ordinance No. 2014-1-11)

[Remainder of page intentionally blank]

Article 22 Signs

(ZC2003-50; Ordinance No. 2003-12-13)

22.100 Administration 22-1

22.200 Definitions 22-7

22.300 Design and Construction Specifications.....22-13

22.400 General.....22-22

22.500 Downtown Sign District.....22-27

22.600 Requirements for Freestanding Signs Located within an Overlay District22-27

22.700 Requirements for Freestanding Signs Located within Research/Technology Center22-30

22.100 Administration

.1 Purpose

(ZC2004-24; Ordinance No. 2004-8-21)

- A. The general purpose of the sign regulations of this article is to provide public safety, adequate lighting, open space and air, conservation of land, protection of property values, and encourage the highest and best use of land by providing that signs:
 - i. Are maintained properly to avoid creating safety risks due to abandonment, collapse, decay, deterioration, and fire.
 - ii. Enhance the quality of the city’s appearance by avoiding clutter and by not interfering with scenic views or character of certain city areas.
 - iii. Do not obstruct or interfere with the ability of the Fire and Police Departments to implement their job duties.
 - iv. Do not pose a hazard to public safety by confusing or distracting motorists or creating obstructions impairing a driver’s ability to see pedestrians, obstacles, other vehicles, or traffic signs.
 - v. Are regulated by size, quantity, scale, and proportionate balance in accordance with standards consistent with the stated general purpose.
 - vi. Do not create nuisances for people using the public rights-of-way and streets nor owners/tenants of adjacent property by their height, size, brightness, and movement.
- B. It is not the purpose or intent of this statute to regulate signs based solely on their content.

.2 Permit Required

Except as otherwise exempted as provided in this article, no sign shall be erected, replaced, altered, or relocated within the city of Plano without securing a permit from the Building Official.

.3 Permission of Property Owner

No person shall erect, construct, or maintain any sign upon any property or building without the consent of the owner, the person entitled to possession of the property or building, if any, or their authorized representative.

.4 Application and Permit Requirements

A. Required Information

To obtain a permit, the applicant shall first file a written application for permit on a form furnished by the Building Inspections Department. Every such application shall contain the following information:

- i. Sign use classification.
- ii. Name, address, and telephone number of the applicant.
- iii. Name, address, and telephone number of the owner of the property on which the sign will be located.
- iv. Name, address, and telephone number of person or firm erecting the sign.
- v. A description of the work to be covered by the permit for which application is made.
- vi. Location of the building structure or lot upon which the sign is to be attached or erected.
- vii. Message to be contained on proposed sign.
- viii. State the valuation of proposed work.
- ix. The signature of the permittee or his authorized agent.
- x. Name of business for which the sign application has been made.

B. Plans and Specifications

Scaled plans or dimensional sign detail shall be submitted in duplicate with each application for a permit and contain the following information:

- i. Drawing of sign indicating the sign message or copy.
- ii. Elevation plan of the building showing the proposed sign on the building, the length of the elevation, and any other existing signs on the elevation along with the dimensions of such signs.
- iii. Site plan indicating street frontage, property lines, sign visibility triangles, proposed and existing rights-of-way, location of sign on property, relationship of proposed sign to ingress and egress points, and relationship of proposed sign to any other signs within a 60-foot spacing of the proposed sign.

.5 Issuance

A. Review

The application, plans, specifications, computations, and other data filed by an applicant for permit shall be reviewed by the Building Official. Such plans may be reviewed by other departments of the city to verify compliance with any applicable laws under their jurisdiction. If the Building Official finds that the work described in the application for a permit and the plans, specifications, and other data filed

therewith conform to the requirements of this article and other pertinent laws and ordinances, and that the fees specified in Sec. [22.100.7](#) have been paid, a permit shall be issued to the applicant.

B. Approved Plans

When the Building Official issues the permit where plans are required, the plans and specifications shall be endorsed in writing or stamped "Approved." Such approved plans and specifications shall not be changed, modified, or altered without authorization from the Building Official, and all work shall be done in accordance with the approved plans.

C. Validity of Permit

The issuance of a permit or approval of plans, specifications, and computations shall not be construed to be a permit for, or an approval of, any violation of any of the provisions of this article or of any other ordinance of the City of Plano. No permit presuming to give authority to violate or cancel the provisions of the ordinances of the City of Plano shall be valid. If the work authorized by a permit issued under this ordinance has not been commenced within 180 days after the date of issuance, the permit shall become null and void.

D. Suspension or Revocation

The Building Official may, in writing, suspend or revoke a permit under the provisions of this article whenever the permit is issued in error or on the basis of incorrect information supplied, or in violation of this article or any other ordinance of the City of Plano or laws of the State of Texas or the Federal Government. Such suspension or revocation shall be effective when communicated in writing to the person to whom the permit is issued, the owner of the sign, or the owner of the premises upon which the sign is located. Any signs installed under a revoked permit shall be removed by the permit holder, sign owner, or property owner within 10 days of written notice of the revocation.

E. Certificate of Occupancy Required

A business shall obtain or be in the process of obtaining a Certificate of Occupancy prior to the issuance of any sign permit. The name of the business shall coincide with the sign to be displayed.

.6 Inspections

A. General

All signs for which a permit is required shall be subject to inspection by the Building Inspections Department. It shall be the duty of the permit applicant to cause the work to be accessible and exposed for inspection purposes. The city shall not be liable for expense entailed in the removal or replacement of any material required to allow inspection. The permit and approved plans are to be available and accessible at the job site for all inspections.

B. Inspection Requests

It shall be the duty of the person doing the work authorized by a permit to notify the Building Inspections Department that such work is ready for inspection.

C. Approval Required

No work shall be done on any part of the structure beyond the point indicated in each successive inspection without first obtaining the approval of the Building Official. Such approval shall be given only after an inspection shall have been made of each successive step in the construction.

D. Signs Requiring Electrical Inspection

- i. The conductors and equipment on all signs shall comply with the currently adopted versions of the National Electrical Code. All secondary transformed power shall be self-contained within the sign structure, or individual letters or parts of the signage shall be connected back to the transformer or J-box with listed raceways and fittings, and the transformer must be in a covered box.
- ii. Both channel and letters must contain weep holes to drain water, each hole shall not be larger than one-half inch, nor smaller than 0.25-inch. No combustible materials other than approved plastics shall be used in the construction of any sign containing electrical wiring.

E. Noncompliance with Inspection Requirements

Contractors who fail to comply with the inspection requirements of this article are subject to having their registration revoked and will not be able to obtain permits within the city of Plano. Persons knowingly installing a sign and connecting it to power sources that have not been permitted and inspected are subject to the same penalty.

.7 Fees

A. Sign Permit Fees

Each applicant, before being granted a permit for a non-illuminated sign, shall pay to the City of Plano a fee in the amount of \$60.00 for processing and issuing such permit. The fee for an illuminated sign containing electrical components shall be \$80.00. (ZC05-53; Ordinance No. 2006-2-30)

B. Fee for Review of Plans

Each applicant, when applying for a permit for any sign, shall pay to the City of Plano a fee of 65% of the total fee for such permit for the review of the plans for the sign. This fee shall apply to the cost of the permit and is nonrefundable. (ZC05-53; Ordinance No. 2006-2-30)

C. Board of Adjustment

Each applicant applying for a variance to the Board of Adjustment shall pay a filing fee of \$250.00. If the variance is requested for multiple signs at one location, an additional fee of \$25.00 for each sign in excess of one shall be paid. In the case of a request for multiple signs of the same classification, size, and height at one location, an additional fee of \$25.00 shall be paid regardless of the number of sign variances requested for signs of the same classification, size, and height. (ZC05-53; Ordinance No. 2006-2-30)

D. Investigation Fee: Work without a Permit

Whenever any work for which a permit is required by the Sign Regulations has been commenced without first obtaining a permit, a special investigation shall be made before a permit may be issued for such work. An investigation fee, in

addition to the permit fee, shall be collected whether or not a permit is then or subsequently issued. The investigation fee shall be equal to the amount of the permit fee required by this ordinance. The payment of such investigation fee shall not exempt any person from compliance with all other provisions of this ordinance nor from any penalty prescribed by law.

E. Failing to Pay Fees

The Building Official shall not issue a permit under the provisions of this ordinance to any person who has previously failed or refused to pay any fees or costs assessed against him under the provisions of this ordinance.

.8 Exempt Signs

- A.** Temporary signs are governed by Article XII, Temporary Signs, of Chapter 6, Buildings and Building Regulations, of the Code of Ordinances of the City of Plano and are exempt from the provisions of this ordinance. *(ZC05-53; Ordinance No. 2006-2-30)*
- B.** The following signs are exempt from the permit requirement; however, such signs shall comply with all other ordinance requirements:
 - i.** Signs not exceeding 8 square feet in area which advertise the sale, rental, or lease of the premises on which such signs are located.
 - ii.** Signs not exceeding 16 square feet in area when located upon the premises of a public, charitable, or religious organization.
 - iii.** Signs located inside a building and which are not displayed so as to be visible from outside the building including, but not limited to, signs located in covered mall buildings.
 - iv.** Noncommercial purpose signs on private property. *(ZC05-53; Ordinance No. 2006-2-30)*
 - v.** Incidental signs provided they comply with all other requirements of this ordinance.
 - vi.** Memorial signs or tablets, names of buildings, and date of erection, when cut into any masonry surface or when constructed of bronze or other noncombustible materials.
 - vii.** Traffic or street signs, legal notices, railroad crossing signs, danger, and such emergency, temporary or non-advertising signs as approved by the City of Plano. *(ZC05-53; Ordinance No. 2006-2-30)*
 - viii.** Window signs provided all other requirements of the ordinance are met.
 - ix.** Copy change only for signs otherwise allowed under this ordinance. *(ZC05-53; Ordinance No. 2006-2-30)*
 - x.** Nameplates not exceeding one square foot in area.
 - xi.** Onsite directional signs provided that they comply with all other requirements of this ordinance.

- xii. Occupational signs provided that they comply with all other requirements of this ordinance.
- xiii. Signage for Special Event Permits shall be reviewed with the Special Events Permit and shall comply with all requirements of this ordinance.
- xiv. Sign facings when replaced for the same business.
- xv. Replacement of letters on non-illuminated wall signs with identical letters (same shape and size).

.9 Appeals

(ZC2007-30; Ordinance No. 2007-10-39)

A. Process

Any person aggrieved by a decision of the Building Official or his designee, under this ordinance or any person seeking a variance from this ordinance, may file an appeal with the Board of Adjustment. The appeal shall be made in accordance with the provisions of [Article 5](#).

B. Board Decision

The decision of the Board shall be final as to administrative remedies. No appeal to the Board for the same variance on the same piece of property shall be allowed prior to the expiration of 2 years. Any variance granted by the Board expires unless a permit securing the variance has been applied for within 90 days from the date of the decision. An applicant whose sign permit is denied by the Board based upon the content may invoke the judicial review process found in Sec. [22.100.9D](#). *(ZC2004-24; Ordinance No. 2004-8-21)*

C. Hardship Criteria

A variance shall not be granted to relieve a self-created or personal hardship, nor shall it be based solely on economic gain or loss. In order to make a finding of hardship and to grant a variance from this ordinance, the Board must determine that:

- i. The requested variance does not violate the intent of the ordinance.
- ii. The requested variance will not adversely affect surrounding properties.
- iii. The requested variance will not adversely affect public safety.
- iv. Special conditions exist which are unique to this applicant or property.

D. Judicial Review

(ZC2004-24; Ordinance No. 2004-8-21)

- i. An applicant denied a sign permit by the Board based on the content of the proposed sign may seek relief under this provision and is not subject to Sec. [5.400.3](#). An applicant whose sign was denied by the Board based on the content of the proposed sign may file a notice of nonacceptance of the decision of the Board with the City Attorney within 10 business days of the date of the filing of the Board's decision which shall be the date the Board announces the decision either orally or in writing to the applicant. Within 10 business days after receiving a notice of nonacceptance from an applicant, the City Attorney shall initiate suit in district court for determination that the sign is illegal

pursuant to this ordinance and for an injunction to prohibit display of the sign. The notice of nonacceptance must be in writing, delivered by hand delivery or certified mail, return receipt requested, to the Office of the City Attorney, City of Plano, 1520 K Avenue, P.O. Box 860358, Plano, Texas 75086. Nothing in this provision shall be interpreted to require the City of Plano to pay for legal fees and costs incurred by the applicant associated with this proceeding.

- ii. This remedy is only available to applicants denied a permit by the Board based on content of the proposed sign. All other permit denials by the Board are subject to the judicial process set forth in Sec. [5.400.3](#).

22.200 Definitions

(ZC05-53; Ordinance No. 2006-2-30)

Awning

An architectural projection, which provides weather protection, identity, and decoration and is supported by the building to which it is attached. It is composed of a lightweight, rigid, or retractable skeleton structure over which a thin cover of fabric or other materials is attached and may be illuminated.

Dilapidated or Deteriorated Condition

Any sign:

- Where elements of the surface or background have portions of the finished material missing, broken, or otherwise existing such that they are illegible.
- Where the structural support or frame members are visibly bent, broken, dented, or torn.
- Where the panel is visibly cracked or, in the case of wood and similar products, splintered in such a way as to constitute an unsightly or harmful condition.
- Where the sign or its elements are twisted, leaning, or at angles other than those at which it was originally erected (such as may result from being blown or the failure of a structural support).
- Where the message or wording can no longer be clearly read.
- Where the sign or its elements are not in compliance with the requirements of the current Electrical Code and/or the Building Code of the City of Plano.

Erect

To build, construct, attach, hang, place, suspend, affix, or paint a sign on the exterior surface of a building or structure.

Face

The surface of the sign upon, against, or through which the message is displayed or illustrated.

Gross Surface Area of a Sign

- The actual area of the face of the sign, unless the sign is not of a regular (square, rectangle, triangle, circle) shape. In the case of an irregular-shaped sign, the gross surface area shall be calculated by enclosing the extreme limits of the sign by no

more than 4 contiguous rectangles. The sum of the areas of these rectangles shall be the gross surface area. However, for each rectangle over one, the maximum allowed square footage shall be reduced by 10%.

- One rectangle - no reduction
 - Two rectangles – 10% reduction
 - Three rectangles - 20% reduction
 - Four rectangles - 30% reduction
- In the event 2 or more signs share a single structure, each sign or panel may be considered separately for square footage purposes, except that the combined footage of such signs cannot exceed the total square footage allowed for the sign.
- In the case of a monument sign, square footage shall be measured by the overall height and width of the sign, including the base.
- In the case of a pole sign, up to 8 inches is allowed to be deducted for actual support columns.

Illuminated Sign

Any sign which has characters, letters, figures, or designs illuminated by electric lights, luminous tubes, or other means that are specifically placed to draw attention to, to light up, or to provide nighttime viewing of the subject matter on the sign face.

Logo

Any design or insignia of a company or product which is commonly used in advertising to identify that company or product.

Multitenant Commercial Development

A building or group of buildings including, but not limited to, shopping centers and offices, constructed and managed as a total entity with customer and employee parking provided onsite.

Noncombustible Material

Any material which will not ignite at or below a temperature of 1,200 degrees Fahrenheit and will not continue to burn or glow at that temperature.

Nonstructural Trim

The retainer, battens, cappings, nailing strips, latticing, and platforms which are attached to a sign structure.

Person

Includes any individual, corporation, partnership, association, sole proprietorship, or other business entity.

Roof

Any exterior surface of a structure that has a slope of less than 60 degrees, shall also include the topmost portion of any structure.

Searchlight

An apparatus capable of projecting a beam or beams of light in excess of 2M peak candlepower of 250,000 lumen.

Sight Visibility Triangle

Where one street intersects with another, the triangular area formed by extending 2 curb lines a distance of 45 feet from their point of intersection and connecting these points with an imaginary line, thereby making a triangle. If there are no curbs existing, the triangular area shall be formed by extending the property lines a distance of 30 feet from their point of intersection and connecting these points with an imaginary line, thereby making a triangle. Where a street intersects with an alley or driveway, the “sight visibility triangle” is the triangular area formed by measuring 8 feet to a point along the property lines and adjoining those points to form the hypotenuse of the triangle.

Sign

Any device conveying either commercial or noncommercial messages or both commercial and noncommercial messages for visual communication that is used for the purpose of bringing the subject thereof to the attention of the public but not including any lawful display of merchandise. The term ‘sign’ shall also mean and include any display of one or more of the following:

- Any letter, numeral, figure, emblem, picture, outline, character, spectacle delineation, announcement, trademark, or logo.
- Multicolored bands, stripes, patterns, outlines, or delineations displayed for the purpose of commercial identification.
- Anything specified above in part or in combination by any means whereby the same are made visible from beyond the boundaries of the lot or parcel of property on which the same are displayed for the purpose of attracting attention outdoors to make anything known.

Sign – Abandoned

A sign that identifies a business, tenant, service, owner, product, event, or activity which no longer exists in the advertised location, or pertains to a time, event, or purpose which no longer applies. (ZC13-21; Ordinance No. 2014-1-9)

Sign – A-frame/Sandwich Board

A self-supporting A-shaped sign with 2 visible sides that is situated on or adjacent to a sidewalk.

Sign – Agricultural

Any sign identifying the farm or ranch on which it is placed and advertising the produce, crops, animals, or poultry raised or quartered thereon.

Sign – Apartment

Any sign identifying a multifamily dwelling as defined herein including, but not limited to, apartment buildings, apartment complexes, and retirement complexes.

Sign – Armature

A freestanding sign that hangs below an arm extending horizontally from a vertical support planted in the ground.

Sign – Awning

Any awning containing signage used to identify a business, profession, service, product, or activity conducted, sold, or offered on the premises where such sign is located.

Sign – Billboard

Any pole sign, as that term is defined in this ordinance, having a face exceeding 100 square feet, and which promotes or advertises commodities or services available at a location other than where the sign is located and shall include those signs whose message space is available for lease, rent, or hire.

Sign – Building Identification

A sign which identifies the name of a building. It is generally centered near the top of the building wall or parapet. (ZC2000-74; Ordinance No. 2000-11-23)

Sign - Canopy

Any sign erected on top of or flush against the face of a canopy. (ZC2013-21; Ordinance No. 2014-1-9)

Sign – Directional

Any onsite sign to direct the public to entrances, exits, and services relating to the property.

Sign – Directory

Any sign listing occupants within shopping centers, industrial sites, retail districts, office districts, and commercial sites.

Sign – Electronic

A variable message sign that utilizes computer-generated messages or some other electronic means of changing copy. (ZC33-21; Ordinance No. 2014-1-9)

Sign – Freestanding

An onsite sign or three-dimensional representation of a figure or object not attached to any building, supported by uprights, braces, or some other approved support, which is capable of withstanding the stress from weight and wind load.

Sign – General Business

Any sign used to identify a business, profession, service, product, or activity conducted, sold, or offered on the premises where such sign is located.

Sign – Hanging

A sign that is suspended from the underside of an awning, canopy, or floor overhang. (ZC2000-74; Ordinance No. 2000-11-23)

Sign – Historic

A sign that is 40 years old or older, is itself of historic significance, or contributes to the historic fabric of the area, including signs that are historically linked with the operation of the business (i.e. a barber pole). (ZC2000-74; Ordinance No. 2000-11-23)

Sign – Identification

Any onsite sign which is used to identify shopping centers, industrial sites, retail districts, and commercial sites.

Sign – Incidental

Any sign containing information incidental to the operation of the business, such as, but not limited to, hours of operation, accepted credit cards, and parking information.

Sign – Institution

A sign used to identify schools, religious facilities, hospitals, childcare facilities, and similar public or quasi-public institutions. (ZC2010-06; Ordinance No. 2010-8-7)

Sign – Light Pole Banner

A sign, attached to a light pole standard that is made of cloth, vinyl, metal, or other material manufactured for sign use. (ZC2009-04; Ordinance No. 2009-5-15)

Sign – Marquee

A sign attached to, applied on, or supported by a marquee. A marquee is a permanent canopy projecting over the main entrance of a building.

Sign – Menu Board

Any onsite sign displaying the items offered at a drive-in or drive-through restaurant.

Sign – Monument

Any sign mounted to a solid base support at ground level.

Sign – Multipurpose

Any identification sign combined with either of the following:

- A directory sign.
- A reader board sign.

Sign – Municipal Marketing

A sign located on city property that is permitted pursuant to a Marketing Partnership Agreement between the City of Plano and a sponsor, donor, or partner pursuant to the City of Plano Marketing Partnership Policy, Section 140.000 of the City of Plano Policies and Procedures as the same may be amended from time to time. Municipal marketing signs shall comply with Sec. [22.300](#) (Design and Construction Specifications). (ZC2011-38; Ordinance No. 2012-1-3)

Sign – Multistory Office Wall

Any sign on a building with 2 or more stories for office use in which the tenant has no direct outside entrance from the tenant space. (ZC2006-06; Ordinance No. 2006-9-16)

Sign – Municipally-owned

Any sign that identifies a park, entrance to the city, place of interest within the city, any city-sponsored event, or any municipally-owned facility. A municipally-owned sign does not include traffic or street identification signs.

Sign – Mural

A picture painted directly onto or applied to an exterior wall which does not contain logos or names of any business entity. (ZC2009-04; Ordinance No. 2009-5-15)

Sign – Noncommercial

Any sign used for a noncommercial purpose.

Sign – Obsolete

Any sign which no longer serves a bona fide use or purpose.

Sign – Occupational

Any sign denoting the name and profession of an occupant in a commercial building or public institutional building.

Sign – Pole

Any sign, which is erected on a vertical framework consisting of one or more uprights supported by the ground.

Sign – Projecting

Any sign, except an awning, which projects perpendicularly from a building and which has one end attached to a building or other permanent structure.

Sign – Reader Board/Electronic Message Center

A variable message sign that utilizes computer/generated messages or some other electronic means of changing copy. (ZC2009-04; Ordinance No. 2009-5-15)

Sign – Retaining Wall

Any onsite sign attached to a retaining wall. (ZC2013-12; Ordinance No. 2013-8-16)

Sign – Roof

Any sign erected upon or above a roof of a building or structure.

Sign – Sandwich Board

See Sign, A-frame.

Sign – Special Event

Signage allowed in conjunction with a Special Event Permit.

Sign - Subdivision Entry

Any onsite freestanding sign identifying a residential subdivision.

Sign – Subdivision Wall Plaque

Any onsite sign attached to an approved masonry screening wall or entry feature in a subdivision.

Sign – Temporary

Any sign used to display information relating to a land use or event of limited duration which is not rigidly and permanently installed in the ground or attached to a building. Temporary signs are regulated by Article XII, Chapter 6, of the City of Plano Code of Ordinances.

Sign – Unified-lot

Any sign located on a premise consisting of 2 or more contiguous lots that the owner(s) has agreed to treat as one lot for the limited purpose of providing shared signage. (ZC2010-17; Ordinance No. 10-11-5)

Sign – V-shape

Any freestanding sign constructed of 2 panels in the form of a V, when seen from above, with a maximum angle between the panels of 45 degrees.

Sign – Wall

Any sign, erected flush against an exterior wall, supported by the wall, and having the sign face parallel to the wall or painted directly onto a wall. Neon tubing attached directly to a wall surface shall be considered a ‘wall sign’ when forming a border for the subject matter, when directing attention to the subject matter, or when forming letters, logos, or pictorial designs.

Sign – Window

Any sign, banner, poster, or display located on the internal or external surface of the window of any establishment for the purpose of advertising services, products, or sales available within such establishment or which announces the opening of such establishment.

Sign Setback

The horizontal distance between a sign and the front or side property line, as measured from that part of the sign, including its extremities and supports nearest to any point on any imaginary vertical plane projecting vertically from the front or side property line.

Vehicle Service Canopy

A covered structure which shelters a vehicle service use (such as a gas pump island or car wash) and is supported by either one or more columns or by the building to which it is an accessory and is open on 2 or more sides.

Wall

Any exterior surface of a structure that has a slope of 60 degrees or more.

22.300 Design and Construction Specifications

.1 Requirements for Wall Signs

A. Projecting Signs

- i. The horizontal portion of any projecting sign shall not be more than 6 feet in length measured from the building face and shall not be closer than 2 feet from the back of the curb line.
- ii. The height of the sign shall not exceed 4 feet. Such signs shall be an integral part of the architectural design of the building. Vertical clearance shall be subject to the requirements in Sec. [22.300.1D](#).

B. Wall Signs

- i. Wall signs shall not exceed 40 square feet or the product of 2 times the lineal footage of the wall area available to such signs or store frontage for which such signs are intended, whichever is greater. Such signs may be located on the face of the building in either a horizontal or vertical direction. The direction of a sign positioned at an angle shall be determined based on the degree of angle from the horizontal or vertical position. If the angle between the horizontal and the sign is 45 degrees or less, the sign shall be considered as a horizontal sign. If the angle between the horizontal and the sign is greater than 45 degrees, the sign shall be considered as a vertical sign.

- ii. The height of a horizontal wall sign shall not exceed 6 feet. The height shall be measured perpendicularly from the horizontal. The width of a vertical wall sign shall not exceed 6 feet. The width shall be measured perpendicularly from the vertical. The sizing of wall signs shall be calculated by determining an overall sign allowance for the entire building. Wall signs shall not exceed 2 times the linear width and 75% of coverage area of each elevation. Wall signs are allowed to project a maximum of 4 feet above the wall or a parapet to which they are attached. Wall signs shall be limited to the following categories: Apartment, Contractor, General Business, Identification, and Institution signs. (Exception: A wall sign may exceed the 6-foot height or width limit as follows: in the case of a horizontal sign, for every one inch of sign height exceeding 6 feet, the allowable width of the sign shall be reduced by 1%; in the case of a vertical sign, for every one inch of the sign width exceeding 6 feet, the allowable height of the sign shall be reduced by 1%.) (ZC2009-04 & ZC05-53; Ordinance Nos. 2009-6-15 & 2006-2-30)
- iii. In the case where 2 or more wall signs are installed in a single wall area, the gross surface area may not exceed 2 times the lineal width of the wall area available to such signs. Such signs shall not be arranged as to have a vertical height of more than 6 feet, except as noted in Sec. [22.300.1B.ii](#). The combination of the sign widths, when placed side by side, shall not exceed 75% of the width of the wall available to such signs, except as noted in Sec. [22.300.1B.ii](#).
- iv. Wall signs may be illuminated; however, illuminated wall signs on rear building facades shall be prohibited unless facing a nonresidential zoning district. (ZC2009-04; Ordinance No. 2009-6-15)
- v. A wall sign shall not project more than 30 inches from the wall surface. (ZC2009-04; Ordinance No. 2009-6-15)
- vi. Wall signs shall not be electronic sign type. (ZC2013-21; Ordinance No. 2014-1-9)

C. Multistory Office (MSO) Wall Signs
(ZC2006-06; Ordinance No. 2006-9-16)

- i. Multistory office wall signs shall not be required to be placed above a tenant's lease space.
- ii. A multistory office wall sign shall not exceed 250 square feet.
- iii. Multistory office wall signs shall be limited to 3 signs per elevation. This provision does not apply to the ground floor. (ZC2009-04; Ordinance No. 2009-6-15)
- iv. Such signs may be located on the face of the building in either a horizontal or vertical direction. The direction of a sign positioned at an angle shall be determined based on the degree of angle from the horizontal or vertical position. If the angle between the horizontal and the sign is 45 degrees or less, the sign shall be considered as a horizontal sign. If the angle between the

horizontal and the sign is greater than 45 degrees, the sign shall be considered as a vertical sign.

- v. The height of a horizontal MSO wall sign shall not exceed 6 feet. The height shall be measured perpendicularly from the horizontal. The width of a vertical MSO wall sign shall not exceed 6 feet. The width shall be measured perpendicularly from the vertical. MSO wall signs shall not exceed 75% of the width or the height of the available building elevation based on the placement of the sign. Vertical clearance shall be subject to the requirements in Sec. [22.300.1D](#). MSO wall signs shall not extend above the wall to which they are attached. Exception - An MSO wall sign may exceed the 6-foot height or width limit as follows: In the case of a horizontal sign, for every one inch of sign height exceeding 6 feet, the allowable width of the sign shall be reduced by 1%; in the case of a vertical sign, for every one inch of the sign width exceeding 6 feet, the allowable height of the sign shall be reduced by 1%.
- vi. The combination of MSO wall sign areas shall not exceed the product of 2 times the lineal footage of the designated building elevation. Such signs shall not be arranged as to have a vertical height of more than 6 feet, except as noted in Sec. [22.300.1C.v](#). The combination of the sign widths, when placed side by side, shall not exceed 75% of the width of the wall elevation available to such signs.
- vii. MSO wall signs may be illuminated only on building facades facing a nonresidential zoning district.
- viii. An MSO wall sign shall not project more than 12 inches from the wall surface.
- ix. Ground floor tenants in a multistory office shall have signage regulated by Sec. [22.300.1B](#) for general business wall signs. (ZC2009-04; Ordinance No. 2009-6-15)

D. Projection over Private Property

Projections other than awning or canopy signs over private property shall be allowed over pedestrian sidewalks, walkways, and corridors but not to exceed the following:

Vertical Clearance	Maximum Projection
Less than 7 feet	3 inches
7 feet to 8 feet	12 inches
Over 8 feet	6 feet

(ZC13-21; Ordinance No. 2014-1-9)

E. Awning Signs

The copy/artwork on an awning shall not exceed the area and size that is allowed for a wall sign on the wall to which it is attached. The total area of wall signs and awning signs on any wall shall not exceed the area and size allowed for a single wall sign. (ZC2017-021; Ord. No. 2017-10-10)

F. Vehicle Service Canopy Signs

A canopy sign may be placed on or be an integral part of the face of a canopy. The sign may consist of only the name and/or logo of the business at the location of the canopy and shall not exceed 25 square feet or 10% of the face of the canopy of

which it is a part of or to which it is attached, whichever is greater. An illuminated stripe may be incorporated into a canopy. The stripe may extend along the entire length of the face of the canopy. The width or thickness of the stripe shall be limited to one-third of the vertical dimension of the face of the canopy. The internal illumination of a canopy is limited to the portions of the canopy face on which a sign or stripe is permitted.

G. Subdivision Wall Signs or Plaques

Subdivision wall signs or plaques are limited to residential zoning districts and shall not exceed 30 square feet. Subdivision wall signs or plaques are limited to 2 per subdivision entry and may be illuminated by means of spotlighting only. Subdivision wall signs or plaques shall only be attached to an approved masonry screening wall or entry feature. The homeowners association or developer must enter into a maintenance agreement with the City of Plano Planning Department. Subdivision wall signs or plaques shall only be allowed in the absence of a freestanding subdivision entry sign.

H. Window Signs

Window signs are permitted. The total area of all window signs on any given elevation of a building may not exceed 25% of the window area of that elevation.

I. Occupational Signs

Occupational signs shall not exceed 2 square feet in area and shall denote only the name and profession of an occupant in a commercial building or public institutional building.

J. Murals

(ZC2004-24; Ordinance No. 2004-8-21)

- i. Murals shall be reviewed and approved by the Building Official for compliance with the definition of a mural and other applicable local, state, and federal laws.
- ii. Murals denied by the Building Official shall be subject to review pursuant to Sec. [22.100.9](#).

K. Canopy Signs

(ZC2013-21; Ordinance No. 2014-1-9)

- i. Canopy signs may be placed on top of or may be attached to the face of a canopy.
- ii. The combined total area of wall signs and canopy signs on any wall shall not exceed the area and size allowed for a single wall sign. *(ZC2017-021; Ord. No. 2017-10-10)*

.2 Freestanding Signs

A. Agricultural Signs

Agricultural signs, limited to advertising produce, crops, or animals on a farm, may be erected in any Agricultural zoning district and shall not exceed 50 square feet. Maximum height of an agricultural sign shall be 15 feet with a required setback of 30 feet from the front and side property lines. Spacing between signs shall be a minimum of 200 feet.

B. Apartment Signs

Apartment signs may be erected in any residential zoning district and shall not exceed 25 square feet. Maximum height of an apartment sign shall be 10 feet for a monument sign and 12 feet for a pole sign with a required setback of 15 feet from the front property line. Apartment signs are limited to one per street front.

C. General Business Signs

- i. General business signs may be erected in nonresidential zoning districts and shall not exceed 90 square feet for monument signs and 60 square feet for pole signs, except for signs on property fronting on U.S. Highway 75, in which case the sign may be 100 square feet. Maximum height of a general business sign shall be 10 feet for a monument sign and 20 feet for pole signs, except for signs located on property fronting on U.S. Highway 75, in which case a height of 40 feet is permitted. Required setback shall be 8 feet from the front property line (or any property line adjacent to a street) and shall be located a minimum of 30 feet from adjoining private property lines and a minimum of 60 feet from any other freestanding sign, except directional signs. *(ZC2009-04; Ordinance No. 2009-6-15)*
- ii. Single tenant properties shall be limited to one freestanding sign per street front.
- iii. General business signs shall be constructed of materials that are not subject to deterioration when exposed to the weather. Internally-illuminated general business signs must be constructed of noncombustible material or approved plastics.
- iv. General business signs may be retaining wall signs in accordance with Sec. [22.300.2M](#).

D. Identification Signs

- i. An identification sign may be erected in nonresidential zoning districts and shall not exceed 150 square feet for monument signs and 100 square feet for pole signs. Maximum height of an identification sign shall be 10 feet for a monument sign and 20 feet for pole signs, except for signs located on property fronting on U.S. Highway 75, in which case a height of 40 feet is permitted. Required setback shall be 8 feet from the front property line (or any property line adjacent to a street) and 30 feet from adjoining private property line, and the sign shall be located a minimum of 60 feet from any other freestanding sign, except directional signs. *(ZC2009-04; Ordinance No. 2009-6-15)*
- ii. Identification signs shall be limited to one sign per street front per development.
- iii. Identification signs shall be constructed of materials that are not subject to deterioration when exposed to the weather. Such signs, when internally illuminated, must be constructed of noncombustible materials or approved plastics.
- iv. Identification signs may be retaining wall signs in accordance with Sec. [22.300.2M](#).

E. Institution Signs

Institution signs erected in residential zoning districts shall not exceed 32 square feet with a maximum height of 10 feet. Institution signs erected in nonresidential zoning districts shall comply with the requirements of a general business sign. Required setback shall be 8 feet from the front property line (or any property line adjacent to a street) and 30 feet from any adjoining property line. Institution signs are limited to one per street front.

F. Multipurpose Signs

- i. The total area of multipurpose pole signs shall not exceed 150 square feet. In the case of multipurpose monument signs, the maximum overall area shall be 225 square feet; however, the copy area shall be limited to 150 square feet leaving a base area of 75 square feet.
- ii. The identification portion of multipurpose signs shall not exceed 50 square feet. Any combination of directory and electronic signs shall not exceed 100 square feet. (*ZC2013-21; Ordinance No. 2014-1-9*).
- iii. Multipurpose signs may be erected in nonresidential zoning districts.
- iv. Maximum height shall be 10 feet for multipurpose monument signs and 20 feet for multipurpose pole signs, except for signs located on property fronting on U.S. Highway 75, in which case a height of 40 feet is permitted.
- v. Required setback for multipurpose signs shall be 30 feet from front and adjoining private property lines. Multipurpose signs are limited to one per street front per development and a minimum spacing of 60 feet from any other freestanding sign, except directional signs, must be maintained. Multipurpose signs that meet the size and height requirements of a general business sign shall be allowed an 8-foot front setback. (*ZC2009-04; Ordinance No. 2009-6-15*)
- vi. Multipurpose signs shall be constructed of materials not subject to deterioration when exposed to the weather and when internally illuminated must be constructed of noncombustible materials or approved plastics.

G. Municipally-owned Signs

Municipally-owned signs may be erected in any zoning district and if exceeding 100 square feet shall be reviewed by the Board of Adjustment for specific approval. Municipally-owned signs shall not be placed in any sight visibility triangle and shall be located at least 25 feet from any privately-owned parcel of land. Maximum height of monument styled municipally-owned signs shall not exceed 10 feet and pole signs shall not exceed 20 feet in overall height.

H. Subdivision Entry Signs

Subdivision entry signs may be erected in residential zoning districts and shall not exceed 30 square feet with a maximum height of 2.5 feet. Required setback shall be 3 feet from the front property line, and signs are limited to 2 per subdivision entryway. Freestanding subdivision entry signs shall only be allowed in the absence of subdivision wall signs or plaques. The homeowners association or developer shall enter into a maintenance agreement with the City of Plano Planning Department.

I. Onsite Directional Signs

(ZC2009-04; Ordinance No. 2009-6-15)

- i. Onsite directional signs shall not exceed 8 square feet and 30 inches in height and shall not contain advertising.
- ii. Directional signs shall be located a minimum of 30 feet from other freestanding signs, including other directional signs.
- iii. Sign provisions specifically addressed by State or Federal government regulations which are in conflict with local sign ordinance shall be exempt from local sign ordinance regulations.

J. Menu Board Signs

Menu board signs may be erected in nonresidential zoning districts and shall not exceed 50 square feet with a maximum height of 6 feet. Required setback shall be a minimum of 8 feet from any property line and shall be a minimum of 10 feet from any other menu board sign. *(ZC2013-21; Ordinance 2014-1-9)*

K. Unified-lot Signs

(ZC2010-17; Ordinance No. 2010-11-5)

- i. Unified-lot signs may be erected in nonresidential zoning districts and shall comply with restrictions for freestanding signs in Sec. 22.300.
- ii. Unified-lot sign may be placed on, a premise consisting of two or more contiguous lots where each lot owner has entered into a binding agreement to treat their separate lots as one lot for the limited purpose of signage. The agreement shall contain a legal description of the properties subject to the agreement; the agreement is a covenant running with the land to be filed and made a part of the Deed Records of Collin or Denton County, Texas; and that the agreement cannot be amended or terminated without the consent of the Building Official. A unified-lot sign agreement shall not be effective until a true and correct copy of the approved agreement is filed in the Deed Records of the applicable county and a file-marked copy is filed with the Building Official.

L. Directory Signs

(ZC2009-04; Ordinance No. 2009-6-15)

- i. Directory signs shall not exceed 40 square feet.
- ii. Directory signs shall not exceed 15 feet in height, measured from grade.
- iii. For multiple-sided signs, the gross surface area of each side shall not exceed 2 times the allowable square footage divided by the number of sign faces.
- iv. All accessibility and visibility requirements must be met for public sidewalks and streets.
- v. Directory signs shall be located a minimum of 60 feet from any other freestanding sign, except directional signs.
- vi. Changes to tenant names/locations on an existing permitted directory sign shall not require a permit.

- vii. Any directory sign shall be located within the established build line for that property.
- viii. Directory signs shall be used only to provide way finding information to tenants within a property.

M. Retaining Wall Signs

(ZC2013-12; Ordinance No. 2013-8-16)

- i. Retaining wall sign copy area shall not exceed 70 square feet.
- ii. Retaining wall sign copy area shall not exceed 8 feet in height.
- iii. Retaining wall signs shall be exempt from any setback from the front property line (or any property line adjacent to a street). A setback of 30 feet shall be required from any adjoining private property lines and a minimum of 60 feet from any other freestanding sign.
- iv. Retaining wall signs shall not project more than 12 inches from the wall surface, and shall not project into public right-of-way or across a property line.
- v. The sign copy shall not extend beyond the edges of the retaining wall.
- vi. Retaining wall signs shall be constructed of materials that are not subject to deterioration when exposed to the weather and must be constructed of noncombustible materials. Plastic construction materials shall not be permitted.
- vii. Retaining wall signs shall be lit by external illumination only.
- viii. Retaining wall signs shall not be electronic sign type. *(ZC2013-21; Ordinance No. 2014-1-9)*

.3 Miscellaneous Requirements for Freestanding Signs

- A. Freestanding signs shall not be placed in any sight visibility triangle.
- B. In the case of a multi-face sign, the gross surface area of each face shall not exceed 2 times the allowable square footage divided by the number of sign faces.
- C. No sign shall be located within any easement unless a hold harmless agreement has been obtained from the easement holder.
- D. Any projecting or overhanging portion of a freestanding sign must be a minimum of 10 feet above any walking surface and 14 feet above any driving surface.
- E. No advertising matter shall be displayed on or attached to any freestanding sign. No guys, braces, attachments, banners, flags, balloons, or similar devices shall be attached to any sign.
- F. Freestanding signs shall be protected by wheel or bumper guards when required by the Building Official.
- G. Minimum 5-foot radius required around a fire hydrant.
- H. Unless otherwise set forth, a minimum of 60 feet shall be required between all freestanding signs, except directional signs. *(ZC2009-04; Ordinance No. 2009-6-15)*

- I. Unless otherwise set forth, all freestanding signs shall provide a minimum 8-foot setback from any property line.
- J. Signs that have a base or pole that exceeds 50% of the total width of the sign shall be classified as a monument sign.
- K. When the minimum building line setback is less than the minimum sign setback, the minimum building line shall apply to any freestanding sign, including temporary signs.
- L. No single tenant shall be allowed to advertise on more than one sign per street front, excluding a listing on directory signs. *(ZC2009-04; Ordinance No. 2009-6-15)*

.4 Illumination

(ZC2013-21; Ordinance No. 2014-1-9 and ZC05-53; Ordinance No. 2006-2-30)

- A. A sign in a residential district, where allowed by this ordinance, may be illuminated. Any illumination shall be located so as not to produce intense glare or direct illumination across the bounding property line. Internal illumination shall not exceed 40 watts per every 25 square feet or any portion thereof, except for electronic signs which may not exceed 0.3 footcandles above ambient light conditions as measured at any point along the property line.
- B. No lighted sign shall be erected within 150 feet of a residential district as measured from the location of the sign nearest to the property line of each neighboring lot unless it meets the illumination criteria listed above.
- C. All illumination shall comply with the City of Plano illumination ordinance.

.5 Wind Pressure and Dead Load Requirements

All signs shall be designed and constructed to receive wind loads as required by the Building Code of the City of Plano.

.6 Electronic Sign

(ZC2013-21; Ordinance No. 2014-1-9)

- A. Any electronic sign shall not exceed the allowable square footage for its specific sign type.
- B. Any electronic sign shall be allowed to change the copy every 8 seconds.
- C. Electronic signs shall be equipped with an automatic dimmer device and shall be programmed to automatically dim the electronic sign to a maximum illumination of no more than 0.3 footcandles above ambient light conditions as measured at any point along the property line.
- D. No electronic sign shall display animated messages including flashing, blinking, fading, rolling, shading, dissolving, or any other effect that gives the appearance of movement.

.7 Light Pole Banners

(ZC2011-38; Ordinance No. 2012-1-3)(ZC2009-04; Ordinance No. 2009-6-15)

- A. Two banner maximum per light pole standard.

- B. Banners on light pole standards shall be securely attached at both ends, perpendicular or parallel to light pole standards.
- C. Each banner shall be limited to 15.5 square feet.
- D. Banners are allowed to be attached on up to 50% of the existing light pole standards within a property.
- E. Banners on light pole standards shall be limited to noncommercial messages, except for municipal marketing signs.
- F. Light pole banners shall be allowed within parking lots in both residential and nonresidential zoning districts.

22.400 General

.1 Overlay Districts/Planned Developments/Heritage Resource District

Signs within an overlay district, planned development, Heritage Resource District shall be regulated by the ordinance regulating signs located within the relevant district. (ZC2014-12; Ordinance No. 2014-7-12).

.2 Preserving Rights and Violations under Existing Ordinances

By the passage of this ordinance, no presently illegal use of signs shall be deemed to have been legalized, and no offense committed, and no liability, penalty, or forfeiture, either civil or criminal, incurred prior to the time this ordinance is adopted, shall be discharged or affected by such repeal; but prosecutions and suits for such offenses, liabilities, penalties, or forfeitures may be instituted or caused presently pending proceeded with, in all respects as if such prior ordinance or portion of such ordinance, had not been repealed.

.3 Prohibited Signs

Except as otherwise expressly allowed by this ordinance or as otherwise expressly allowed by Article XII, Chapter 6, of the City of Plano Code of Ordinances, the following signs and conditions are prohibited: (ZC2011-38; Ordinance No. 2012-1-3; ZC05-53; Ordinance No. 2006-2-30)

- A. Signs displaying materials determined to be obscene by a court of law or prohibited by law, subject to the appeal and judicial review proceedings provided for in Sec. [22.100.9D](#). (ZC2004-24; Ordinance No. 2004-8-21)
- B. Signs placed in any location which by reason of their location will obstruct the view of any authorized traffic sign, signal, or other traffic control device by vehicular or pedestrian traffic. No sign shall be erected which, by reason of shape, color, size, design, or position, would be reasonably likely to create confusion with, to be confused as, or to interfere with any traffic signal or device which is authorized by the appropriate state or local governmental authorities. Further, no sign shall be placed in a location that will obstruct vision of a vehicle operator while entering, exiting, or traveling upon the public right-of-way.
- C. Signs placed so as to prevent or inhibit free ingress to or egress from any door, window, or any exit way required by the Building Code of the City of Plano or by Fire Department regulations.
- D. A-frame and sandwich board signs. (ZC05-53; Ordinance No. 2006-2-30)

- E. Signs that are animated by any means not providing constant illumination, except time and temperature units. Signs which rotate or emit audible sound or visible matter. No sign shall be illuminated to such intensity or in such a manner so as to cause a glare or brightness to a degree that it constitutes a hazard or nuisance to vehicular traffic, pedestrians, or adjacent properties.
 - F. Signs located on public property including, but not limited to, signs attached to any public utility pole or structure, street light, tree, fence, fire hydrant, bridge, curb, sidewalk, park bench, or other location on public property unless the same is a sign for a city-sponsored event or message or a municipal marketing sign. (ZC2011-38; Ordinance No. 2012-1-3)
 - G. Roof signs. (ZC05-53; Ordinance No. 2006-2-30)
 - H. Amenity signs. (ZC05-53; Ordinance No. 2006-2-30)
 - I. Billboard signs.
 - J. Signs attached to a standpipe or fire escape.
 - K. Signs erected on or over public property or in the right-of-way of any thoroughfare within the city of Plano, unless the same is erected by the city or with the permission of the city for public purposes. (Exception: Signs located in the Downtown Business/Government district may be erected over the public sidewalk provided the sign projects no more than the width of the sidewalk minus one foot and provided the clearance between the bottom of the sign and the sidewalk below is a minimum of 7 feet.)
 - L. No person shall attach any sign, paper, or other material, or paint, stencil, or write any name, number (except house numbers), or otherwise mark on any sidewalk, curb, gutter, street, utility pole, government facility, or structure, except as otherwise allowed by this ordinance. (ZC2021-011; Ord. No. 2021-7-6)
 - M. No person shall place on or suspend from any building, light fixture, pole structure, sidewalk, parkway, driveway, or parking area any goods, wares, merchandise, or other advertising object or structure for the purpose of advertising such items other than a sign, as defined, regulated, and prescribed by this ordinance, except as otherwise allowed by this ordinance.
 - N. It shall be unlawful for any person to place or cause to be placed any private temporary directional sign within the city of Plano on any public right-of-way of any public street, except local streets (Type G). The Building Official may impound all signs in violation of this article. (ZC2023-002; Ordinance No. 2023-9-13)
 - O. Searchlights.
 - P. Offsite/Premise signs (unless otherwise expressly allowed by this ordinance). See Sec. [22.300.2K](#).
- .4 Violations**
- A. A person is responsible for a violation of this ordinance if the person is: (1) the permit holder, owner, agent, or person having the beneficial use of the sign, (2) the

owner of the land or structure on which the sign is located, or (3) the person in charge of erecting the sign.

- B. It shall be unlawful for any person to erect, replace, alter, or relocate any sign within the city of Plano, or cause the same to be done, without first obtaining a permit to do so from the Building Official of the City of Plano, except as may be hereinafter provided.
- C. It shall be unlawful for any person to use, maintain, or otherwise allow the continued existence of any sign for which the required permit was not obtained.
- D. It shall be unlawful for any person to install, construct, or display a prohibited sign, as defined herein, or any sign in violation of the provisions of this ordinance within the city of Plano.
- E. It shall be unlawful for any person to violate any term or provision of this ordinance.

.5 Illegal Signs

Illegal signs are those which do not meet the requirements of this ordinance and which have not received nonconforming status.

.6 Nonconforming Signs

A. Legal Nonconforming Uses

Subject to the provisions of this article, signs for a legal nonconforming use, as defined in the Comprehensive Zoning Ordinance of the City of Plano, are allowed. Any such sign legally existing on the effective date of this ordinance but which does not comply with the regulations of this ordinance, shall be deemed to be a nonconforming sign under the provisions of this ordinance and shall be subject to alteration or removal in accordance with the provisions of this ordinance.

B. Moving, Relocating, or Altering of Signs

No nonconforming sign shall be moved, altered, dismantled, removed and reinstalled, or replaced unless it is brought into compliance with the requirements of this ordinance.

C. Change in Use or Occupant of Structure

Any nonconforming general business sign may continue to be utilized as long as the occupant within the structure remains the same. When a use changes, or when there is a change in occupant, all signs serving that occupant shall be brought into conformance with the provisions of this section. (ZC2013-21; Ordinance No. 2014-1-9)

D. Destroyed Signs

A sign or a substantial part of the sign is considered to have been destroyed if the cost of repairing the sign is more than 60% of the cost of erecting a new sign of the same type at the same location. A nonconforming sign that is destroyed must be removed. Sec. [22.400.7](#) applies to a nonconforming sign that is not destroyed but has become dilapidated or deteriorated, except that any repairs to the nonconforming sign shall not alter the size, materials, or function of the sign.

.7 Maintenance of Signs

A. Maintenance

Each sign shall be maintained in a safe, presentable, and good condition, including the replacement of defective parts and other acts required for the maintenance of such sign, without altering the basic copy, design, or structure of the sign. The Building Official shall require compliance or removal of any sign determined by the Building Official to be in violation of this article in accordance with the enforcement provisions set forth below.

B. Dilapidated or Deteriorated Signs

No person shall keep or permit to be kept on any premises owned or controlled by him or her any sign which is in a dilapidated or deteriorated condition as defined herein. Upon notice of violation, any such sign shall be promptly removed or repaired by the owner of the sign or the owner of the premises upon which the sign is located in accordance with the enforcement provisions set forth in Sec. [22.400.8](#). A nonconforming sign that has been destroyed as defined herein is not dilapidated or deteriorated, and shall not be repaired.

.8 Enforcement

A. Authority

- i. The Building Official, or his respective designee(s), any peace officer, and any code enforcement officer is hereby authorized to issue a citation and to order the repair or removal of any dilapidated, deteriorated, abandoned, illegal, obsolete, or prohibited signs from property within the corporate city limits of Plano, in accordance with the enforcement mechanisms set forth in this section. (*ZC2013-21; Ordinance No. 2014-1-9 and ZC2004-24; Ordinance No. 2004-8-21*)
- ii. Any abandoned sign shall be removed from the premises within 30 calendar days of receiving notice of violation. The sign shall be removed by the owner, occupant, or person in control of the property on which the sign is located. (*ZC2013-21; Ordinance No. 2014-1-9*)

B. Notice of Violation

When the Building Official, or designee, determines that a dilapidated, deteriorated, illegal, prohibited, or abandoned sign located on private property within the corporate city limits of Plano requires removal by the city, they shall issue a notice of violation to the owner of the sign or to the owner, occupant, or person in control of the property on which the sign is located, except when the sign poses an immediate or imminent threat to public safety because of the condition of the sign, in which case it may be removed without notice. (*ZC2004-24; Ordinance No. 2004-8-21*)

i. Contents of Notice of Violation

The notice of violation shall contain:

- a. Name of the owner, occupant, manager, or other person in control of the property.

- b. Street address sufficient to identify the property on which the alleged violation occurred.
- c. Description of alleged violation and reference to the portion of this article that has been violated.
- d. Statement of the action required to correct the violation and a deadline for completing the corrective action.
- e. Statement that failure to take the corrective action within the time specified may result in (1) a criminal penalty not exceeding \$2,000 per day for each violation and (2) the city filing a civil action against owner seeking injunctive relief and/or civil penalties up to \$1,000 per day for each violation. (ZC05-53; Ordinance No. 2006-2-30)
- f. Statement informing recipient of their right to appeal the decision of the Building Official to the Board of Adjustment in accordance with [Article 5](#).

ii. Service of Notice of Violation

(ZC2004-24; Ordinance No. 2004-8-21)

The Building Official, or his designee, shall serve a written notice of violation on the owner of the sign or the owner, occupant, or person in control of the property on which the sign is located for sign violations on private property within the corporate limits of the city of Plano. The notice of violation should be served by either hand delivery or by certified mail, return receipt requested. Service by certified mail shall be effective 3 days after the date of mailing.

iii. Notice Not Prerequisite to Issuance/Enforcement of Citation

(ZC2004-24; Ordinance No. 2004-8-21)

Citations shall be issued and enforced pursuant to this article independent of any required notice provisions. It shall not be a prerequisite to enforcement of any citation issued pursuant to this article that notice of violation was served on any party.

iv. Notice Not Required

(ZC2004-24; Ordinance No. 2004-8-21)

Notice of violation shall not be required under this article if a sign is placed in or upon any public or city-owned property. Signs placed on public or city-owned property within the corporate limits of the city of Plano in violation of the law may be removed and disposed of immediately without notice to interested parties. Notice of violation shall not be required in an emergency situation for which the threat to public safety is imminent and immediate.

C. Enforcement Remedies

i. Criminal Penalties

Any person, firm, or corporation violating any of the provisions or terms of this article shall be deemed guilty of a misdemeanor, and upon conviction thereof, be subject to a fine not exceeding \$2,000 for each offense, and each

and every day or portion thereof that such violation shall continue shall constitute a separate offense.

ii. Civil Remedies

The city may file a civil action to enforce the requirements of this ordinance pursuant to any applicable law. (ZC2004-24; Ordinance No. 2004-8-21)

iii. Emergency Removal of Sign

The city may remove a sign which the Building Official finds to be an immediate and imminent threat to the public safety because of its dilapidated, deteriorated, or structural condition. The notice of violation provisions found in this article shall not apply to emergency removal of a sign. (ZC2004-24; Ordinance No. 2004-8-21)

iv. Remedies Cumulative

All remedies authorized under this article are cumulative of all others unless otherwise expressly provided. Accordingly, the filing of a criminal action shall not preclude the pursuit of a civil or administrative action for violation of this article nor shall the filing of a civil action preclude the pursuit of any other action or remedy, administrative or criminal.

22.500 Downtown Sign District

This section was deleted in its entirety. Refer to Sec. [10.800](#). (ZC2014-12; Ordinance No. 2014-7-12)

22.600 Requirements for Freestanding Signs Located within an Overlay District

.1 General Provisions

- A.** All freestanding apartment, general business, identification, institution, and multipurpose signs in an overlay district as set out by the City of Plano Zoning Ordinance shall be monument type except where permitted as a retaining wall sign in Sec. [22.300.2M](#). Except for the Parkway Overlay District, an additional allowance of up to 3 feet in height may be permitted for earthen berms, stone mounds, or other landscape features if part of an approved landscape plan. (ZC2013-12; Ordinance No. 2013-8-16 and ZC2009-04; Ordinance No. 2009-6-15)
- B.** Single tenant properties shall be limited to one freestanding sign per street front.
- C.** Multi-tenant commercial developments shall be limited to the following:
 - i. Multipurpose Signs**
One sign per street front per development.
 - ii. General Business Signs**
One sign per street front of the development or one per 225 feet of street frontage or portion thereof.
 - iii. Directory Signs**
(ZC2009-04; Ordinance No. 2009-6-15)
- D.** No single tenant shall be allowed to advertise on more than one sign per street front, excluding a listing on directory signs. (ZC2009-04; Ordinance No. 2009-6-15)

.2 Preston Road and Parkway Overlay Districts

The following standards shall apply to monument signs located within the Preston Road and Parkway Overlay districts. These signage regulations shall not apply to those lots or tracts partially within the Preston Road Overlay district but adjacent to the Santa Fe Railroad right-of-way and/or S.H. 121 right-of-way if the affected signs are located more than 300 feet from the centerline of Preston Road.

Apartment Signs

Maximum Height	8 feet
Maximum Size	35 square feet

General Business/Institution Signs

Maximum Height	8 feet
Maximum Size	90 square feet

Identification Signs

Maximum Height	8 feet
Maximum Size	125 square feet

Multipurpose Signs

Maximum Height	8 feet
Maximum Size	225 square feet
Maximum Size of Copy Area	Identification - 50 square feet Directory and/or Reader Board- 100 square feet

.3 Dallas North Tollway Overlay District

The following standards shall apply to monument signs located within the Dallas North Tollway Overlay district, except as noted in Sec. [22.600.5](#). These regulations shall not apply to those lots or tracts located fully or partially within the overlay district but adjacent to the State Highway 121 right-of-way if the affected signs are located more than 500 feet from the centerline of the Dallas North Tollway.

Apartment Signs

Maximum Height	8 feet
Maximum Size	35 square feet

General Business/Institution Signs

Maximum Height	8 feet
Maximum Size	90 square feet

Identification Signs

Maximum Height	8 feet
Maximum Size	125 square feet

Multipurpose Signs

Maximum Height	12 feet
Maximum Size	225 square feet
Maximum Size of Copy Area	Identification - 50 square feet Directory and/or Reader Board – 100 square feet

.4 190 Tollway/Plano Parkway and State Highway 121 Overlay Districts

The following standards shall apply to monument signs located within the 190 Tollway/Plano Parkway and State Highway 121 Overlay districts, except as noted in Sec. [22.600.5](#):

Apartment Signs

Maximum Height	10 feet
Maximum Size	35 square feet

General Business/Institution Signs

Maximum Height	12 feet
Maximum Size	90 square feet

Identification Signs

Maximum Height	12 feet
Maximum Size	125 square feet

Multipurpose Signs

Maximum Height	15 feet
Maximum Size	225 square feet
Maximum Size of Copy Area	Identification - 50 square feet Directory and/or Reader Board – 100 square feet

.5 Dallas North Tollway, 190 Tollway/Plano Parkway and State Highway 121 Overlay Districts within 150 Feet of Residential Zoning Districts

For those signs within the Dallas North Tollway, 190 Tollway/Plano Parkway and State Highway 121 Overlay districts within 150 feet of residential zoning districts, the following standards shall apply. These regulations shall not apply to those lots or tracts located fully or partially within the Dallas North Tollway Overlay district but adjacent to the State Highway 121 right-of-way if the affected signs are located more than 500 feet from the centerline of the Dallas North Tollway.

Apartment Signs

Maximum Height	6 feet
Maximum Size	30 square feet

General Business/Institution Signs

Maximum Height	6 feet
Maximum Size	50 square feet

Identification Signs

Maximum Height	6 feet
Maximum Size	70 square feet

Multipurpose Signs

Maximum Height	6 feet
Maximum Size	125 square feet
Maximum Size of Copy Area	Identification - 25 square feet Directory and/or Reader Board - 55 square feet

22.700 Requirements for Freestanding Signs Located within Research/Technology Center

- .1 All freestanding signs shall be monument type. An additional allowance of up to 3 feet in height may be permitted for earthen mounds, stone mounds, or other landscape features if part of an approved landscape plan.
- .2 Except as noted in Sec. [22.700.3](#), the following standards shall apply:

General Business/Institution Signs

Maximum Height	12 feet
Maximum Size	90 square feet

Identification Signs

Maximum Height	12 feet
Maximum Size	125 square feet

Multipurpose Signs

Maximum Height	15 feet
Maximum Size	225 square feet
Maximum Size of Copy Area	Identification - 50 square feet
	Directory and/or Reader Board – 100 square feet

- .3 For freestanding signs located within 150 feet of a residential zoning district, the following standards shall apply:

General Business/Institution Signs

Maximum Height	6 feet
Maximum Size	50 square feet

Identification Signs

Maximum Height	6 feet
Maximum Size	70 square feet

Multipurpose Signs

Maximum Height	6 feet
Maximum Size	125 square feet
Maximum Size of Copy Area	Identification - 25 square feet
	Directory and/or Reader Board - 55 square feet

[Remainder of page intentionally blank]

Article 23 [Reserved]

(ZC2023-012; Ord. No. 2023-8-16)

[page intentionally blank]

Article 24 Performance Standards

24.100 General..... 24-1

24.200 Noise 24-1

24.300 Smoke and Particulate Matter 24-1

24.400 Odorous Matter 24-2

24.500 Fire or Explosive Hazard Material 24-2

24.600 Toxic and Noxious Matter 24-2

24.700 Vibration 24-2

24.100 General

In all zoning districts, any use indicated as a permitted use shall conform in operation, location, and construction to the performance standards hereinafter specified. In the CE, LI-1, and LI-2 districts, in addition to the permitted uses, there shall be permitted any other manufacturing, processing, fabricating, packing, or storage use, except those requiring specific use permits, which conform in operation, location, and construction to the performance standards hereinafter specified for noise, smoke and particulate matter, odorous matter, fire or explosive hazard material, toxic and noxious matter, vibration, and glare.

24.200 Noise

(ZC2017-010; Ord. No. 2017-12-3)

The sound pressure level at the bounding property line of any use shall not exceed the decibel scale limits and timeframes adopted in the Code of Ordinances of the City of Plano, with the exceptions set forth in the Code. Staff may require the applicant to provide an analysis projecting anticipated noise arising from proposed use of the property. Such analysis may be required by staff at the time of application or during review of a plan for development.

24.300 Smoke and Particulate Matter

No operation or use shall cause, create, or allow the emission for more than 3 minutes in any one hour of air contaminants which at the emission point or within the bounds of the property are:

- .1 As dark or darker in shade as that designated as No. 2 on the Ringelmann Chart as published by the United States Bureau of Mines Information Circular 7118.
- .2 Of such opacity as to obscure an observer’s view to a degree equal to or greater than does smoke or contaminants in the standard prescribed in Sec. 24.300.1, except that when the presence of uncombined water is the only reason for failure to comply or when such contaminants are emitted inside a building that prevents their escape into the atmosphere, this standard and the standard in Sec. 24.300.1 shall not apply.
- .3 The emission of particulate matter from all sources shall not exceed 0.5 pounds per acre of property within the plant site per any one hour.
- .4 The open storage and open processing operations, including onsite transportation movements which are the source of wind or airborne dust or other particulate matter; or which involves dust or other particulate air contaminants, generating equipment such as used in paint spraying, grain handling, sand or gravel processing or storage, or

sand blasting shall be so conducted that dust and other particulate matter so generated are not transported across the boundary line of the tract on which the use is located in concentrations exceeding 4 grains per 1,000 cubic feet of air.

24.400 Odorous Matter

- .1 No use shall be located or operated that involves the emission of odorous matter that exceeds the odor threshold at the bounding property line or any point beyond the tract on which the emitting use is located.
- .2 The odor threshold as herein set forth shall be determined by observation by a person or persons. In any case, where uncertainty may arise, or where the operator or owner of an odor emitting use may disagree with the enforcing officer, or where specific measurement of odor concentration is required, the method and procedures specified by American Society for Testing Materials (A.S.T.M.D.) 1391-57 entitled "Standard Method for Measurement of Odor in Atmospheres" shall be used and a copy of A.S.T.M.D. 1391-57 is hereby incorporated by reference.

24.500 Fire or Explosive Hazard Material

- .1 No use involving the manufacture or storage of compounds or products which decompose by detonation shall be permitted except that chlorates, nitrates, per chlorates, phosphorus, and similar substances and compounds in small quantities for use by industry, school laboratories, druggists, or wholesalers may be permitted when approved by the Fire Department.
- .2 The storage and use of all flammable liquids and materials such as pyroxylin plastics, nitrocellulose film, solvents, and petroleum products shall be permitted only when such storage or use conforms to the standards and regulations of the Fire Department.

24.600 Toxic and Noxious Matter

No operation or use shall emit a concentration across the bounding property line of the tract on which such operation or use is located of toxic or noxious matter which will exceed 10% of the concentration (exposure) considered as the threshold limit for an industrial worker as such standards are set forth by the Texas State Department of Health in "Threshold Limit Values Occupational Health Regulation No. 3," a copy of which is hereby incorporated by reference.

24.700 Vibration

No operation or use shall at any time create earth borne vibrations which when measured at the bounding property line of the source operation exceed the limits of displacement set forth in the following table in the frequency ranges specified:

Frequency Cycles per Second	Displacement in Inches
0 to 10	0.0010
10 to 20	0.0008
20 to 30	0.0005
30 to 40	0.0004
40 and over	0.0003

Article 25 Traffic Studies

(ZC2023-002; Ordinance No. 2023-9-13)

25.100 Introduction..... 25-1

25.200 Traffic Studies at Time of Zoning..... 25-1

25.300 Traffic Studies at Time of Site Plan Review..... 25-2

25.100 Introduction

This article establishes requirements and procedures pertaining to traffic studies conducted in association with the city’s development process. These studies are intended to determine the potential traffic impacts of a proposed zoning change or specific development proposal to the city’s roadway network and, where necessary, recommend mitigation strategies to maintain a safe and efficient transportation system. Where public improvements are deemed necessary as a mitigating strategy, cost sharing responsibilities between the City of Plano and the land developer may also be established by the traffic study. Traffic studies shall be conducted as part of the zoning and site plan review processes, with detailed contents and procedures for traffic studies specified in the Street Design Standards. Mitigation recommended by a traffic study may be required as condition(s) of approval as outlined in this article.

25.200 Traffic Studies at Time of Zoning

Traffic studies, done at the time of a zoning change request, are used to determine the traffic loading that the proposed zoning will impose on the planned thoroughfare system. The goal of the study is to determine what transportation improvements may be necessary to maintain a safe and efficient roadway system to be used in consideration of the zoning change request.

.1 Applicability

A Traffic Generation Report is required simultaneous with the zoning petition and amendment process in [Article 4](#), including applications to adopt/amend a change in zoning, Planned Development District, or Specific Use Permit. The Director of Planning may waive the requirement to provide a Traffic Generation Report for any zoning changes that are unlikely to generate additional traffic beyond existing conditions.

.2 Determination of Need for Further Study

Findings of the Traffic Generation Report may result in additional studies required through provision of a Traffic Engineering Assessment, Traffic Impact Analysis, or Regional Traffic Impact Analysis, as stipulated in the Street Design Standards.

.3 Content, Methodology, and Review

Traffic studies shall be provided to the Engineering Department in the manner prescribed by the Director of Engineering and the Street Design Standards.

.4 Mitigation

Traffic studies shall include recommendations to mitigate identified traffic issues. Where mitigation would require approval of a variance or an amendment to the Thoroughfare Plan Map, the applicable procedures for such approvals shall be required separate from the zoning change request.

.5 Effect of Traffic Study

The Planning & Zoning Commission and City Council may use the findings of a traffic study in consideration of a zoning change request, including stipulating mitigation as a condition of approval. As a result of the traffic study, the Planning & Zoning Commission or City Council may also recommend:

- A. Amendment of the Community Investment Program (CIP) to expedite construction of related public improvements.
- B. Changes in intersection design, signal systems, etc., to increase capacity.
- C. Study of the Thoroughfare Plan Map to determine if amendments are necessary to ensure adequate long-term capacity.
- D. Where the identified transportation impacts of the proposed zoning cannot be adequately mitigated, the zoning change may be denied in total or in part.

25.300 Traffic Studies at Time of Site Plan Review

Traffic studies, done at the time of site plan review, are used to determine the immediate impacts of the specific development of known size and use on the existing roadways. The goal is to optimize roadway capacity, access design, traffic control, or other transportation improvements (public or private) necessary to provide safe and efficient access to the thoroughfare system. (Note: For the purposes of this article, “site plan” may be used inclusively for Concept Plans, Preliminary Site Plans, Adopted Development Plans, and Site Plans under [Article 3](#), and “Site Plan” refers to the specific provisions of Sec. [3.400](#).)

.1 Applicability

A Traffic Generation Report is required simultaneous with the application for a concept plan, adopted development plan, or preliminary site plan in [Article 3](#). A Traffic Generation Report may also be required with a site plan where the development is constructed in phases. The Director of Engineering may waive the requirement to provide a Traffic Generation Report for site plan reviews that are unlikely to generate additional traffic beyond existing conditions.

.2 Determination of Need for Further Study

Findings of the Traffic Generation Report may result in additional studies required through provision of a Traffic Engineering Assessment, Traffic Impact Analysis, or Regional Traffic Impact Analysis, as stipulated in the Street Design Standards.

.3 Content, Methodology, and Review

Traffic studies shall be provided to the Engineering Department in the manner prescribed by the Director of Engineering and the Street Design Standards.

.4 Mitigation

Traffic studies shall include recommendations to mitigate identified traffic issues. Where mitigation would require approval of a variance or an amendment to the Thoroughfare Plan Map, the applicable procedures for such approvals shall be required separate from the site plan review.

.5 Effect of Traffic Study

- A. The Planning & Zoning Commission may condition approval of a site plan based upon proposed mitigation. A traffic study may not be used to deny development permitted by zoning.

- B.** As a result of the traffic study, the Planning & Zoning Commission may also recommend:
- i.** Amendment of the Community Investment Program (CIP) to expedite construction of related public improvements.
 - ii.** Changes in intersection design, signal systems, etc., to increase capacity.
 - iii.** Study of the Thoroughfare Plan Map to determine if amendments are necessary to ensure adequate long-term capacity.

[Remainder of page intentionally blank]

[This page intentionally blank]

INDEX

A

Accessory Buildings

- Estate Development District, 9-4
- Front Yard Regulations, 13-4, 13-7
- General Regulations, 13-13
- In Shopping Centers, 13-14
- Mobile Home District, 9-33
- Rear Yard Regulations, 13-9

Accessory Dwelling Units

- In Estate Development District, 9-4

Airport/Heliport

- Allowed Districts, 14-2, 14-4, 14-10, 14-12
- Commercial Employment District, 10-39
- Supplementary Regulations, 15-15

Alleys

- Intersection Visibility, 20-2
- Separation Provided by, 13-7, 13-8

Annexation

- Zoning of Annexed Lands, 1-4

Antenna/Antenna Support Structure

- Allowed Districts, 14-2, 14-10
- General Regulations, 15-3
- Location in Central Business-1 District, 10-35
- Location in Commercial Employment District, 10-38

Appeals

- Board of Adjustment, 5-3
- Denial of Zoning, 4-4
- Site Plan Review, 3-15

Applicability

- of Zoning Regulations, 1-2

Authority

- to Adopt and Enforce Zoning Ordinance, 1-1

B

Backyard Cottages

- General Regulations, 15-24

Board of Adjustment

- Action of the Board, 5-4
- Appeals to the Board, 5-3
- Appointment and Composition, 5-1
- Jurisdiction, 5-1

Building Line

- Definition, 8-3
- Established by Plat, 13-3

Building Permits

- Issuance, 1-4
- Required, 1-4

C

Certificate of Occupancy

- Issuance, 6-1
- Required, 6-1

Compact Car Parking

- General, 16-3
- In Central Business District, 10-35
- In Commercial Employment District, 10-38
- In Downtown Business/Government District, 10-21

Concept Plans

- Extension and Reinstatement, 3-15
- Lapse, 3-5
- Planned Development Districts, 12-3
- Site Plan Review, 3-3

Construction Yards and Temporary Buildings

- Allowed Districts, 14-3, 14-11
- Regulations, 15-14

Curvilinear Streets

- In Residential Districts, 9-8, 9-11, 9-23

D

Day Care Centers

- Allowed Districts, 14-3, 14-11
- Definition, 8-7
- Parking Requirements, 16-10
- Supplementary Regulations, 15-15

Definitions

- General, 8-1
- Residential Adjacency Standards, 21-1
- Signs, 22-7
- Urban Mixed-Use District, 10-12

Denial with Prejudice

- General Requirements, 4-4

Design Standards and Specifications

- Incorporated by reference, 1-3

Drive-Through

- Stacking Requirements, 16-16

Dumpsters

- Placement Standards, 20-4
- Regional Commercial District, 10-41
- Regional Employment District, 10-44
- Research/Technology District, 10-47
- Retail District, 10-6

Duplexes

- General Requirements, 9-22

E

Effective Date

of Zoning Ordinance, 1-2

Enforcement, 1-3, See Violations and Penalties**Expressway Corridor Environmental Health Areas**

Sensitive Land Uses in, 15-25

F

Farmer's Markets

General Requirements, 15-15

Fence Regulations

As Screening Elements, 20-1
For Townhouses In BG District, 10-27
General Regulations, 20-2
In Estate Development District, 9-4
in General Residential District, 9-26
Visibility, 20-1

Floor Area Ratio

Allowed Exceptions, 13-2
Definition/Measurement, 8-10

G

Garages

Accessory Buildings, 13-13
Front Setback Requirement, 13-7
Multifamily-1 District, 9-28
Multifamily-2 District, 9-30
Multifamily-3 District, 9-32
Parking, 16-3

H

Headlight Screens

Regulations, 16-14

Height Regulations

Allowed Exceptions, 13-10
Height Definition/Measurement, 8-13

Heritage Resource Overlay

Criteria for Designation, 11-7
Designation of (Procedures), 11-7

Home Occupations

Allowed Districts, 14-4, 14-12
General Regulations, 15-17

Homeowners Association

See "Property Owners Association", 9-18

I

Interpretation

of Zoning Ordinance, 1-4

K

Kiosks

In Shopping Centers, 13-14
Stacking Requirements, 16-16

L

Landscaping

Commercial Employment District, 10-37
Downtown Business/Government District, 10-22
General Requirements, 17-12
Multifamily and Retirement Housing, 17-6
Nonresidential Requirements, 17-1
Planned Developments, 12-2
Regional Commercial District, 10-41
Regional Employment District, 10-44
Single-Family, Patio Home, Single-Family Attached
and Two-Family Development, 17-7

Landscaping Requirements

In overlay districts, 17-7
In residential districts, 17-6

Light-intensity Manufacturing

Light Commercial District, 10-7
Retail District, 10-5

Live-Work (Business Loft)

Defined, 8-16
NBD district regulations, 10-55
Supplemental regulations, 15-26

Loading Docks/Spaces

Regional Commercial District, 10-41
Regional Employment District, 10-44
Requirements, 16-22
Research/Technology Center District, 10-47

Lot Coverage

Definition/Measurement, 8-16
Exceptions, 13-11

M

Maintenance Regulations

Patio Homes, Common Areas, 9-18

Masonry Requirements

Regional Employment District, 10-44

Mechanical Screening

General Requirements, 20-3
Regional Commercial District, 10-41
Regional Employment District, 10-44

Merchandise Display Areas

General regulations, 19-2

Metal Buildings

Light Industrial-1 District, 10-52, 10-53

Mid-Rise Residential

Supplemental regulations, 15-23

Mobile Homes

General Requirements, 9-33

Multifamily Residences

- Allowed Districts, *14-5, 14-13*
- Downtown Business/Government District, *10-26*
- Landscaping Requirements, *17-6*
- Parking Regulations, *16-9*
- Supplementary Regulations, *15-17*

N**Nonconforming Use**

- General Regulations, *7-1*

Nursery

- Allowed Districts, *14-5, 14-13*
- Parking Regulations, *16-12*

O**Off-Street Parking**

- Schedule of requirements, *16-8*

Open Space/Greenbelt

- Patio Home District, *9-18*
- Planned Development, *12-2*
- Single-Family Attached District, *9-21*
- Site Plan Requirements, *3-9*

Open Storage

- General Regulations, *19-1*
- Screening requirements, *19-2*

Outdoor Recreation Facilities

- General regulations, *15-18*

Overlay Zoning Districts

- Establishment, *11-1*

P**Parking**

- Access, *16-3*
- Central Business-1 District, *10-34*
- Commercial Employment District, *10-37*
- Compact Car Spaces, *16-3*
- Compact Cars in Central Business-1 District, *10-35*
- Compact Cars in Commercial Employment District, *10-38*
- Compact Cars in Downtown Business/Government District, *10-21*
- Downtown Business/Government District, *10-20*
- General Regulations, *16-1*
- General Residential District, *9-25*
- Incidental Off-Street, *16-7*
- Joint Parking Facilities, *16-16*
- Loading, Off-Street, *16-22*
- Mobile Home District, *9-33*
- Multifamily-1 District, *9-27*
- Multifamily-2 District, *9-29*
- Multifamily-3 District, *9-31*
- NBD District, *10-59*
- Offsite Parking, *16-2*
- Parking Deferment Program, *16-19*

- Parking Reduction Program, *16-16*
- Patio Home District, *9-18*
- Single-Family Attached District, *9-20*
- Size of Space, *16-2*
- Special Off-Street Regulations, *16-14*
- Special Vehicle Storage, *16-14*
- Stacking Regulations/Drive-Through, *16-16*
- Urban Mixed-Use District, *10-16*

Parking Area Standards, 16-4**Parking Garage/Structure**

- Size of Space, *16-3*

Penalties

- Penalty for Violation, *1-3*
- Preserving Rights/Litigation, *1-3*
- Signs, *22-26*

Performance Standards, 24-1**Planned Developments**

- General Regulations, *12-1*

Pollution/Environmental Standards

- See Performance Standards, *24-1*

Preliminary Site Plans

- Amendments, *3-14*
- Extension and Reinstatement, *3-15*
- General Requirements, *3-5*
- Lapse, *3-7*

Private Clubs

- Allowed Districts, *14-6, 14-14*
- General Regulations, *15-18*

Prohibited Use

- General Regulations, *14-19*

Property Owners Association, 9-18, 17-12**Property Owners Associations**

- Patio Home District, *9-18*

Public Hearings

- Zoning Cases, *4-2*

Purposes (General)

- of Zoning Ordinance, *1-2*

R**Recreation Vehicle. See "Special Vehicle"****Redevelopment District, 11-9****Regional Shopping Malls**

- Supplemental regulations, *15-19*

Religious Facilities

- Allowed Districts, *14-6, 14-14*
- Compact Car Parking, *16-3*
- Height Regulations, *13-10*
- Joint Parking Facilities, *16-16*
- Parking, *16-12*

Residence Hotels

- Supplementary Regulations, *15-19*

Retirement Housing

- Supplemental regulations, *15-19*

Right-of-Way, Excess

General Regulations, 13-2

S

Screening Walls and Fences

Dumpster Screening and Placement, 20-3
General Regulations, 20-1
Mechanical Screening, 20-3
Multifamily-1 District, 9-28
Multifamily-2 District, 9-29
Multifamily-3 District, 9-32
Patio Home District, 9-18

Setbacks

For Buildings Over Two Stories in Height, 13-7, 13-8
Staggered, 13-7

Severability, 1-5

Signs

Definitions, 22-7
General Regulations, 22-1
In Downtown Business/Government District, 10-27
In Overlay Districts, 22-27

Site Plan Review

Amendments, 3-14
Extension and Reinstatement, 3-15
General Information and Requirements, 3-8
Lapse, 3-11

Solid Waste Collection

General regulations, 20-3

Special Vehicle

Definition, 16-14
Storage, 16-14

Specific Use Permits

General Requirements, 6-1

Stacking Requirements

Drive-Through Windows, 16-16

Stormwater Conservation

Reduced parking in exchange for, 16-16

Street Names

Mobile Home District, 9-34
Multifamily-1 District, 9-28
Multifamily-2 District, 9-30
Multifamily-3 District, 9-32

Superstores

Supplemental regulations, 15-21

T

Tattooing, Permanent Cosmetics, and Body Piercing

Supplemental regulations, 15-22

Tier One Housing Types, 9-36

Tier Two Housing Types, 9-38

Title of Official Ordinance, 1-1

Traffic and Circulation

Planned Development Districts, 12-3
Traffic Impact Analysis, 25-1

Transitional Provisions, 1-3

Tree Preservation and Protection, 17-14

U

Utilities

Allowed Districts, 14-3, 14-6, 14-7, 14-11, 14-15
Height Regulations, 13-11
Site Plan Requirements, 3-9

V

Vehicle and Related Uses

Allowed Districts, 14-2, 14-5, 14-6, 14-7, 14-8, 14-10, 14-13, 14-14, 14-16
Parking Standards, 16-8, 16-13
Truck Sales, 14-7, 14-16
Vehicle Dealers (New and Used), 14-8, 14-16
Vehicle Parts Sales, 14-8, 14-16
Vehicle Repair (Major), 14-8, 14-16
Vehicle Repair (Minor/Fueling Station), 14-8, 14-16

Veterinary Clinics and Kennels

Allowed Districts, 14-4, 14-5, 14-13, 14-14, 14-16
General Requirements, 15-23

Violations and Penalties, 1-3

Visibility Triangle

General Requirements, 13-5

Z

Zero Lot Line

Side Yard Regulations, 9-17

Zoning

Notice, 4-2
Petition, 4-1
Prejudice, 4-4
Protest, 4-5
Two-Year Waiver Requirements, 4-6

Zoning Map, 2-1

Zoning upon Annexation, 1-4